

**Dan's MacBook**  
**16/10/08 1:55 PM**

**Hardware:**

**Hardware Overview:**

Model Name: MacBook  
Model Identifier: MacBook5,1  
Processor Name: Intel Core 2 Duo  
Processor Speed: 2.4 GHz  
Number Of Processors: 1  
Total Number Of Cores: 2  
L2 Cache: 3 MB  
Memory: 2 GB  
Bus Speed: 1.07 GHz  
Boot ROM Version: MB51.0073.B00  
SMC Version:  
Serial Number: XXXXXXXXXX  
Sudden Motion Sensor:  
State: Enabled

**Network:**

**Bluetooth:**

Type: PPP (PPPSerial)  
Hardware: Modem  
BSD Device Name: Bluetooth-Modem  
IPv4:  
Configuration Method: PPP  
IPv6:  
Configuration Method: Automatic  
Proxies:  
FTP Passive Mode: Yes

**Ethernet:**

Type: Ethernet  
Hardware: Ethernet  
BSD Device Name: en0  
IPv4:  
Configuration Method: DHCP  
IPv6:  
Configuration Method: Automatic  
Proxies:  
Except ons List: \*.local, 169.254/16  
FTP Passive Mode: Yes  
Ethernet:  
MAC Address: 00:23:32:b7:15:34  
Media Options:  
Media Subtype: Auto Select

**AirPort:**

Type: AirPort  
Hardware: AirPort  
BSD Device Name: en1  
IPv4 Addresses: 192.168.1.3  
IPv4:  
Addresses: 192.168.1.3  
Configuration Method: DHCP  
Interface Name: en1  
NetworkSignature: IPv4.Router=192.168.1.254;IPv4.RouterHardwareAddress=00:04:ed:24:92:08  
Router: 192.168.1.254  
Subnet Masks: 255.255.255.0  
IPv6:  
Configuration Method: Automatic  
DNS:  
Server Addresses: 192.168.1.254  
DHCP Server Responses:  
Domain Name Servers: 192.168.1.254  
Lease Duration (seconds): 0  
DHCP Message Type: 0x05  
Routers: 192.168.1.254  
Server Identifier: 192.168.1.254  
Subnet Mask: 255.255.255.0  
Proxies:  
Except ons List: \*.local, 169.254/16  
FTP Passive Mode: Yes  
Ethernet:  
MAC Address: 00:23 6c:7d:2d:d6  
Media Options:  
Media Subtype: Auto Select

**Software:**

### System Software Overview:

System Version: Mac OS X 10.5.5 (9F2114)  
Kernel Version: Darwin 9.5.1  
Boot Volume: Macintosh HD  
Boot Mode: Normal  
Computer Name: Dan's MacBook  
User Name: Dan (dan)  
Time since boot: 31 minutes

### Audio (Built In):

#### Intel High Definition Audio:

Device ID: 0x10DECB79  
Audio ID: 63  
Available Devices:  
Headphone:  
Connect on: Combo  
Line In:  
Connect on: Combo  
Speaker:  
Connect on: Internal  
Microphone:  
Connect on: Internal  
Microphone:  
Connect on: 1/8 inch Jack  
S/P-DIF Out:  
Connect on: Combo  
S/P-DIF In:  
Connect on: Combo

### Bluetooth:

Apple Bluetooth Software Version: 2.1.2f8  
Hardware Settings:  
Dan's MacBook:  
Address: 00-23-12-5e-64-d5  
Manufacturer: Broadcom  
Firmware Version: 162 (251)  
Bluetooth Power: On  
Discoverable: Yes  
HCI Version: 4 (\$4)  
HCI Revision: 251 (\$fb)  
LMP Version: 4 (\$4)  
LMP Subversion: 8610 (\$21a2)  
Device Type (Major): Computer  
Device Type (Complete): Macintosh Portable  
Composite Class Of Device: 3670284 (\$38010c)  
Device Class (Major): 1 (\$1)  
Device Class (Minor): 3 (\$3)  
Service Class: 448 (\$1c0)  
Requires Authentication: No  
Services:  
Bluetooth File Transfer:  
Folder other devices can browse: ~/Public  
Requires Authentication: Yes  
State: Enabled  
Bluetooth File Exchange:  
Folder for accepted items: ~/Downloads  
Requires Authentication: No  
When other items are accepted: Ask  
When PIM items are accepted: Ask  
When receiving items: Prompt for each file  
State: Enabled  
Incoming Serial Ports:  
Serial Port 1:  
Name: Bluetooth-PDA-Sync  
RFCOMM Channel: 3  
Requires Authentication: No  
Outgoing Serial Ports:  
Serial Port 1:  
Address:  
Name: Bluetooth-Modem  
RFCOMM Channel: 0  
Requires Authentication: No

### Diagnostics:

#### Power On Self-Test:

Last Run: 16/10/08 1:24 PM  
Result: Passed

### Disc Burning:

HL-DT-ST DVD RW GS21N:

Firmware Revision: SA14  
Interconnect: ATAPI  
Burn Support: Yes (Apple Shipping Drive)  
Cache: 2048 KB  
Reads DVD: Yes  
CD-Write: -R, -RW  
DVD-Write: -R, -R DL, -RW, +R, +R DL, +RW  
Write Strategies: CD-TAO, CD-SAO, CD-Raw, DVD-DAO  
Media: Insert media and refresh to show available burn speeds

## Graphics/Displays:

### NVIDIA GeForce 9400M:

Chipset Model: NVIDIA GeForce 9400M  
Type: Display  
Bus: PCI  
VRAM (Total): 256 MB  
Vendor: NVIDIA (0x10de)  
Device ID: 0x0863  
Revision ID: 0x00b1  
ROM Revision: 3327  
Displays:

#### Color LCD:

Resolution: 1280 x 800  
Depth: 32-bit Color  
Core Image: Hardware Accelerated  
Main Display: Yes  
Mirror: Off  
Online: Yes  
Quartz Extreme: Supported  
Built-In: Yes

#### Display Connector:

Status: No display connected

## Memory:

### BANK 0/DIMM0:

Size: 1 GB  
Type: DDR3  
Speed: 1067 MHz  
Status: OK  
Manufacturer: 0x80CE  
Part Number: 42323837344448312D4346382020  
Serial Number: [REDACTED]

### BANK 0/DIMM1:

Size: 1 GB  
Type: DDR3  
Speed: 1067 MHz  
Status: OK  
Manufacturer: 0x80CE  
Part Number: 42323837344448312D4346382020  
Serial Number: [REDACTED]

## Power:

### Battery Information:

Model Information:  
Serial Number: [REDACTED]  
Manufacturer: DP  
Device name: bq20z951  
Pack Lot Code: 0000  
PCB Lot Code: 0000  
Firmware Version: 002a  
Hardware Revision: 0005  
Cell Revision: 0100  
Charge Information:  
Charge remaining (mAh): 3776  
Fully charged: No  
Charging: No  
Full charge capacity (mAh): 4199  
Health Information:  
Cycle count: 0  
Condition: Good  
Battery Installed: Yes  
Amperage (mA): -159  
Voltage (mV): 12112

### System Power Settings:

AC Power:  
System Sleep Timer (Minutes): 0  
Disk Sleep Timer (Minutes): 10

Display Sleep Timer (Minutes): 10  
Automatic Restart On Power Loss: No  
Wake On AC Change: No  
Wake On Clamshell Open: Yes  
Wake On LAN: Yes  
Display Sleep Uses Dim: Yes  
Battery Power:  
System Sleep Timer (Minutes): 10  
Disk Sleep Timer (Minutes): 10  
Display Sleep Timer (Minutes): 2  
Wake On AC Change: No  
Wake On Clamshell Open: Yes  
Display Sleep Uses Dim: Yes  
Reduce Brightness: Yes

**Hardware Configuration:**

UPS Installed: No

**AC Charger Information:**

Connected: No  
Charging: No

**Serial-ATA:**

**NVidia MCP79 AHCI:**

Vendor: NVidia  
Product: MCP79 AHCI  
Speed: 3 Gigab t  
Description: AHCI Version 1.20 Supported

**TOSHIBA MK2553GSX:**

Capacity: 232.89 GB  
Model: TOSHIBA MK2553GSX  
Revision:  
Serial Number:   
Native Command Queuing: Yes  
Queue Depth: 32  
Removable Media: No  
Detachable Drive: No  
BSD Name: disk0  
Mac OS 9 Drivers: No  
Part t on Map Type: GPT (GUID Partition Table)  
S.M.A.R.T. status: Verified  
Volumes:

**Macintosh HD:**

Capacity: 232.57 GB  
Available: 215.06 GB  
Writable: Yes  
File System: Journaled HFS+  
BSD Name: disk0s2  
Mount Point: /

**NVidia MCP79 AHCI:**

Vendor: NVidia  
Product: MCP79 AHCI  
Speed: 3 Gigab t  
Description: AHCI Version 1.20 Supported

**HL-DT-ST DVDRW GS21N:**

Model: HL-DT-ST DVDRW GS21N  
Revision:  
Serial Number:   
Native Command Queuing: No  
Detachable Drive: No  
Power Off: Yes  
Async Notification: No

**USB:**

**USB High-Speed Bus:**

Host Controller Location: Built In USB  
Host Controller Driver: AppleUSBHCI  
PCI Device ID: 0x0aa9  
PCI Revision ID: 0x00b1  
PCI Vendor ID: 0x10de  
Bus Number: 0x26

**USB High-Speed Bus:**

Host Controller Location: Built In USB  
Host Controller Driver: AppleUSBHCI

PCI Device ID: 0x0aa6  
PCI Revision ID: 0x00b1  
PCI Vendor ID: 0x10de  
Bus Number: 0x24

**Built-in iSight:**

Product ID: 0x8507  
Vendor ID: 0x05ac (Apple Inc.)  
Version:  
Serial Number:   
Speed: Up to 480 Mb/sec  
Manufacturer: Apple Inc.  
Location ID: 0x24400000  
Current Available (mA): 500  
Current Required (mA): 500

**USB Bus:**

Host Controller Location: Built In USB  
Host Controller Driver: AppleUSBOHCI  
PCI Device ID: 0x0aa5  
PCI Revision ID: 0x00b1  
PCI Vendor ID: 0x10de  
Bus Number: 0x04

**Apple Internal Keyboard / Trackpad:**

Product ID: 0x0236  
Vendor ID: 0x05ac (Apple Inc.)  
Version: 0.77  
Speed: Up to 12 Mb/sec  
Manufacturer: Apple, Inc.  
Location ID: 0x04600000  
Current Available (mA): 500  
Current Required (mA): 40

**IR Receiver:**

Product ID: 0x8242  
Vendor ID: 0x05ac (Apple Inc.)  
Version: 0.16  
Speed: Up to 1.5 Mb/sec  
Manufacturer: Apple Computer, Inc.  
Location ID: 0x04500000  
Current Available (mA): 500  
Current Required (mA): 100

**USB Bus:**

Host Controller Location: Built In USB  
Host Controller Driver: AppleUSBOHCI  
PCI Device ID: 0x0aa7  
PCI Revision ID: 0x00b1  
PCI Vendor ID: 0x10de  
Bus Number: 0x06

**BCM2045B2:**

Product ID: 0x4500  
Vendor ID: 0x0a5c (Broadcom Corp.)  
Version: 1.00  
Speed: Up to 12 Mb/sec  
Manufacturer: Broadcom  
Location ID: 0x06100000  
Current Available (mA): 500  
Current Required (mA): 0

**Bluetooth USB Host Controller:**

Product ID: 0x8213  
Vendor ID: 0x05ac (Apple Inc.)  
Version:  
Serial Number:   
Speed: Up to 12 Mb/sec  
Manufacturer: Apple, Inc.  
Location ID: 0x06110000  
Current Available (mA): 500  
Current Required (mA): 0

**AirPort Card:**

**AirPort Card Information:**

Wireless Card Type: AirPort Extreme (0x14E4, 0x8D)  
Wireless Card Locale: Asia Pacific  
Wireless Card Firmware Version: Broadcom BCM43xx 1.0 (4.170.83.15)  
Current Wireless Network: apc

Wireless Channel: 1

## Firewall:

### Firewall Settings:

Mode: Allow all incoming connections

## Locations:

### Automatic:

Active Location: Yes

Services:

#### Bluetooth:

Type: PPP

IPv4:

Configuration Method: PPP

IPv6:

Configuration Method: Automatic

Proxies:

FTP Passive Mode: Yes

PPP:

ACSP Enabled: No  
Display Terminal Window: No  
Redial Count: 1  
Redial Enabled: Yes  
Redial Interval: 5  
Use Terminal Script: No  
Dial On Demand: No  
Disconnect On Fast User Switch: Yes  
Disconnect On Idle: Yes  
Disconnect On Idle Time: 600  
Disconnect On Logout: Yes  
Disconnect On Sleep: Yes  
Idle Reminder: No  
Idle Reminder Time: 1800  
IPCP Compression VJ: Yes  
LCP Echo Enabled: No  
LCP Echo Failure: 4  
LCP Echo Interval: 10  
Log File: /var/log/ppp.log  
Verbose Logging: No

#### Ethernet:

Type: Ethernet

BSD Device Name:

Hardware (MAC) Address: [REDACTED]

IPv4:

Configuration Method: DHCP

IPv6:

Configuration Method: Automatic

AppleTalk:

Configuration Method: Node

Proxies:

Exceptions List: \*.local, 169.254/16

FTP Passive Mode: Yes

#### AirPort:

Type: IEEE80211

BSD Device Name:

Hardware (MAC) Address: [REDACTED]

IPv4:

Configuration Method: DHCP

IPv6:

Configuration Method: Automatic

AppleTalk:

Configuration Method: Node

Proxies:

Exceptions List: \*.local, 169.254/16

FTP Passive Mode: Yes

IEEE80211:

Join Mode: Automatic

PreferredNetworks:

SecurityType: WEP

SSID\_STR:

Unique Network ID: [REDACTED]

Unique Password ID: [REDACTED]

## Volumes:

### net:

Type: autofs  
Mount Point: /net  
Mounted From: map -hosts  
Automounted: Yes

### home:

Type: autofs  
Mount Point: /home  
Mounted From: map auto\_home  
Automounted: Yes

## Applications:

### Address Book:

Version: 4.1.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 4.1, Copyright Apple Inc. 2002–2007  
Location: /Applications/Address Book.app

### AppleScript Utility:

Version: 1.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /Applications/AppleScript/AppleScript Utility.app

### Folder Actions Setup:

Version: 1.1.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /Applications/AppleScript/Folder Actions Setup.app

### Script Editor:

Version: 2.2.1  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Location: /Applications/AppleScript/Script Editor.app

### Automator:

Version: 2.0.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: Automator version 2.0.2, Copyright 2004–2007 Apple Inc.  
Location: /Applications/Automator.app

### Calculator:

Version: 4.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 4.2, Copyright © 2000–2007 Apple Inc.  
Location: /Applications/Calculator.app

### Chess:

Version: 2.4  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 2.4, Copyright 2003–2008 Apple Inc.  
Location: /Applications/Chess.app

### Dashboard:

Version: 1.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /Applications/Dashboard.app

### Dictionary:

Version: 2.0.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 2.0.2, Copyright © 2005–2008 Apple Inc.  
Location: /Applications/Dictionary.app

### DVD Player:

Version: 5.0.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: DVD Player 5.0.2, Copyright © 2001–2008 by Apple Inc. All Rights Reserved.  
Location: /Applications/DVD Player.app

### Expose:

Version: 1.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal

Location: /Applications/Expose.app

**Font Book:**

Version: 2.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 2.1, Copyright © 2003–2007 Apple Inc.  
Location: /Applications/Font Book.app

**Front Row:**

Version: 1.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /Applications/Front Row.app

**GarageBand:**

Version: 4.1.2  
Last Modified: 20/09/08 4:11 PM  
Kind: Universal  
Get Info String: GarageBand 4.1.2 (248.7), Copyright © 2007 by Apple Inc.  
Location: /Applications/GarageBand.app

**iCal:**

Version: 3.0.5  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 3.0.5, Copyright 2002–2008 Apple Inc.  
Location: /Applications/iCal.app

**iChat:**

Version: 4.0.6  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 4.0.6, Copyright © 2002–2008 Apple Inc. All rights reserved. The Running Man logo is a trademark of AOL, LLC.  
Location: /Applications/iChat.app

**iDVD:**

Version: 7.0.2  
Last Modified: 20/09/08 4:11 PM  
Kind: Universal  
Get Info String: iDVD 7.0.2, Copyright © 2001–2008 Apple Inc.  
Location: /Applications/iDVD.app

**Image Capture:**

Version: 4.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 4.0, © Copyright 2000–2007 Apple Inc., all rights reserved.  
Location: /Applications/Image Capture.app

**iMovie:**

Version: 7.1.4  
Last Modified: 20/09/08 4:12 PM  
Kind: Universal  
Get Info String: 7.1.4, Copyright © 2007–2008 Apple Inc. All Rights Reserved.  
Location: /Applications/iMovie.app

**iPhoto:**

Version: 7.1.4  
Last Modified: 20/09/08 4:13 PM  
Kind: Universal  
Get Info String: iPhoto 7.1.4, Copyright © 2002–2008 Apple Inc.  
Location: /Applications/iPhoto.app

**iSync:**

Version: 3.0.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 3.0.2, Copyright © 2003–2008 Apple Inc.  
Location: /Applications/iSync.app

**iTunes:**

Version: 8.0.1  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Get Info String: iTunes 8.0.1, © 2000–2008 Apple Inc. All Rights Reserved.  
Location: /Applications/iTunes.app

**iWeb:**

Version: 2.0.4  
Last Modified: 20/09/08 4:10 PM  
Kind: Universal  
Get Info String: 2.0.4, Copyright 2008 Apple Inc.  
Location: /Applications/iWeb.app

**Mail:**

Version: 3.5  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /Applications/Mail.app

**Photo Booth:**

Version: 2.0.3  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /Applications/Photo Booth.app

**Preview:**

Version: 4.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 4.1, Copyright 2002–2008 Apple Inc.  
Location: /Applications/Preview.app

**QuickTime Player:**

Version: 7.5.5  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Get Info String: 7.5.5, Copyright © 1989–2008 Apple Inc. All Rights Reserved  
Location: /Applications/QuickTime Player.app

**Safari:**

Version: 3.1.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 3.1.2, Copyright © 2003–2008 Apple Inc.  
Location: /Applications/Safari.app

**Spaces:**

Version: 1.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /Applications/Spaces.app

**Stickies:**

Version: 6.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 6.0, Copyright Apple Computer, Inc. 1999–2005  
Location: /Applications/Stickies.app

**System Preferences:**

Version: 5.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 5.0, Copyright © 2000–2007 Apple Inc.  
Location: /Applications/System Preferences.app

**TextEdit:**

Version: 1.5  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /Applications/TextEdit.app

**Time Machine:**

Version: 1.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /Applications/Time Machine.app

**Activity Monitor:**

Version: 10.5  
Last Modified: 20/09/08 4:00 PM

Kind: Universal  
Get Info String: 10.5, © 2002–2007 Apple Computer Inc. All Rights Reserved.  
Location: /Applications/Utilities/Activity Monitor.app

**AirPort Utility:**

Version: 5.3.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 5.3.2, Copyright 2001–2008 Apple Inc.  
Location: /Applications/Utilities/AirPort Utility.app

**Audio MIDI Setup:**

Version: 2.2.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 2.2.2, Copyright 2002–2007 Apple, Inc.  
Location: /Applications/Utilities/Audio MIDI Setup.app

**Bluetooth File Exchange:**

Version: 2.1.2  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Get Info String: 2.1.2, Copyright (c) 2008 Apple Inc. All Rights Reserved.  
Location: /Applications/Utilities/Bluetooth File Exchange.app

**Boot Camp Assistant:**

Version: 2.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: Boot Camp Assistant 2.0, Copyright © 2007 Apple Inc. All rights reserved  
Location: /Applications/Utilities/Boot Camp Assistant.app

**ColorSync Utility:**

Version: 4.5  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 4.5, © Copyright 2007 Apple Inc.  
Location: /Applications/Utilities/ColorSync Utility.app

**Console:**

Version: 10.5.3  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 10.5, Copyright © 1998–2007 Apple Inc.  
Location: /Applications/Utilities/Console.app

**DigitalColor Meter:**

Version: 3.6.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 3.6.1, © Copyright 2001–2007 Apple Computer Inc. All Rights Reserved.  
Location: /Applications/Utilities/DigitalColor Meter.app

**Directory Utility:**

Version: 2.0.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 2.0.1, Copyright © 2001–2008 Apple Inc.  
Location: /Applications/Utilities/Directory Utility.app

**Directory:**

Version: 1.0.3  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /Applications/Utilities/Directory.app

**Disk Utility:**

Version: 11.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: Disk Utility Version 11.1, Copyright © 1999–2008 Apple Inc. All rights reserved.  
Location: /Applications/Utilities/Disk Utility.app

**Grab:**

Version: 1.4  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal

Location: /Applications/Utilities/Grab.app

**Grapher:**

Version: 2.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /Applications/Utilities/Grapher.app

**Input Method Hotkey:**

Version: 12.2.0  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Location: /Applications/Utilities/Java/Input Method HotKey.app

**Java Preferences:**

Version: 12.2.0  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Location: /Applications/Utilities/Java/Java Preferences.app

**Java Web Start:**

Version: 12.2.0  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Location: /Applications/Utilities/Java/Java Web Start.app

**Keychain Access:**

Version: 4.0.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /Applications/Utilities/Keychain Access.app

**Migration Assistant:**

Version: 1.2.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /Applications/Utilities/Migration Assistant.app

**Network Utility:**

Version: 1.4.5  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: Network Utility Version 1.4.5, Copyright © 2000–2007 Apple Inc. All rights reserved.  
Location: /Applications/Utilities/Network Utility.app

**ODBC Administrator:**

Version: 1.1.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /Applications/Utilities/ODBC Administrator.app

**Podcast Capture:**

Version: 1.0.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 1.0.2, Copyright © 2007–2008 Apple Inc.  
Location: /Applications/Utilities/Podcast Capture.app

**RAID Utility:**

Version: 1.0.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: RAID Utility 1.0 (39), Copyright © 2007 Apple Inc.  
Location: /Applications/Utilities/RAID Utility.app

**Remote Install Mac OS X:**

Version: 1.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: Remote Install Mac OS X 1.1, Copyright © 2007–2008 Apple Inc. All rights reserved  
Location: /Applications/Utilities/Remote Install Mac OS X.app

**System Profiler:**

Version: 10.5.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal

Get Info String: 10.5.0, Copyright 1997–2007 Apple, Inc.  
Location: /Applications/Utilities/System Profiler.app

**Terminal:**

Version: 2.0.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 2.0.1, © 1995–2007 Apple Computer Inc. All Rights Reserved.  
Location: /Applications/Utilities/Terminal.app

**VoiceOver Utility:**

Version: 2.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 2.1, Copyright © 2004–2008 Apple Computer Inc., All Rights Reserved  
Location: /Applications/Utilities/VoiceOver Utility.app

**X11:**

Version: 2.1.5  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: X11  
Location: /Applications/Utilities/X11.app

**Applet Launcher:**

Version: 12.2.0  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Location: /Developer/Applications/Utilities/Applet Launcher.app

**AddPrinter:**

Version: 5.5.3  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/AddPrinter.app

**AirPort Base Station Agent:**

Version: 1.5  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/AirPort Base Station Agent.app

**Apple80211Agent:**

Version: 5.3  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 5.3, Copyright © 2000–2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/CoreServices/Apple80211Agent.app

**AppleFileServer:**

Version: 4.0.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 4.0.1  
Location: /System/Library/CoreServices/AppleFileServer.app

**AppleScript Runner:**

Version: 1.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/AppleScript Runner.app

**Archive Utility:**

Version: 10.5  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 10.5, Copyright 2003–2007 Apple Inc.  
Location: /System/Library/CoreServices/Archive Utility.app

**Automator Launcher:**

Version: 1.1.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: Automator Launcher version 1.1.1, Copyright 2004–2007 Apple Inc.  
Location: /System/Library/CoreServices/Automator Launcher.app

**Automator Runner:**

Version: 1.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: Automator Runner version 1.0, Copyright 2006 Apple Computer, Inc.  
Location: /System/Library/CoreServices/Automator Runner.app

**AVRCPAgent:**

Version: 2.1.2  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Get Info String: 2.1.2, Copyright (c) 2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/CoreServices/AVRCPAgent.app

**Bluetooth Setup Assistant:**

Version: 2.1.2  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Get Info String: 2.1.2, Copyright (c) 2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/CoreServices/Bluetooth Setup Assistant.app

**BluetoothAudioAgent:**

Version: 2.1.2  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Get Info String: 2.1.2, Copyright (c) 2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/CoreServices/BluetoothAudioAgent.app

**BluetoothUIServer:**

Version: 2.1.2  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Get Info String: 2.1.2, Copyright (c) 2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/CoreServices/BluetoothUIServer.app

**CCacheServer:**

Version: 6.0.12  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 6.0 Copyright © 2007 Massachusetts Institute of Technology  
Location: /System/Library/CoreServices/CCacheServer.app

**Certificate Assistant:**

Version: 2.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/Certificate Assistant.app

**CoreServicesUIAgent:**

Version: 12.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: Copyright © 2007 Apple Inc.  
Location: /System/Library/CoreServices/CoreServicesUIAgent.app

**Database Events:**

Version: 1.0.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/Database Events.app

**DiskImageMounter:**

Version: 10.5.3  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 10.5, Copyright 2003–2007 Apple Inc.  
Location: /System/Library/CoreServices/DiskImageMounter.app

**Dock:**

Version: 1.6.6  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: Dock 1 6.6  
Location: /System/Library/CoreServices/Dock.app

**Expansion Slot Utility:**

Version: 1.1

Last Modified: 20/09/08 4:00 PM  
Kind: Intel  
Location: /System/Library/CoreServices/Expansion Slot Utility.app

**File Sync:**

Version: 4.0.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: © Copyright 2006 Apple Computer Inc., all rights reserved.  
Location: /System/Library/CoreServices/File Sync.app

**FileSyncAgent:**

Version: 4.0.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: © Copyright 2006 Apple Computer Inc., all rights reserved.  
Location: /System/Library/CoreServices/FileSyncAgent.app

**Finder:**

Version: 10.5.7  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: Mac OS X Finder 10.5.7  
Location: /System/Library/CoreServices/Finder.app

**Folder Actions Dispatcher:**

Version: 1.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/Folder Actions Dispatcher.app

**Front Row:**

Version: 2.1.5  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/Front Row.app

**Help Viewer:**

Version: 4.0.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/Help Viewer.app

**Image Events:**

Version: 1.1.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/Image Events.app

**Installer:**

Version: 3.0.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 3.0, Copyright © 2000–2006 Apple Computer Inc., All Rights Reserved  
Location: /System/Library/CoreServices/Installer.app

**iSight Updater:**

Version: 2.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/iSight Updater.localized/iSight Updater.app

**Jar Launcher:**

Version: 12.2.0  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Location: /System/Library/CoreServices/Jar Launcher.app

**Kerberos:**

Version: 6.0.12  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 6.0 Copyright © 2007 Massachusetts Institute of Technology  
Location: /System/Library/CoreServices/Kerberos app

**KerberosAgent:**

Version: 6.0.12  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 6.0 Copyright © 2007 Massachusetts Institute of Technology  
Location: /System/Library/CoreServices/KerberosAgent.app

**KeyboardSetupAssistant:**

Version: 10.5.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/KeyboardSetupAssistant.app

**Language Chooser:**

Version: 1.6  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: System Language Initializer  
Location: /System/Library/CoreServices/Language Chooser.app

**loginwindow:**

Version: 5.3  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/loginwindow.app

**ManagedClient:**

Version: 1.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: ManagedClient 1.2 Copyright (c) 2004–2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/CoreServices/ManagedClient.app

**NetAuthAgent:**

Version: 1.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/NetAuthAgent.app

**Network Diagnostics:**

Version: 1.1.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/Network Diagnostics.app

**Network Setup Assistant:**

Version: 1.5.3  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 1.5.3, Copyright Apple Computer, Inc. 2003  
Location: /System/Library/CoreServices/Network Setup Assistant.app

**OBEXAgent:**

Version: 2.1.2  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Get Info String: 2.1.2, Copyright (c) 2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/CoreServices/OBEXAgent.app

**ODSAgent:**

Version: 1.0.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 1.0.2 (102.1), Copyright © 2007 Apple Inc. All Rights Reserved.  
Location: /System/Library/CoreServices/ODSAgent.app

**PreferenceSyncClient:**

Version: 1.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/PreferenceSyncClient.app

**Printer Setup Utility:**

Version: 5.5.3  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/Printer Setup Utility.app

**Problem Reporter:**

Version: 10.5.5  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/Problem Reporter.app

**rcd:**

Version: 1.7  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 1.7  
Location: /System/Library/CoreServices/rcd.app

**LockScreen:**

Version: 3.2.2  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Location: /System/Library/CoreServices/RemoteManagement/AppleVNCServer.bundle/Contents/Support/LockScreen.app

**VNC Guest:**

Version: 3.2.2  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Location: /System/Library/CoreServices/RemoteManagement/AppleVNCServer.bundle/Contents/Support/VNC Guest.app

**VNC DragHelper:**

Version: 3.2.2  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Location: /System/Library/CoreServices/RemoteManagement/AppleVNCServer.bundle/Contents/Support/VNC DragHelper.app

**ARDAgent:**

Version: 3.2.2  
Last Modified: 16/10/08 1:23 PM  
Kind: Universal  
Location: /System/Library/CoreServices/RemoteManagement/ARDAgent.app

**Screen Sharing:**

Version: 1.0.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 1.0.1, Copyright © 2007 Apple Inc., All Rights Reserved.  
Location: /System/Library/CoreServices/Screen Sharing.app

**SecurityAgent:**

Version: 4.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/SecurityAgent.app

**Fixer:**

Version: 10.5  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/SecurityFixer.app

**Setup Assistant:**

Version: 10.5.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: 10.5.0, Copyright © Apple Inc. 2005–2007. All rights reserved.  
Location: /System/Library/CoreServices/Setup Assistant.app

**DesktopDB:**

Last Modified: 11/07/08 1:25 PM  
Kind: Classic  
Location: /System/Library/CoreServices/SKPlugins/DesktopDB.service

**Software Update:**

Version: 3.0.3  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: Software Update version 3.0, Copyright 2000–2007, Apple Inc.  
Location: /System/Library/CoreServices/Software Update.app

**Spotlight:**

Version: 10.5  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/Spotlight.app

**System Events:**

Version: 1.3.2  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/System Events.app

**SystemUIServer:**

Version: 1.5.4  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Get Info String: SystemUIServer vers on 1.5.4, Copyright 2000–2008 Apple Computer, Inc.  
Location: /System/Library/CoreServices/SystemUIServer.app

**UserNotificationCenter:**

Version: 3.0.0  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/UserNotificationCenter.app

**SecureDownloadAgent:**

Version: 1.1  
Last Modified: 20/09/08 4:00 PM  
Kind: Universal  
Location: /System/Library/CoreServices/VerifiedDownloadAgent.app

**Extensions:**

**ACPI\_SMC\_PlatformPlugin:**

Version: 3.2.0  
Last Modified: 20/09/08 9:39 AM  
Location: /System/Library/Extensions/IOPlatformPluginFamily.kext/Contents/PlugIns/ACPI\_SMC\_PlatformPlugin.kext  
kext Vers on: 3.2.0d26  
Load Address: 0x29ccb000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**ALF:**

Version: 1.0.77  
Last Modified: 20/09/08 9:27 AM  
Location: /System/Library/Extensions/ALF.kext  
kext Vers on: 1.0.77  
Load Address: 0x29e67000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleACPIButtons:**

Version: 1.2.2  
Last Modified: 20/09/08 9:49 AM  
Get Info String: 1.2.2, Copyright Apple Inc. 2003–2008  
Location: /System/Library/Extensions/AppleACPIPlatform.kext/Contents/PlugIns/AppleACPIButtons.kext  
kext Vers on: 1.2.2  
Load Address: 0x2fba8000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleACPIEC:**

Version: 1.2.2  
Last Modified: 20/09/08 9:49 AM  
Get Info String: 1.2.2, Copyright Apple Inc. 2003–2008  
Location: /System/Library/Extensions/AppleACPIPlatform.kext/Contents/PlugIns/AppleACPIEC.kext  
kext Vers on: 1.2.2  
Load Address: 0x29fcf000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleACPIPCI:**

Version: 1.2.2  
Last Modified: 20/09/08 9:49 AM  
Get Info String: 1.2.2, Copyright Apple Inc. 2003–2008  
Location: /System/Library/Extensions/AppleACPIPlatform.kext/Contents/PlugIns/AppleACPIPCL.kext  
kext Vers on: 1.2.2  
Load Address: 0x2fc46000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleACPIPlatform:**

Version: 1.2.2  
Last Modified: 20/09/08 9:49 AM  
Get Info String: 1.2.2, Copyright Apple Inc. 2003–2008  
Location: /System/Library/Extensions/AppleACPIPlatform.kext  
kext Vers on: 1.2.2  
Load Address: 0x29c07000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleAHCIPort:**

Version: 1.5.2  
Last Modified: 20/09/08 9:53 AM  
Get Info String: Vers on 1.5.2, Copyright 2005–2008, Apple Inc.  
Location: /System/Library/Extensions/AppleAHCIPort.kext  
kext Vers on: 1.5.2  
Load Address: 0x2ff29000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleAPIC:**

Version: 1.4  
Last Modified: 20/09/08 9:36 AM  
Get Info String: 1.4, Copyright Apple Computer, Inc. 2003–2008  
Location: /System/Library/Extensions/AppleAPIC.kext  
kext Vers on: 1.4  
Load Address: 0x29efe000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleAirPortBrcm4311:**

Version: 3.5.0  
Last Modified: 20/09/08 9:57 AM  
Get Info String: 3.5.0, Copyright © 2006–2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/Extensions/IO80211Family.kext/Contents/PlugIns/AppleAirPortBrcm4311.kext  
kext Vers on: 350.83.15  
Load Address: 0x3c808000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleBacklight:**

Version: 1.4.0  
Last Modified: 20/09/08 9:51 AM  
Get Info String: AppleBacklight, Copyright 2000–2008 Apple Computer, Inc.  
Location: /System/Library/Extensions/AppleBacklight.kext  
kext Vers on: 1.4.4  
Load Address: 0x29b5f000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleEFINVRAM:**

Version: 1.2.0  
Last Modified: 20/09/08 9:54 AM  
Get Info String: 1.2.0, Copyright Apple Inc. 2005–2007  
Location: /System/Library/Extensions/AppleEFIRuntime.kext/Contents/PlugIns/AppleEFINVRAM.kext  
kext Vers on: 1.2.0  
Load Address: 0x301ad000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleEFIRuntime:**

Version: 1.2.0  
Last Modified: 20/09/08 9:54 AM  
Get Info String: 1.2.0, Copyright Apple Inc. 2005–2007  
Location: /System/Library/Extensions/AppleEFIRuntime.kext  
kext Vers on: 1.2.0  
Load Address: 0x2fd48000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleGraphicsPowerManagement:**

Version: 100.0.28  
Last Modified: 20/09/08 9:54 AM  
Get Info String: 100.0.28, Copyright 2008 Apple Inc. All rights reserved.  
Location: /System/Library/Extensions/AppleGraphicsPowerManagement.kext  
kext Vers on: 100.0.28  
Load Address: 0x2fd8c000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleHDA:**

Version: 1.5.8  
Last Modified: 20/09/08 9:35 AM  
Get Info String: 1.5.8fc46, Copyright Apple Inc. 2005–2008  
Location: /System/Library/Extensions/AppleHDA.kext  
kext Vers on: 1.5.8fc46  
Load Address: 0x3cac2000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleHDAController:**

Version: 1.5.8  
Last Modified: 20/09/08 9:35 AM  
Get Info String: 1.5.8fc46, Copyright Apple Inc. 2005–2008  
Location: /System/Library/Extensions/AppleHDA.kext/Contents/Plugins/AppleHDAController.kext  
kext Vers on: 1.5.8fc46  
Load Address: 0x2febb000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleHPET:**

Version: 1.2  
Last Modified: 20/09/08 9:35 AM  
Get Info String: 1.2, Copyright Apple Inc. 2005–2008  
Location: /System/Library/Extensions/AppleHPET.kext  
kext Vers on: 1.2  
Load Address: 0x2fcd000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleHWSensor:**

Version: 1.7.2  
Last Modified: 20/09/08 9:36 AM  
Get Info String: AppleHWSensor version 1.7.2, Copyright 2002–2008 Apple Inc.  
Location: /System/Library/Extensions/AppleHWSensor.kext  
kext Vers on: 1.7.2d1  
Load Address: 0x30405000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleIRController:**

Version: 1.7  
Last Modified: 20/09/08 9:57 AM  
Location: /System/Library/Extensions/AppleIRController.kext  
kext Vers on: 110  
Load Address: 0x29cd9000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied

Integrity: Kext has no receipt

**AppleIntelCPUPowerManagement:**

Version: 59.0.0  
Last Modified: 20/09/08 9:25 AM  
Get Info String: 59.0.0, Copyright Apple Inc. 2005–2008  
Location: /System/Library/Extensions/AppleIntelCPUPowerManagement.kext  
kext Vers on: 59.0.0  
Load Address: 0x29dfa000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleLPC:**

Version: 1.2.10  
Last Modified: 20/09/08 9:55 AM  
Get Info String: 1.2.10, Copyright 2005–2008 Apple Inc.  
Location: /System/Library/Extensions/AppleLPC.kext  
kext Vers on: 1.2.11  
Load Address: 0x29c85000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleMikeyDriver:**

Version: 1.5.8  
Last Modified: 20/09/08 9:35 AM  
Get Info String: 1.5.8fc46, Copyright Apple Inc. 2005–2008  
Location: /System/Library/Extensions/AppleHDA.kext/Contents/PlugIns/AppleMikeyDriver.kext  
kext Vers on: 1.5.8fc46  
Load Address: 0x2feca000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleMikeyHIDDriver:**

Version: 1.0  
Last Modified: 20/09/08 9:35 AM  
Location: /System/Library/Extensions/AppleMikeyHIDDriver.kext  
kext Vers on: 1.0.5  
Load Address: 0x2fdbf000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleNMI:**

Version: 9.5.1  
Last Modified: 20/09/08 9:22 AM  
Get Info String: AppleNMI Pseudoextension, Apple Computer Inc, 9.5.1  
Location: /System/Library/Extensions/System.kext/PlugIns/AppleNMI.kext  
kext Vers on: 9.5.1  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**ApplePlatformFamily:**

Version: 9.5.1  
Last Modified: 20/09/08 9:22 AM  
Get Info String: Apple Platform Family Pseudoextension, Apple Computer Inc, 9.5.1  
Location: /System/Library/Extensions/System.kext/PlugIns/ApplePlatformFamily.kext  
kext Vers on: 9.5.1  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleRTC:**

Version: 1.2.2  
Last Modified: 20/09/08 9:56 AM  
Get Info String: 1.2.2, Copyright Apple Inc. 2005–2008  
Location: /System/Library/Extensions/AppleRTC.kext  
kext Vers on: 1.2.2  
Load Address: 0x2fd34000  
Val d: Yes  
Authentic: Yes

Dependencies: Satisfied  
Integrity: Kext has no receipt

#### AppleSMBIOS:

Version: 1.1.1  
Last Modified: 20/09/08 9:36 AM  
Get Info String: 1.1.1, Copyright Apple, Inc. 2005–2008  
Location: /System/Library/Extensions/AppleSMBIOS.kext  
kext Vers on: 1.1.1  
Load Address: 0x29fe6000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

#### AppleSMBusController:

Version: 1.0.0  
Last Modified: 20/09/08 9:55 AM  
Location: /System/Library/Extensions/AppleSMBusController.kext  
kext Vers on: 1.0.0d12  
Load Address: 0x2fda7000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

#### AppleSMBusPCI:

Version: 1.0.0  
Last Modified: 20/09/08 9:55 AM  
Location: /System/Library/Extensions/AppleSMBusPCI.kext  
kext Vers on: 1.0.0d12  
Load Address: 0x29a85000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

#### AppleSMC:

Version: 2.2.0  
Last Modified: 20/09/08 9:55 AM  
Get Info String: AppleSMC 2.2.0, Copyright (c) 2005–2007 Apple Inc. All Rights Reserved.  
Location: /System/Library/Extensions/AppleSMC.kext  
kext Vers on: 2.2.0d4  
Load Address: 0x29c8b000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

#### AppleSMCLMU:

Version: 141  
Last Modified: 20/09/08 9:43 AM  
Get Info String: AppleLMUController version 1.4.1, Copyright (c) 2002–2008 Apple  
Location: /System/Library/Extensions/AppleSMCLMU.kext  
kext Vers on: 1.4.1d3  
Load Address: 0x29cde000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

#### AppleSmartBatteryManager:

Version: 158.6.0  
Last Modified: 20/09/08 9:27 AM  
Location: /System/Library/Extensions/AppleSmartBatteryManager.kext  
kext Vers on: 158.6.0  
Load Address: 0x2fca8000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

#### AppleUSBBluetoothHCIController:

Version: 2.1.2  
Last Modified: 20/09/08 9:44 AM  
Get Info String: 2.1.2, Copyright (c) 2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/Extensions/IOBluetoothFamily.kext/Contents/Plugins/AppleUSBBluetoothHCIController.kext  
kext Vers on: 2.1.2f8  
Load Address: 0x30b1b000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied

Integrity: Kext has no receipt

**AppleUSBHCI:**

Version: 3.2.2  
Last Modified: 20/09/08 9:30 AM  
Get Info String: 3.2.2, Copyright © 2000–2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/Extensions/IOUSBFamily.kext/Contents/PlugIns/AppleUSBHCI.kext  
kext Vers on: 3.2.2  
Load Address: 0x2fea7000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleUSBHub:**

Version: 3.2.2  
Last Modified: 20/09/08 9:30 AM  
Get Info String: 3.2.2, Copyright © 2000–2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/Extensions/IOUSBFamily.kext/Contents/PlugIns/AppleUSBHub.kext  
kext Vers on: 3.2.2  
Load Address: 0x30060000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleUSBMergeNub:**

Version: 3.2.2  
Last Modified: 20/09/08 9:30 AM  
Get Info String: 3.2.2, Copyright © 2000–2007 Apple Inc. All Rights Reserved.  
Location: /System/Library/Extensions/IOUSBFamily.kext/Contents/PlugIns/AppleUSBMergeNub.kext  
kext Vers on: 3.2.2  
Load Address: 0x2fff2000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleUSBMultitouch:**

Version: 189.28  
Last Modified: 20/09/08 9:28 AM  
Get Info String: 1.0.0a1, Copyright © 2007 Apple Inc.  
Location: /System/Library/Extensions/AppleUSBMultitouch.kext  
kext Vers on: 189.28  
Load Address: 0x3099e000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleUSBOHCI:**

Version: 3.2.2  
Last Modified: 20/09/08 9:30 AM  
Get Info String: 3.2.2, Copyright © 2000–2007 Apple Inc. All Rights Reserved.  
Location: /System/Library/Extensions/IOUSBFamily.kext/Contents/PlugIns/AppleUSBOHCI.kext  
kext Vers on: 3.2.2  
Load Address: 0x30172000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleUSBTCButtons:**

Version: 1.7.0  
Last Modified: 20/09/08 9:48 AM  
Get Info String: 1.7.0b7  
Location: /System/Library/Extensions/AppleUSBTopCase.kext/Contents/PlugIns/AppleUSBTCButtons.kext  
kext Vers on: 1.7.0b7  
Load Address: 0x30cd5000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleUSBTCKeyboard:**

Version: 1.7.0  
Last Modified: 20/09/08 9:48 AM  
Get Info String: 1.7.0b7  
Location: /System/Library/Extensions/AppleUSBTopCase.kext/Contents/PlugIns/AppleUSBTCKeyboard.kext  
kext Vers on: 1.7.0b7  
Load Address: 0x3083e000  
Val d: Yes

Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleUpstreamUserClient:**

Version: 2.7  
Last Modified: 20/09/08 9:48 AM  
Location: /System/Library/Extensions/AppleUpstreamUserClient.kext  
kext Vers on: 2.7  
Load Address: 0x2fdbb000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AppleXsanFilter:**

Version: 2.7.91  
Last Modified: 20/09/08 9:32 AM  
Location: /System/Library/Extensions/AppleXsanFilter.kext  
kext Vers on: 2.7.91  
Load Address: 0x30465000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**AudioIPCDriver:**

Version: 1.0.4  
Last Modified: 20/09/08 9:28 AM  
Get Info String: Vers on 1.0.4  
Location: /System/Library/Extensions/AudioIPCDriver.kext  
kext Vers on: 1.0.4  
Load Address: 0x29cfe000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**BSDKernel:**

Version: 9.5.1  
Last Modified: 20/09/08 9:22 AM  
Get Info String: BSD Kernel Pseudoextensions, Apple Computer Inc, 9.5.1  
Location: /System/Library/Extensions/System.kext/PlugIns/BSDKernel.kext  
kext Vers on: 9.5.1  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**BSDKernel6.0:**

Version: 7.9.9  
Last Modified: 20/09/08 9:22 AM  
Get Info String: BSD Kernel Pseudoextensions, Apple Computer Inc, 7.9.9  
Location: /System/Library/Extensions/System.kext/PlugIns/BSDKernel6.0.kext  
kext Vers on: 7.9.9  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**BootCache:**

Version: 30.2  
Last Modified: 20/09/08 9:51 AM  
Get Info String: BootCache version 33, Copyright 2001 – 2007 Apple Inc.  
Location: /System/Library/Extensions/BootCache.kext  
kext Vers on: 30.2  
Load Address: 0x29c9b000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**BroadcomUSBBluetoothHCIController:**

Version: 2.1.2  
Last Modified: 20/09/08 9:44 AM  
Get Info String: 2.1.2, Copyright (c) 2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/Extensions/IOBluetoothFamily.kext/Contents/PlugIns/BroadcomUSBBluetoothHCIController.kext  
kext Vers on: 2.1.2f8  
Load Address: 0x30bef000  
Val d: Yes

Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

#### Dont Steal Mac OS X:

Version: 6.0.3  
Last Modified: 20/09/08 9:38 AM  
Get Info String: Copyright © 2006 Apple Computer, Inc. All rights reserved.

The purpose of this Apple software is to protect Apple copyrighted materials from unauthorized copying and use. You may not copy, modify, reverse engineer, publicly display, publicly perform, sublicense, transfer or redistribute this file, in whole or in part. If you have obtained a copy of this Apple software and do not have a valid license from Apple Computer to use it, please immediately destroy or delete it from your computer.

Location: /System/Library/Extensions/Dont Steal Mac OS X.kext  
kext Vers on: 6.0.3  
Load Address: 0x2fac5000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

#### DspFuncLib:

Version: 1.5.8  
Last Modified: 20/09/08 9:35 AM  
Get Info String: 1.5.8fc46, Copyright Apple Inc. 2005–2008  
Location: /System/Library/Extensions/AppleHDA.kext/Contents/PlugIns/DspFuncLib.kext  
kext Vers on: 1.5.8fc46  
Load Address: 0x3ca57000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

#### GeForce:

Version: 1.5.34  
Last Modified: 20/09/08 9:52 AM  
Get Info String: GeForce 1.5.34.10 (17.3.3f05)  
Location: /System/Library/Extensions/GeForce.kext  
kext Vers on: 5.3.4  
Load Address: 0x304dd000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

#### IO80211Family:

Version: 2.1.2  
Last Modified: 20/09/08 9:56 AM  
Get Info String: 2.1.2, Copyright © 2005–2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/Extensions/IO80211Family.kext  
kext Vers on: 212.1  
Load Address: 0x2fd4c000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

#### IOACPIFamily:

Version: 1.2.0  
Last Modified: 20/09/08 9:55 AM  
Get Info String: Vers on 1.2.0, Copyright 2003–2005 Apple Computer, Inc.  
Location: /System/Library/Extensions/IOACPIFamily.kext  
kext Vers on: 1.2.0  
Load Address: 0x29bb7000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

#### IOAHCIBlockStorage:

Version: 1.2.0  
Last Modified: 20/09/08 9:52 AM  
Get Info String: 1.2.0, Copyright Apple Inc. 2005–2008  
Location: /System/Library/Extensions/IOAHCIFamily.kext/Contents/PlugIns/IOAHCIBlockStorage.kext  
kext Vers on: 1.2.0  
Load Address: 0x302af000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

#### IOAHCIFamily:

Version: 1.5.0  
Last Modified: 20/09/08 9:52 AM  
Get Info String: 1.5.0, Copyright Apple Inc. 2005–2008  
Location: /System/Library/Extensions/IOAHCIFamily.kext  
kext Vers on: 1.5.0  
Load Address: 0x2ff0e000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOAHCSerialATAPI:**

Version: 1.0.2  
Last Modified: 20/09/08 9:58 AM  
Get Info String: 1.0.2, Copyright Apple Inc. 2006–2008  
Location: /System/Library/Extensions/IOAHCSerialATAPI.kext/Contents/PlugIns/IOAHCSerialATAPI.kext  
kext Vers on: 1.0.2  
Load Address: 0x303c5000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOAudioFamily:**

Version: 1.6.4  
Last Modified: 20/09/08 9:29 AM  
Get Info String: Vers on: 1.6.4, Copyright Apple Computer, Inc. 2000–2006  
Location: /System/Library/Extensions/IOAudioFamily.kext  
kext Vers on: 1.6.4b7  
Load Address: 0x29ce7000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOBSDStorageFamily:**

Version: 1.5  
Last Modified: 20/09/08 9:37 AM  
Get Info String: 1.5, Copyright © 2006–2007 Apple Inc.  
Location: /System/Library/Extensions/IOBSDStorageFamily.kext  
kext Vers on: 1.5  
Load Address: 0x30640000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOBluetoothFamily:**

Version: 2.1.2  
Last Modified: 20/09/08 9:44 AM  
Get Info String: 2.1.2, Copyright (c) 2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/Extensions/IOBluetoothFamily.kext  
kext Vers on: 2.1.2f8  
Load Address: 0x30ad4000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOBluetoothSerialManager:**

Version: 2.1.2  
Last Modified: 20/09/08 9:44 AM  
Get Info String: 2.1.2, Copyright (c) 2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/Extensions/IOBluetoothFamily.kext/Contents/PlugIns/IOBluetoothSerialManager.kext  
kext Vers on: 2.1.2f8  
Load Address: 0x2ffe000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOCDStorageFamily:**

Version: 1.5  
Last Modified: 20/09/08 9:47 AM  
Get Info String: 1.5, Copyright © 1998–2007 Apple Inc.  
Location: /System/Library/Extensions/IOCDStorageFamily.kext  
kext Vers on: 1.5  
Load Address: 0x305b3000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IODVDStorageFamily:**

Version: 1.5  
Last Modified: 20/09/08 9:47 AM  
Get Info String: 1.5, Copyright © 1998–2007 Apple Inc.  
Location: /System/Library/Extensions/IODVDStorageFamily.kext  
kext Vers on: 1.5  
Load Address: 0x305f3000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOGraphicsFamily:**

Version: 1.6.1  
Last Modified: 16/10/08 1:23 PM  
Get Info String: 1.6.1, Copyright Apple Computer, Inc. 2000–2008  
Location: /System/Library/Extensions/IOGraphicsFamily.kext  
kext Vers on: 1.6.1  
Load Address: 0x29ca0000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOHDAFamily:**

Version: 1.5.8  
Last Modified: 20/09/08 9:35 AM  
Get Info String: 1.5.8fc46, Copyright Apple Inc. 2005–2008  
Location: /System/Library/Extensions/AppleHDA.kext/Contents/PlugIns/IOHDAFamily.kext  
kext Vers on: 1.5.8fc46  
Load Address: 0x2fdb0000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOHDIXController:**

Version: 10.5.3  
Last Modified: 20/09/08 9:56 AM  
Get Info String: 10.5, Copyright 2000–2007 Apple Inc.  
Location: /System/Library/Extensions/IOHDIXController.kext  
kext Vers on: 195.1  
Load Address: 0x2ff8b000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOHIDFamily:**

Version: 1.5.3  
Last Modified: 20/09/08 9:36 AM  
Get Info String: 1.5.3, Copyright Apple Computer, Inc. 2000–2007  
Location: /System/Library/Extensions/IOHIDFamily.kext  
kext Vers on: 1.5.3  
Load Address: 0x29d61000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOKit:**

Version: 9.5.1  
Last Modified: 20/09/08 9:22 AM  
Get Info String: I/O Kit Pseudoextension, Apple Computer Inc, 9.5.1  
Location: /System/Library/Extensions/System.kext/PlugIns/IOKit.kext  
kext Vers on: 9.5.1  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOKit6.0:**

Version: 7.9.9  
Last Modified: 20/09/08 9:22 AM  
Get Info String: I/O Kit Pseudoextension, Apple Computer Inc, 7.9.9  
Location: /System/Library/Extensions/System.kext/PlugIns/IOKit6.0.kext  
kext Vers on: 7.9.9  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied

Integrity: Kext has no receipt

**IONDRVSupport:**

Version: 1.6.1  
Last Modified: 16/10/08 1:23 PM  
Get Info String: 1.6.1, Copyright Apple Computer, Inc. 2000–2008  
Location: /System/Library/Extensions/IONDRVSupport.kext  
kext Vers on: 1.6.1  
Load Address: 0x29b51000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IONVRAMFamily:**

Version: 9.5.1  
Last Modified: 20/09/08 9:22 AM  
Get Info String: AppleNMI Pseudoextension, Apple Computer Inc, 9.5.1  
Location: /System/Library/Extensions/System.kext/PlugIns/IONVRAMFamily.kext  
kext Vers on: 9.5.1  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IONetworkingFamily:**

Version: 1.6.1  
Last Modified: 20/09/08 9:53 AM  
Get Info String: Vers on 1.6.1, Copyright 2000–2008 Apple, Inc.  
Location: /System/Library/Extensions/IONetworkingFamily.kext  
kext Vers on: 1.6.1  
Load Address: 0x29d9a000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOPCIFamily:**

Version: 2.5  
Last Modified: 20/09/08 9:55 AM  
Get Info String: 2.5, Copyright Apple Computer, Inc. 2000–2008  
Location: /System/Library/Extensions/IOPCIFamily.kext  
kext Vers on: 2.5  
Load Address: 0x29ba1000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOPlatformPluginFamily:**

Version: 3.2.0  
Last Modified: 20/09/08 9:39 AM  
Get Info String: IOPlatformPluginFamily vers on 3.2.0, Copyright 2003–2008 Apple Inc.  
Location: /System/Library/Extensions/IOPlatformPluginFamily.kext  
kext Vers on: 3.2.0d26  
Load Address: 0x29cbd000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IO SCSI Architecture Model Family:**

Version: 2.0.5  
Last Modified: 20/09/08 9:35 AM  
Get Info String: 2.0.5, Copyright Apple Inc. 1999–2008  
Location: /System/Library/Extensions/IO SCSI Architecture Model Family.kext  
kext Vers on: 2.0.5  
Load Address: 0x30339000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IO SCSI Block Commands Device:**

Version: 2.0.5  
Last Modified: 20/09/08 9:35 AM  
Get Info String: 2.0.5, Copyright Apple Inc. 1999–2008  
Location: /System/Library/Extensions/IO SCSI Architecture Model Family.kext/Contents/PlugIns/IO SCSI Block Commands Device.kext  
kext Vers on: 2.0.5  
Load Address: 0x3061c000  
Val d: Yes

Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOCSIMultimediaCommandsDevice:**

Version: 2.0.5  
Last Modified: 20/09/08 9:35 AM  
Get Info String: 2.0.5, Copyright Apple Inc. 1999–2008  
Location: /System/Library/Extensions/IOCSIArchitectureModelFamily.kext/Contents/PlugIns/IOCSIMultimediaCommandsDevice.kext  
kext Vers on: 2.0.5  
Load Address: 0x3066d000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOSMBusFamily:**

Version: 1.1  
Last Modified: 20/09/08 9:53 AM  
Location: /System/Library/Extensions/IOSMBusFamily.kext  
kext Vers on: 1.1  
Load Address: 0x29f71000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOSerialFamily:**

Version: 9.2  
Last Modified: 20/09/08 9:46 AM  
Get Info String: Apple Computer, Inc 2005–01–12 IOKit Serial Port Family  
Location: /System/Library/Extensions/IOSerialFamily.kext  
kext Vers on: 9.2  
Load Address: 0x2fff5000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOStorageFamily:**

Version: 1.5.4  
Last Modified: 20/09/08 9:28 AM  
Get Info String: 1.5.4, Copyright © 1998–2008 Apple Inc.  
Location: /System/Library/Extensions/IOStorageFamily.kext  
kext Vers on: 1.5.4  
Load Address: 0x30217000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOSystemManagement:**

Version: 9.5.1  
Last Modified: 20/09/08 9:22 AM  
Get Info String: System Management Pseudoextension, Apple Computer Inc, 9.5.1  
Location: /System/Library/Extensions/System.kext/PlugIns/IOSystemManagement.kext  
kext Vers on: 9.5.1  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOUSBCompositeDriver:**

Version: 3.2.0  
Last Modified: 20/09/08 9:30 AM  
Get Info String: 3.2.0, Copyright © 2000–2007 Apple Inc. All Rights Reserved.  
Location: /System/Library/Extensions/IOUSBFamily.kext/Contents/PlugIns/IOUSBCompositeDriver.kext  
kext Vers on: 3.2.0  
Load Address: 0x2ffe7000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOUSBFamily:**

Version: 3.2.2  
Last Modified: 20/09/08 9:27 AM  
Get Info String: 3.2.2, Copyright © 2000–2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/Extensions/IOUSBFamily.kext  
kext Vers on: 3.2.2

Load Address: 0x2fe06000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOUSBHIDDriver:**

Version: 3.2.2  
Last Modified: 20/09/08 9:30 AM  
Get Info String: 3.2.2, Copyright © 2000–2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/Extensions/IOUSBFamily.kext/Contents/PlugIns/IOUSBHIDDriver.kext  
kext Vers on: 3.2.2  
Load Address: 0x3075d000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**IOUSBUserClient:**

Version: 3.2.0  
Last Modified: 20/09/08 9:30 AM  
Get Info String: 3.2.0, Copyright © 2000–2007 Apple Inc. All Rights Reserved.  
Location: /System/Library/Extensions/IOUSBFamily.kext/Contents/PlugIns/IOUSBUserClient.kext  
kext Vers on: 3.2.0  
Load Address: 0x2ff89000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**Libkern:**

Version: 9.5.1  
Last Modified: 20/09/08 9:22 AM  
Get Info String: Libkern Pseudoextension, Apple Computer Inc, 9.5.1  
Location: /System/Library/Extensions/System.kext/PlugIns/Libkern.kext  
kext Vers on: 9.5.1  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**Libkern6.0:**

Version: 7.9.9  
Last Modified: 20/09/08 9:22 AM  
Get Info String: Libkern Pseudoextension, Apple Computer Inc, 7.9.9  
Location: /System/Library/Extensions/System.kext/PlugIns/Libkern6.0.kext  
kext Vers on: 7.9.9  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**MACFramework:**

Version: 9.5.1  
Last Modified: 20/09/08 9:22 AM  
Get Info String: MAC Framework Pseudoextension, SPARTA Inc, 9.5.1  
Location: /System/Library/Extensions/System.kext/PlugIns/MACFramework.kext  
kext Vers on: 9.5.1  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**Mach:**

Version: 9.5.1  
Last Modified: 20/09/08 9:22 AM  
Get Info String: Mach Kernel Pseudoextension, Apple Computer Inc, 9.5.1  
Location: /System/Library/Extensions/System.kext/PlugIns/Mach.kext  
kext Vers on: 9.5.1  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**Mach6.0:**

Version: 7.9.9  
Last Modified: 20/09/08 9:22 AM  
Get Info String: Mach Kernel Pseudoextension, Apple Computer Inc, 7.9.9

Location: /System/Library/Extensions/System.kext/PlugIns/Mach6.0.kext  
kext Vers on: 7.9.9  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**NVDANV50Hal:**

Version: 1.5.34  
Last Modified: 20/09/08 9:52 AM  
Get Info String: NVDANV50Hal 1.5.34.10 (17.3.3f05)  
Location: /System/Library/Extensions/NVDANV50Hal.kext  
kext Vers on: 5.3.4  
Load Address: 0x3c5b4000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**NVDAResman:**

Version: 1.5.34  
Last Modified: 20/09/08 9:52 AM  
Get Info String: NVDAResman 1.5.34.10 (17.3.3f05)  
Location: /System/Library/Extensions/NVDAResman.kext  
kext Vers on: 5.3.4  
Load Address: 0x3c349000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**NVSMU:**

Version: 1.1.5  
Last Modified: 29/07/08 7:34 AM  
Location: /System/Library/Extensions/NVSMU.kext  
kext Vers on: 1.1.5  
Load Address: 0x29c88000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**OSvKernDSPLib:**

Version: 1.1  
Last Modified: 20/09/08 9:37 AM  
Location: /System/Library/Extensions/OSvKernDSPLib.kext  
kext Vers on: 1.1  
Load Address: 0x29ce4000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**SCSITaskUserClient:**

Version: 2.0.5  
Last Modified: 20/09/08 9:35 AM  
Get Info String: 2.0.5, Copyright Apple Inc. 1999–2008  
Location: /System/Library/Extensions/IOCSIArchitectureModelFamily.kext/Contents/PlugIns/SCSITaskUserClient.kext  
kext Vers on: 2.0.5  
Load Address: 0x304d7000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**SMCMotionSensor:**

Version: 2.1.1  
Last Modified: 20/09/08 9:53 AM  
Location: /System/Library/Extensions/SMCMotionSensor.kext  
kext Vers on: 2.1.1d2  
Load Address: 0x29d02000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**System:**

Version: 9.5.1  
Last Modified: 20/09/08 9:22 AM  
Get Info String: System Resource Pseudoextensions, Apple Computer Inc, 9.5.1  
Location: /System/Library/Extensions/System.kext

kext Vers on: 9.5.1  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**System6.0:**

Version: 7.9.9  
Last Modified: 20/09/08 9:22 AM  
Get Info String: System Resource Pseudoextensions, Apple Computer Inc, 7.9.9  
Location: /System/Library/Extensions/System.kext/PlugIns/System6.0.kext  
kext Vers on: 7.9.9  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**TMSafetyNet:**

Version: 3  
Last Modified: 20/09/08 9:49 AM  
Location: /System/Library/Extensions/TMSafetyNet.kext  
kext Vers on: 3  
Load Address: 0x29e4d000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**Unsupported:**

Version: 9.5.1  
Last Modified: 20/09/08 9:22 AM  
Get Info String: Unsupported Pseudoextension, Apple Computer Inc, 9.5.1  
Location: /System/Library/Extensions/System.kext/PlugIns/Unsupported.kext  
kext Vers on: 9.5.1  
Load Address: 0x0  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**autofs:**

Version: 2.0.1  
Last Modified: 20/09/08 9:57 AM  
Location: /System/Library/Extensions/autofs.kext  
kext Vers on: 2.0.1  
Load Address: 0x3006c000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**msdosfs:**

Version: 1.5.2  
Last Modified: 20/09/08 9:26 AM  
Location: /System/Library/Extensions/msdosfs.kext  
kext Vers on: 1.5.2  
Load Address: 0x2fd80000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**nvenet:**

Version: 1.0.28  
Last Modified: 4/09/08 9:51 AM  
Location: /System/Library/Extensions/nvenet.kext  
kext Vers on: 1.0.28  
Load Address: 0x2fd94000  
Val d: Yes  
Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

**seatbelt:**

Version: 107.10  
Last Modified: 20/09/08 9:47 AM  
Location: /System/Library/Extensions/seatbelt.kext  
kext Vers on: 107.10  
Load Address: 0x29ea7000  
Val d: Yes

Authentic: Yes  
Dependencies: Satisfied  
Integrity: Kext has no receipt

## Fonts:

### NISC18030.ttf:

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/NISC18030.ttf  
Typefaces:

#### GB18030Bitmap:

Full Name: GB18030 Bitmap  
Family: GB18030 Bitmap  
Style: Regular  
Version: 6.0d1e1  
Vendor: NISC, People's Republic of China  
Unique Name: GB18030 Bitmap; 6.0d1e1; 2006-08-30  
Copyright: Copyright © 2002 NISC, People's Republic of China.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

### Copperplate.dfont:

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Copperplate dfont  
Typefaces:

#### Copperplate:

Full Name: Copperplate  
Family: Copperplate  
Style: Regular  
Version: 6.0d2e1  
Unique Name: Copperplate; 6.0d2e1; 2006-07-19  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberg Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
Trademark: Copperplate is a trademark of Heidelberg Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberg Druckmaschinen AG.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### Copperplate-Bold:

Full Name: Copperplate Bold  
Family: Copperplate  
Style: Bold  
Version: 6.0d2e1  
Unique Name: Copperplate Bold; 6.0d2e1; 2006-07-19  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberg Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
Trademark: Copperplate is a trademark of Heidelberg Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberg Druckmaschinen AG.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### Copperplate-Light:

Full Name: Copperplate Light  
Family: Copperplate  
Style: Light  
Version: 6.0d2e1  
Unique Name: Copperplate Light; 6.0d2e1; 2006-07-19  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of

Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
Trademark: Copperplate is a trademark of Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**NewPeninimMTBoldInclined.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/NewPeninimMTBoldInclined.ttf  
Typefaces:

**NewPeninimMT-BoldInclined:**

Full Name: New Peninim MT Bold Inclined  
Family: New Peninim MT  
Style: Bold Inclined  
Version: 6.0d2e1  
Unique Name: New Peninim MT Bold Inclined; 6.0d2e1; 2006-10-23  
Copyright: Typeface © Monotype Typography Ltd. Data © Monotype Typography Ltd, Type Solutions Inc 1990-1993. All rights reserved..  
Trademark: Peninim ® is a Trademark of The Monotype Corporation registered in certain countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**HelveticaNeue.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/HelveticaNeue.dfont  
Typefaces:

**HelveticaNeue:**

Full Name: Helvetica Neue  
Family: Helvetica Neue  
Style: Regular  
Version: 6.0d5e1  
Unique Name: Helvetica Neue; 6.0d5e1; 2007-08-29  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
Trademark: "Helvetica Neue" is a trademark of Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.  
Description: Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**HelveticaNeue-Bold:**

Full Name: Helvetica Neue Bold  
Family: Helvetica Neue  
Style: Bold  
Version: 6.0d5e1  
Unique Name: Helvetica Neue Bold; 6.0d5e1; 2007-08-29  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
Trademark: "Helvetica Neue" is a trademark of Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.  
Description: Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.

Outline: Yes  
Valid: Yes  
Enabled: Yes

Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**HelveticaNeue-Italic:**

Full Name: Helvetica Neue Italic  
Family: Helvetica Neue  
Style: Italic  
Version: 6.0d5e1

Unique Name: Helvetica Neue Italic; 6.0d5e1; 2007-08-29

Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberg Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Trademark: Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
"Helvetica Neue" is a trademark of Heidelberg Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberg Druckmaschinen AG.

Descript on: Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**HelveticaNeue-BoldItalic:**

Full Name: Helvetica Neue Bold Italic  
Family: Helvetica Neue  
Style: Bold Italic  
Version: 6.0d5e1

Unique Name: Helvetica Neue Bold Italic; 6.0d5e1; 2007-08-29

Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberg Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Trademark: Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
"Helvetica Neue" is a trademark of Heidelberg Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberg Druckmaschinen AG.

Descript on: Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**HelveticaNeue-CondensedBold:**

Full Name: Helvetica Neue Condensed Bold  
Family: Helvetica Neue  
Style: Condensed Bold  
Version: 6.0d5e1

Unique Name: Helvetica Neue Condensed Bold; 6.0d5e1; 2007-08-29

Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberg Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Trademark: Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
"Helvetica Neue" is a trademark of Heidelberg Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberg Druckmaschinen AG.

Descript on: Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**HelveticaNeue-UltraLight:**

Full Name: Helvetica Neue UltraLight  
Family: Helvetica Neue  
Style: UltraLight  
Version: 6.0d5e1

Unique Name: Helvetica Neue UltraLight; 6.0d5e1; 2007-08-29

Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberg Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
Trademark: "Helvetica Neue" is a trademark of Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.  
Descript on: Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**HelveticaNeue-UltraLightItalic:**

Full Name: Helvetica Neue UltraLight Italic  
Family: Helvetica Neue  
Style: UltraLight Italic  
Version: 6.0d5e1  
Unique Name: Helvetica Neue UltraLight Italic; 6.0d5e1; 2007-08-29  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
Trademark: "Helvetica Neue" is a trademark of Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.  
Descript on: Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**HelveticaNeue-Light:**

Full Name: Helvetica Neue Light  
Family: Helvetica Neue  
Style: Light  
Version: 6.0d5e1  
Unique Name: Helvetica Neue Light; 6.0d5e1; 2007-08-29  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
Trademark: "Helvetica Neue" is a trademark of Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.  
Descript on: Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**HelveticaNeue-LightItalic:**

Full Name: Helvetica Neue Light Italic  
Family: Helvetica Neue  
Style: Light Italic  
Version: 6.0d5e1  
Unique Name: Helvetica Neue Light Italic; 6.0d5e1; 2007-08-29  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberger Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
Trademark: "Helvetica Neue" is a trademark of Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.  
Descript on: Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**HelveticaNeue-CondensedBlack:**

Full Name: Helvetica Neue Condensed Black

Family: Helvetica Neue  
Style: Condensed Black  
Version: 6.0d5e1  
Unique Name: Helvetica Neue Condensed Black; 6.0d5e1; 2007-08-29  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberg Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Trademark: Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
"Helvetica Neue" is a trademark of Heidelberg Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberg Druckmaschinen AG.  
Descript on: Helvetica (Latin for Swiss) has the objective and functional style which was associated with Swiss typography in the 1950s and 1960s. It is perfect for international correspondence: no ornament, no emotion, just clear presentation of information. Helvetica is still one of the best selling sans-serif fonts.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### **NewPeninimMTBold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/NewPeninimMTBold.ttf

##### Typefaces:

###### **NewPeninimMT-Bold:**

Full Name: New Peninim MT Bold  
Family: New Peninim MT  
Style: Bold  
Version: 6.0d2e1  
Unique Name: New Peninim MT Bold; 6.0d2e1; 2006-10-23  
Copyright: Typeface © Monotype Typography Ltd. Data © Monotype Typography Ltd, Type Solutions Inc 1990-1993. All rights reserved.  
Trademark: Peninim ® Trademark of The Monotype Corporation registered in certain countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### **Apple Braille Outline 6 Dot.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Apple Braille Outline 6 Dot.ttf

##### Typefaces:

###### **AppleBraille-Outline6Dot:**

Full Name: Apple Braille Outline 6 Dot  
Family: Apple Braille  
Style: Outline 6 Dot  
Version: 1.0d4e1  
Unique Name: Apple Braille Outline 6 Dot; 1.0d4e1; 2007-08-09  
Copyright: © Copyright 2007 by Apple, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### **Skia.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Skia.dfont

##### Typefaces:

###### **Skia-Regular:**

Full Name: Skia Regular  
Family: Skia  
Style: Regular  
Version: 6.0d2e1  
Unique Name: Skia Regular; 6.0d2e1; 2006-07-19  
Copyright: © 1993-2002 Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**PortagoITC TT:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/PortagoITC TT  
Typefaces:

**PortagoITCTT:**

Full Name: PortagoITC TT  
Family: PortagoITC TT  
Style: Regular  
Version: 3.4  
Unique Name: PortagoITC TT; 3.4; 2006-02-21  
Copyright: Copyright © 1995-1997 International Typeface Corporation. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Corsiva.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Corsiva.ttf  
Typefaces:

**CorsivaHebrew:**

Full Name: Corsiva Hebrew  
Family: Corsiva Hebrew  
Style: Regular  
Version: 6.0d2e1  
Unique Name: Corsiva Hebrew; 6.0d2e1; 2006-10-26  
Copyright: Typeface © Monotype Typography Ltd. Data © Monotype Typography Ltd. /Type Solutions Inc. 1990-91-92-93. All rights reserved.  
Trademark: Corsiva™ Trademark of The Monotype Corporation registered in certain countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**MshtakanRegular.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/MshtakanRegular.ttf  
Typefaces:

**Mshtakan:**

Full Name: Mshtakan  
Family: Mshtakan  
Style: Regular  
Version: 6.0d2e1  
Vendor: Michael Everson  
Unique Name: Mshtakan; 6.0d2e1; 2006-10-20  
Designer: Michael Everson  
Copyright: Mshtakan 1.1 © 2002-2003 Michael Everson. All Rights Reserved.  
Trademark: Mshtakan is a trademark of Michael Everson.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Times.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Times.dfont  
Typefaces:

**Times-Roman:**

Full Name: Times Roman  
Family: Times  
Style: Regular  
Version: 6.0d6e5  
Unique Name: Times Roman; 6.0d6e5; 2007-08-03  
Copyright: © 1990-99 Apple Computer Inc. © 1981 Linotype AG © 1990-91 Type Solutions Inc. © 1990-91 The Font Bureau Inc.  
Trademark: Times is a registered trademark of Linotype AG  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No

Embeddable: Yes

**Times-Bold:**  
 Full Name: Times Bold  
 Family: Times  
 Style: Bold  
 Version: 6.0d6e5  
 Unique Name: Times Bold; 6.0d6e5; 2007-08-03  
 Copyright: © 1990-99 Apple Computer Inc. © 1981 Linotype AG © 1990-91 Type Solutions Inc. © 1990-91 The Font Bureau Inc.

Trademark: Times is a registered trademark of Linotype AG  
 Outline: Yes  
 Valid: Yes  
 Enabled: Yes  
 Duplicate: No  
 Copy Protected: No  
 Embeddable: Yes

**Times-Italic:**  
 Full Name: Times Italic  
 Family: Times  
 Style: Italic  
 Version: 6.0d6e5  
 Unique Name: Times Italic; 6.0d6e5; 2007-08-03  
 Copyright: © 1990-99 Apple Computer Inc. © 1981 Linotype AG © 1990-91 Type Solutions Inc. © 1990-91 The Font Bureau Inc.

Trademark: Times is a registered trademark of Linotype AG  
 Outline: Yes  
 Valid: Yes  
 Enabled: Yes  
 Duplicate: No  
 Copy Protected: No  
 Embeddable: Yes

**Times-BoldItalic:**  
 Full Name: Times Bold Italic  
 Family: Times  
 Style: Bold Italic  
 Version: 6.0d6e5  
 Unique Name: Times Bold Italic; 6.0d6e5; 2007-08-03  
 Copyright: © 1990-99 Apple Computer Inc. © 1981 Linotype AG © 1990-91 Type Solutions Inc. © 1990-91 The Font Bureau Inc.

Trademark: Times is a registered trademark of Linotype AG  
 Outline: Yes  
 Valid: Yes  
 Enabled: Yes  
 Duplicate: No  
 Copy Protected: No  
 Embeddable: Yes

**Sathu.ttf:**

Kind: TrueType  
 Valid: Yes  
 Enabled: Yes  
 Location: /Library/Fonts/Sathu ttf  
 Typefaces:

**Sathu:**  
 Full Name: Sathu  
 Family: Sathu  
 Style: Regular  
 Version: 10.5d2e1  
 Unique Name: Sathu; 10.5d2e1; 2006-10-23  
 Copyright: © 1992-2003 Apple Computer, Inc.  
 Outline: Yes  
 Valid: Yes  
 Enabled: Yes  
 Duplicate: No  
 Copy Protected: No  
 Embeddable: Yes

**Microsoft Sans Serif.ttf:**

Kind: TrueType  
 Valid: Yes  
 Enabled: Yes  
 Location: /Library/Fonts/Microsoft Sans Serif.ttf  
 Typefaces:

**MicrosoftSansSerif:**  
 Full Name: Microsoft Sans Serif  
 Family: Microsoft Sans Serif  
 Style: Regular  
 Version: Version 5.00.1x  
 Unique Name: Microsoft Sans Serif Regular  
 Copyright: © 2006 Microsoft Corporation. All Rights Reserved.  
 Trademark: Microsoft Sans Serif is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries.

Outline: Yes  
 Valid: Yes  
 Enabled: Yes  
 Duplicate: No  
 Copy Protected: No  
 Embeddable: Yes

**Arial Unicode.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Arial Unicode.ttf

**Typefaces:****ArialUnicodeMS:**

Full Name: Arial Unicode MS  
Family: Arial Unicode MS  
Style: Regular  
Version: Version 1.01x  
Vendor: Agfa Monotype Corporation  
Unique Name: Monotype – Arial Unicode MS  
Designer: Original design: Robin Nicholas, Patricia Saunders. Extended glyphs: Monotype Type Drawing Office, Monotype Typography.  
Copyright: Digitized data copyright (C) 1993–2000 Agfa Monotype Corporation. All rights reserved. Arial® is a trademark of The Monotype Corporation which may be registered in certain jurisdictions.  
Trademark: Arial® is a trademark of The Monotype Corporation which may be registered in certain jurisdictions.  
Description: This extended version of Monotype's Arial contains glyphs for all code points within The Unicode Standard, Version 2.1.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Optima.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Optima.dfont

**Typefaces:****Optima-ExtraBlack:**

Full Name: Optima ExtraBlack  
Family: Optima  
Style: ExtraBlack  
Version: 6.0d2e1  
Unique Name: Optima ExtraBlack; 6.0d2e1; 2006-07-19  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberg Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Trademark: Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
Optima is a trademark of Heidelberg Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberg Druckmaschinen AG.  
Description: The digitally encoded machine readable software for producing the Typefaces licensed to you is copyrighted (c) 2000, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved. This software is now the property of Heidelberg Druckmaschinen AG and its licensors and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Optima-Regular:**

Full Name: Optima Regular  
Family: Optima  
Style: Regular  
Version: 6.0d2e1  
Unique Name: Optima Regular; 6.0d2e1; 2006-07-19  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberg Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Trademark: Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
Optima is a trademark of Heidelberg Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberg Druckmaschinen AG.  
Description: The digitally encoded machine readable software for producing the Typefaces licensed to you is copyrighted (c) 2000, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved. This software is now the property of Heidelberg Druckmaschinen AG and its licensors and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Optima-Bold:**

Full Name: Optima Bold

Family: Optima  
Style: Bold  
Version: 6.0d2e1  
Unique Name: Optima Bold; 6.0d2e1; 2006-07-19  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberg Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Trademark: Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
Optima is a trademark of Heidelberg Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberg Druckmaschinen AG.  
Descript on: The digitally encoded machine readable software for producing the Typefaces licensed to you is copyrighted (c) 2000, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved. This software is now the property of Heidelberg Druckmaschinen AG and its licensors and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Optima-Italic:**

Full Name: Optima Italic  
Family: Optima  
Style: Italic  
Version: 6.0d2e1  
Unique Name: Optima Italic; 6.0d2e1; 2006-07-19  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberg Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Trademark: Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
Optima is a trademark of Heidelberg Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberg Druckmaschinen AG.  
Descript on: The digitally encoded machine readable software for producing the Typefaces licensed to you is copyrighted (c) 2000, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved. This software is now the property of Heidelberg Druckmaschinen AG and its licensors and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Optima-BoldItalic:**

Full Name: Optima Bold Italic  
Family: Optima  
Style: Bold Italic  
Version: 6.0d2e1  
Unique Name: Optima Bold Italic; 6.0d2e1; 2006-07-19  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberg Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Trademark: Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.  
Optima is a trademark of Heidelberg Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberg Druckmaschinen AG.  
Descript on: The digitally encoded machine readable software for producing the Typefaces licensed to you is copyrighted (c) 2000, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved. This software is now the property of Heidelberg Druckmaschinen AG and its licensors and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Verdana Bold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Verdana Bold.ttf  
Typefaces:

**Verdana-Bold:**

Full Name: Verdana Bold  
Family: Verdana  
Style: Bold  
Version: Version 5.01x  
Unique Name: Microsoft:Verdana Bold;Version 5.01x (Microsoft)

Copyright: © 2006 Microsoft Corporation. All Rights Reserved.  
Trademark: Verdana is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### #Pilgiche.dfont:

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/#Pilgiche.dfont  
Typefaces:

##### JCf g:

Full Name: #PilGi Regular  
Family: #PilGi  
Style: Regular  
Version: 6.0d2e1  
Unique Name: #PilGi Regular; 6.0d2e1; 2007-03-02  
Copyright: Copyright (c) 1994-2001 Apple Computer, Inc. All rights reserved.  
Trademark: #Pilgiche is a trademark of Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### Arial Narrow Italic.ttf:

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Arial Narrow Italic.ttf  
Typefaces:

##### ArialNarrow-Italic:

Full Name: Arial Narrow Italic  
Family: Arial Narrow  
Style: Italic  
Version: Version 2.38.1x  
Vendor: The Monotype Corporation  
Unique Name: Arial Narrow Italic : 2007  
Designer: Robin Nicholas, Patricia Saunders  
Copyright: © 2007 The Monotype Corporation. All Rights Reserved.  
Trademark: Arial is a trademark of The Monotype Corporation in the United States and/or other countries.  
Description: Monotype Drawing Office 1982. A contemporary sans serif design, Arial contains more humanist characteristics than many of its predecessors and as such is more in tune with the mood of the last decades of the twentieth century. The overall treatment of curves is softer and fuller than in most industrial-style sans serif faces. Terminal strokes are cut on the diagonal which helps to give the face a less mechanical appearance. Arial is an extremely versatile family of typefaces which can be used with equal success for text setting in reports, presentations, magazines etc, and for display use in newspapers, advertising and promotions.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### AppleMyungjo.ttf:

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/AppleMyungjo.ttf  
Typefaces:

##### AppleMyungjo:

Full Name: AppleMyungjo  
Family: AppleMyungjo  
Style: Regular  
Version: 6.0d7e1  
Unique Name: AppleMyungjo Regular; 6.0d7e1; 2007-08-13  
Copyright: Copyright (c) 1994-2006 Apple Computer, Inc. All rights reserved.  
Trademark: AppleMyungjo is a trademark of Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### Geeza Pro Bold.ttf:

Kind: TrueType  
Valid: Yes  
Enabled: Yes

Location: /System/Library/Fonts/Geeza Pro Bold.ttf

Typefaces:

**GeezaPro-Bold:**

Full Name: Geeza Pro Bold  
Family: Geeza Pro  
Style: Bold  
Version: 6.0d5e5  
Unique Name: Geeza Pro Bold; 6.0d5e5; 2007-07-16  
Copyright: Diwan Software Ltd. 1992-2003 all rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ChalkboardBold.ttf:**

Kind: TrueType

Valid: Yes

Enabled: Yes

Location: /Library/Fonts/ChalkboardBold.ttf

Typefaces:

**Chalkboard-Bold:**

Full Name: Chalkboard Bold  
Family: Chalkboard  
Style: Bold  
Version: 6.0d2e2  
Unique Name: Chalkboard Bold; 6.0d2e2; 2007-02-15  
Copyright: Copyright 2003-04 Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Kai.dfont:**

Kind: TrueType

Valid: Yes

Enabled: Yes

Location: /Library/Fonts/Kai.dfont

Typefaces:

**SIL-Kai-Reg-Jian:**

Full Name: Kai Regular  
Family: Kai  
Style: Regular  
Version: 6.0d1e1  
Unique Name: Kai Regular; 6.0d1e1; 2007-01-09  
Copyright: Copyright Shanghai Ikarus Ltd. 1993 1994 1995  
Trademark: Shanghai Ikarus Ltd./URW Software & Type GmbH  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**GillSans.dfont:**

Kind: TrueType

Valid: Yes

Enabled: Yes

Location: /Library/Fonts/GillSans.dfont

Typefaces:

**GillSans:**

Full Name: Gill Sans  
Family: Gill Sans  
Style: Regular  
Version: 6.0d6e1  
Unique Name: Gill Sans; 6.0d6e1; 2007-08-31  
Designer: Eric Gill  
Copyright: Digitized data copyright The Monotype Corporation on 1991-2001. All rights reserved. Gill Sans™ is a trademark of The Monotype Corporation Registered in the U.S. Patent & Trademark Office and may be registered in certain jurisdictions  
Trademark: Gill Sans™ is a trademark of The Monotype Corporation Registered in the U.S. Patent & Trademark Office and may be registered in certain jurisdictions  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**GillSans-Bold:**

Full Name: Gill Sans Bold  
Family: Gill Sans  
Style: Bold  
Version: 6.0d6e1  
Unique Name: Gill Sans Bold; 6.0d6e1; 2007-08-31

Copyright: Digitized data copyright © 1991–2001 Agfa Monotype Corporation. All rights reserved. Gill Sans™ is a trademark of The Monotype Corporation. Registered in the U.S. Patent & Trademark Office and may be registered in certain jurisdictions  
Trademark: Gill Sans™ is a trademark of The Monotype Corporation. Registered in the U.S. Patent & Trademark Office and may be registered in certain jurisdictions  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**GillSans-Italic:**

Full Name: Gill Sans Italic  
Family: Gill Sans  
Style: Italic  
Version: 6.0d6e1  
Unique Name: Gill Sans Italic; 6.0d6e1; 2007–08–31  
Designer: Eric Gill  
Copyright: Digitized data copyright The Monotype Corporation on 1991–2001. All rights reserved. Gill Sans™ is a trademark of The Monotype Corporation Registered in the U.S. Patent & Trademark Office and may be registered in certain jurisdictions  
Trademark: Gill Sans™ is a trademark of The Monotype Corporation Registered in the U.S. Patent & Trademark Office and may be registered in certain jurisdictions  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**GillSans-BoldItalic:**

Full Name: Gill Sans Bold Italic  
Family: Gill Sans  
Style: Bold Italic  
Version: 6.0d6e1  
Unique Name: Gill Sans Bold Italic; 6.0d6e1; 2007–08–31  
Copyright: Digitized data copyright © 1991–2001 Agfa Monotype Corporation. All rights reserved. Gill Sans™ is a trademark of The Monotype Corporation. Registered in the U.S. Patent & Trademark Office and may be registered in certain jurisdictions  
Trademark: Gill Sans™ is a trademark of The Monotype Corporation. Registered in the U.S. Patent & Trademark Office and may be registered in certain jurisdictions  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**GillSans-Light:**

Full Name: Gill Sans Light  
Family: Gill Sans  
Style: Light  
Version: 6.0d6e1  
Unique Name: Gill Sans Light; 6.0d6e1; 2007–08–31  
Designer: Eric Gill  
Copyright: Digitized data copyright The Monotype Corporation on 1991–2001. All rights reserved. Gill Sans™ is a trademark of The Monotype Corporation Registered in the U.S. Patent & Trademark Office and may be registered in certain jurisdictions  
Trademark: Gill Sans™ is a trademark of The Monotype Corporation Registered in the U.S. Patent & Trademark Office and may be registered in certain jurisdictions  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**GillSans-LightItalic:**

Full Name: Gill Sans Light Italic  
Family: Gill Sans  
Style: Light Italic  
Version: 6.0d6e1  
Unique Name: Gill Sans Light Italic; 6.0d6e1; 2007–08–31  
Designer: Eric Gill  
Copyright: Digitized data copyright The Monotype Corporation on 1991–2001. All rights reserved. Gill Sans™ is a trademark of The Monotype Corporation Registered in the U.S. Patent & Trademark Office and may be registered in certain jurisdictions  
Trademark: Gill Sans™ is a trademark of The Monotype Corporation Registered in the U.S. Patent & Trademark Office and may be registered in certain jurisdictions  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Webdings.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Webdings.ttf  
Typefaces:

**Webdings:**

Full Name: Webdings  
Family: Webdings

Style: Regular  
Version: Version 5.00x  
Unique Name: Microsoft Webdings  
Copyright: © 2006 Microsoft Corporation. All Rights Reserved.  
Trademark: Webdings is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Apple Chancery.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Apple Chancery.dfont  
Typefaces:

**Apple-Chancery:**

Full Name: Apple Chancery  
Family: Apple Chancery  
Style: Chancery  
Version: 6.0d2e1  
Unique Name: Apple Chancery; 6.0d2e1; 2006-07-19  
Copyright: © 1993-1999 Apple Computer, Inc.  
Trademark: Apple Chancery is a trademark of Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ヒラギノ角ゴ Pro W3.otf:**

Kind: OpenType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/ヒラギノ角ゴ Pro W3.otf  
Typefaces:

**HiraKakuPro-W3:**

Full Name: ヒラギノ角ゴ Pro W3  
Family: Hiragino Kaku Gothic Pro  
Style: W3  
Version: 7.11  
Vendor: Dainippon Screen Mfg. Co., Ltd.  
Unique Name: Dainippon Screen Mfg. Co., Ltd. Hiragino Kaku Gothic Pro W3  
Designer: JIYUKOBO Ltd.  
Copyright: ver7.11, Copyright (c) 1993-2002 Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.  
Trademark: Hiragino is a trademark of Dainippon Screen Mfg. Co., Ltd. registered in Japan.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Apple LiGothic Medium.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Apple LiGothic Medium.dfont  
Typefaces:

**LiGothicMed:**

Full Name: Apple LiGothic Medium  
Family: Apple LiGothic  
Style: Medium  
Version: 6.0d1e1  
Unique Name: Apple LiGothic Medium; 6.0d1e1; 2006-12-01  
Copyright: Apple Computer, Inc. 1992-1998  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Apple Braille Pinpoint 6 Dot.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Apple Braille Pinpoint 6 Dot.ttf  
Typefaces:

**AppleBraille-Pinpoint6Dot:**

Full Name: Apple Braille Pinpoint 6 Dot  
Family: Apple Braille  
Style: Pinpoint 6 Dot  
Version: 1.0d4e1  
Unique Name: Apple Braille Pinpoint 6 Dot; 1.0d4e1; 2007-08-09  
Copyright: © Copyright 2007 by Apple, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Arial Bold Italic.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Arial Bold Italic.ttf  
Typefaces:

**Arial-BoldItalicMT:**

Full Name: Arial Bold Italic  
Family: Arial  
Style: Bold Italic  
Version: Version 5.00.2x  
Vendor: The Monotype Corporation  
Unique Name: Monotype:Arial Bold Italic:version 5.00 (Microsoft)  
Designer: Monotype Type Drawing Office – Robin Nicholas, Patricia Saunders 1982  
Copyright: © 2006 The Monotype Corporation. All Rights Reserved.  
Trademark: Arial is a trademark of The Monotype Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Courier New Bold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Courier New Bold.ttf  
Typefaces:

**CourierNewPS-BoldMT:**

Full Name: Courier New Bold  
Family: Courier New  
Style: Bold  
Version: Version 5.00.1x  
Vendor: The Monotype Corporation  
Unique Name: Monotype:Courier New Bold:version 3.10 (Microsoft)  
Designer: Howard Kettler  
Copyright: © 2006 The Monotype Corporation. All Rights Reserved.  
Trademark: Courier New is a trademark of The Monotype Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ArialHBBold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/ArialHBBold.ttf  
Typefaces:

**ArialHebrew-Bold:**

Full Name: Arial Hebrew Bold  
Family: Arial Hebrew  
Style: Bold  
Version: 6.0d2e1  
Unique Name: Arial Hebrew Bold; 6.0d2e1; 2006-10-26  
Copyright: Copyright © Data 1993 Monotype Typography Ltd. / Type Solutions Inc. 1993 All rights reserved.  
Trademark: Arial ® is a Trademark of The Monotype Corporation registered in the US Pat & TM Off. and elsewhere.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Cochin.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Cochin.dfont

Typefaces:

**Cochin:**

Full Name: Cochin  
Family: Cochin  
Style: Regular  
Version: 6.0d3e1  
Unique Name: Cochin; 6.0d3e1; 2007-03-07  
Copyright: Copyright (c) 1981 Linotype AG and/or its subsidiaries.  
Descript on: (c) 1981 Linotype AG and/or ts subsidiaries. All Rights Reserved. This data is the property of Linotype AG and/or its subsidiaries and may not be reproduced, used, displayed, modified, disclosed or transferred w thout the express written approval of Linotype AG and/or ts subsidiaries.  
  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Cochin-Bold:**

Full Name: Cochin Bold  
Family: Cochin  
Style: Bold  
Version: 6.0d3e1  
Unique Name: Cochin Bold; 6.0d3e1; 2007-03-07  
Copyright: Copyright (c) 1981 Linotype AG and/or its subsidiaries.  
Descript on: (c) 1981 Linotype AG and/or ts subsidiaries. All Rights Reserved. This data is the property of Linotype AG and/or its subsidiaries and may not be reproduced, used, displayed, modified, disclosed or transferred w thout the express written approval of Linotype AG and/or ts subsidiaries.  
  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Cochin-Italic:**

Full Name: Cochin Italic  
Family: Cochin  
Style: Italic  
Version: 6.0d3e1  
Unique Name: Cochin Italic; 6 0d3e1; 2007-03-07  
Copyright: Copyright (c) 1981 Linotype AG and/or its subsidiaries.  
Descript on: (c) 1981 Linotype AG and/or ts subsidiaries. All Rights Reserved. This data is the property of Linotype AG and/or its subsidiaries and may not be reproduced, used, displayed, modified, disclosed or transferred w thout the express written approval of Linotype AG and/or ts subsidiaries.  
  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Cochin-BoldItalic:**

Full Name: Cochin Bold Italic  
Family: Cochin  
Style: BoldItalic  
Version: 6.0d3e1  
Unique Name: Cochin Bold Italic; 6 0d3e1; 2007-03-07  
Copyright: Copyright (c) 1981 Linotype AG and/or its subsidiaries.  
Descript on: (c) 1981 Linotype AG and/or ts subsidiaries. All Rights Reserved. This data is the property of Linotype AG and/or its subsidiaries and may not be reproduced, used, displayed, modified, disclosed or transferred w thout the express written approval of Linotype AG and/or ts subsidiaries.  
  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Apple Braille Pinpoint 8 Dot.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Apple Braille Pinpoint 8 Dot.ttf  
Typefaces:

**AppleBraille-Pinpoint8Dot:**

Full Name: Apple Braille Pinpoint 8 Dot  
Family: Apple Braille  
Style: Pinpoint 8 Dot  
Version: 1.0d4e1  
Unique Name: Apple Braille Pinpoint 8 Dot; 1.0d4e1; 2007-08-09  
Copyright: © Copyright 2007 by Apple, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**华文黑体.ttf:**

Kind: TrueType

Val d: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/华文黑体.ttf  
Typefaces:

**STHeiti:**

Full Name: STHeiti  
Family: STHeiti  
Style: Regular  
Version: 6.0d4e1  
Unique Name: STHeiti; 6.0d4e1; 2007-05-23  
Copyright: Copyright (c) 2002, Changzhou SinoType Technology Co., Ltd. All rights reserved.  
Trademark: STHeiti and SinoType are trademarks of Changzhou SinoType Technology Co., Ltd.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**#Gungseouche.dfont:**

Kind: TrueType  
Val d: Yes  
Enabled: Yes  
Location: /Library/Fonts/#Gungseouche.dfont  
Typefaces:

**JCkg:**

Full Name: #GungSeo Regular  
Family: #GungSeo  
Style: Regular  
Version: 6.0d3e1  
Unique Name: #GungSeo Regular; 6.0d3e1; 2007-03-02  
Copyright: Copyright (c) 1994-2003 Apple Computer, Inc. All rights reserved.  
Trademark: #Gungseouche is a trademark of Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Baskerville.dfont:**

Kind: TrueType  
Val d: Yes  
Enabled: Yes  
Location: /Library/Fonts/Baskerville dfont  
Typefaces:

**Baskerville:**

Full Name: Baskerville  
Family: Baskerville  
Style: Regular  
Version: 6.0d2e1  
Unique Name: Baskerville; 6.0d2e1; 2006-08-25  
Designer: John Baskerville  
Copyright: Digitized data copyright Monotype Typography, Ltd 1991-1997. All rights reserved. Monotype Baskerville<sup>a</sup> is a trademark of Monotype Typography, Ltd which may be registered in certain jurisdictions.  
Trademark: Monotype Baskerville<sup>a</sup> is a trademark of Monotype Typography, Ltd which may be registered in certain jurisdictions.  
Description: -  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Baskerville-Bold:**

Full Name: Baskerville Bold  
Family: Baskerville  
Style: Bold  
Version: 6.0d2e1  
Unique Name: Baskerville Bold; 6.0d2e1; 2006-08-25  
Designer: John Baskerville  
Copyright: Digitized data copyright Monotype Typography, Ltd 1991-1997. All rights reserved. Monotype Baskerville<sup>a</sup> is a trademark of Monotype Typography, Ltd which may be registered in certain jurisdictions.  
Trademark: Monotype Baskerville<sup>a</sup> is a trademark of Monotype Typography, Ltd which may be registered in certain jurisdictions.  
Description: -  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Baskerville-Italic:**

Full Name: Baskerville Italic  
Family: Baskerville  
Style: Italic  
Version: 6.0d2e1  
Unique Name: Baskerville Italic; 6.0d2e1; 2006-08-25  
Designer: John Baskerville  
Copyright: Digitized data copyright Monotype Typography, Ltd 1991-1997. All rights reserved. Monotype Baskerville<sup>a</sup> is a

trademark of Monotype Typography, Ltd which may be registered in certain jurisdictions.  
Trademark: Monotype Baskerville<sup>®</sup> is a trademark of Monotype Typography, Ltd which may be registered in certain jurisdictions.  
Description: -  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Baskerville-BoldItalic:**

Full Name: Baskerville Bold Italic  
Family: Baskerville  
Style: Bold Italic  
Version: 6.0d2e1  
Unique Name: Baskerville Bold Italic; 6.0d2e1; 2006-08-25  
Designer: John Baskerville  
Copyright: Digitized data copyright Monotype Typography, Ltd 1991-1997. All rights reserved. Monotype Baskerville<sup>®</sup> is a trademark of Monotype Typography, Ltd which may be registered in certain jurisdictions.

Trademark: Monotype Baskerville<sup>®</sup> is a trademark of Monotype Typography, Ltd which may be registered in certain jurisdictions.  
Description: -  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Baskerville-SemiBold:**

Full Name: Baskerville SemiBold  
Family: Baskerville  
Style: SemiBold  
Version: 6.0d2e1  
Unique Name: Baskerville SemiBold; 6.0d2e1; 2006-08-25  
Copyright: Digitized data copyright © 2000 Agfa Monotype Corporation. All rights reserved. Monotype Baskerville<sup>®</sup> is a trademark of Agfa Monotype Corporation.

Trademark: Monotype Baskerville<sup>®</sup> is a trademark of Agfa Monotype Corporation.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Baskerville-SemiBoldItalic:**

Full Name: Baskerville SemiBold Italic  
Family: Baskerville  
Style: SemiBold Italic  
Version: 6.0d2e1  
Unique Name: Baskerville SemiBold Italic; 6.0d2e1; 2006-08-25  
Copyright: Digitized data copyright © 2000 Agfa Monotype Corporation. All rights reserved. Monotype Baskerville<sup>®</sup> is a trademark of Agfa Monotype Corporation.

Trademark: Monotype Baskerville<sup>®</sup> is a trademark of Agfa Monotype Corporation.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ThonburiBold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/ThonburiBold.ttf  
Typefaces:

**Thonburi-Bold:**

Full Name: Thonburi Bold  
Family: Thonburi  
Style: Bold  
Version: 10.5d5e1  
Unique Name: Thonburi Bold; 10.5d5e1; 2007-04-05  
Copyright: © 1992-2007 Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Chalkboard.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Chalkboard.ttf  
Typefaces:

**Chalkboard:**

Full Name: Chalkboard  
Family: Chalkboard  
Style: Regular  
Version: 6.0d2e2

Unique Name: Chalkboard; 6.0d2e2; 2007-02-15  
Copyright: Copyright 2003-04 Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### DevanagariMT.ttf:

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/DevanagariMT.ttf

##### Typefaces:

###### DevanagariMT:

Full Name: Devanagari MT  
Family: Devanagari MT  
Style: Regular  
Version: 6.0d3e1  
Unique Name: Devanagari MT; 6.0d3e1; 2007-01-13  
Copyright: Copyright © Monotype Typography Ltd 1996. All rights reserved.  
Trademark: Monotype Devanagari is a Trademark of Monotype Typography Ltd.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### HelveticaCY.dfont:

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/HelveticaCY.dfont

##### Typefaces:

###### HelveticaCY-Plain:

Full Name: Helvetica CY Plain  
Family: Helvetica CY  
Style: Plain  
Version: 6.0d2e2  
Unique Name: Helvetica CY Plain; 6.0d2e2; 2006-10-20  
Copyright: Copyright © 1992, 1997 DoubleAlex Design Studio. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

###### HelveticaCY-Bold:

Full Name: Helvetica CY Bold  
Family: Helvetica CY  
Style: Bold  
Version: 6.0d2e2  
Unique Name: Helvetica CY Bold; 6.0d2e2; 2006-10-20  
Copyright: Copyright © 1992, 1997 DoubleAlex Design Studio. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

###### HelveticaCY-Oblique:

Full Name: Helvetica CY Oblique  
Family: Helvetica CY  
Style: Oblique  
Version: 6.0d2e2  
Unique Name: Helvetica CY Oblique; 6.0d2e2; 2006-10-20  
Copyright: Copyright © 1992, 1997 DoubleAlex Design Studio. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

###### HelveticaCY-BoldOblique:

Full Name: Helvetica CY BoldOblique  
Family: Helvetica CY  
Style: BoldOblique  
Version: 6.0d2e2  
Unique Name: Helvetica CY BoldOblique; 6.0d2e2; 2006-10-20  
Copyright: Copyright © 1992, 1997 DoubleAlex Design Studio. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**MshtakanOblique.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/MshtakanOblique.ttf

## Typefaces:

**MshtakanOblique:**

Full Name: Mshtakan Oblique  
Family: Mshtakan  
Style: Oblique  
Version: 6.0d2e1  
Vendor: Michael Everson  
Unique Name: Mshtakan Oblique; 6.0d2e1; 2006-10-20  
Designer: Michael Everson  
Copyright: Mshtakan-Oblique 1.1 © 2002-2003 Michael Everson. All Rights Reserved.  
Trademark: Mshtakan Oblique is a trademark of Michael Everson.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ヒラギノ丸ゴ ProN W4.otf:**

Kind: OpenType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/ヒラギノ丸ゴ ProN W4.otf

## Typefaces:

**HiraMaruProN-W4:**

Full Name: ヒラギノ丸ゴ ProN W4  
Family: Hiragino Maru Gothic ProN  
Style: W4  
Version: Version 8.00  
Vendor: Dainippon Screen Mfg. Co., Ltd.  
Unique Name: Dainippon Screen Mfg. Co., Ltd. Hiragino Maru Gothic ProN W4  
Designer: JIYUKOBO Ltd.  
Copyright: ver8.00, Copyright (c) 2000-2007 Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.  
Trademark: Hiragino is a trademark of Dainippon Screen Mfg. Co., Ltd. registered in Japan.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ヒラギノ角ゴ Std W8.otf:**

Kind: OpenType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/ヒラギノ角ゴ Std W8.otf

## Typefaces:

**HiraKakuStd-W8:**

Full Name: ヒラギノ角ゴ Std W8  
Family: Hiragino Kaku Gothic Std  
Style: W8  
Version: 7.10  
Vendor: Dainippon Screen Mfg. Co., Ltd.  
Unique Name: Dainippon Screen Mfg. Co., Ltd. Hiragino Kaku Gothic Std W8  
Designer: JIYU KOBO Ltd.  
Copyright: ver7.10, Copyright (c) 1993-2002 Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.  
Trademark: Hiragino is a trademark of Dainippon Screen Mfg. Co., Ltd. registered in Japan.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Trebuchet MS Italic.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Trebuchet MS Italic.ttf

## Typefaces:

**TrebuchetMS-Italic:**

Full Name: Trebuchet MS Italic  
Family: Trebuchet MS  
Style: Italic  
Version: Version 5.00x  
Vendor: Microsoft Corporation  
Unique Name: Microsoft Trebuchet Italic

Designer: Vincent Connare  
Copyright: © 2006 Microsoft Corporation. All Rights Reserved.  
Description: Trebuchet, designed by Vincent Connare in 1996, is a humanist sans serif designed for easy screen readability. Trebuchet takes its inspiration from the sans serifs of the 1930s which had large x heights and round features intended to promote readability on signs. The typeface name is credited to a puzzle heard at Microsoft, where the question was asked, "could you build a Trebuchet (a form of medieval catapult) to launch a person from the main campus to the consumer campus, and how?" The Trebuchet fonts are intended to be the vehicle that fires your messages across the Internet. "Launch your message with a Trebuchet page".

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### **Baghdad.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Baghdad.ttf  
Typefaces:  
**Baghdad:**  
Full Name: Baghdad  
Family: Baghdad  
Style: Regular  
Version: 6.0d3e1  
Unique Name: Baghdad; 6.0d3e1; 2007-04-20  
Copyright: Baghdad designed by Diwan Software Ltd. Copyright Apple Computer, Inc. and its licensors, 1992-1998 all rights reserved.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### **Krungthep.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Krungthep.ttf  
Typefaces:  
**Krungthep:**  
Full Name: Krungthep  
Family: Krungthep  
Style: Regular  
Version: 10.5d2e1  
Unique Name: Krungthep; 10.5d2e1; 2006-10-20  
Copyright: © 1992-2003 Apple Computer, Inc.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### **AmericanTypewriter.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/AmericanTypewriter.dfont  
Typefaces:  
**AmericanTypewriter:**  
Full Name: American Typewriter  
Family: American Typewriter  
Style: Regular  
Version: 6.0d3e1  
Unique Name: American Typewriter; 6.0d3e1; 2007-10-02  
Copyright: Digitized data (c) Copyright 1997 E+F Designstudios. ITC American Typewriter is a registered trademark of International Typeface Corporation.

Trademark: ITC American Typewriter is a registered trademark of International Typeface Corporation.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**AmericanTypewriter-Bold:**  
Full Name: American Typewriter Bold  
Family: American Typewriter  
Style: Bold  
Version: 6.0d3e1  
Unique Name: American Typewriter Bold; 6.0d3e1; 2007-10-02  
Copyright: Digitized data (c) Copyright 1997 E+F Designstudios. ITC American Typewriter is a registered trademark of International Typeface Corporation.

Trademark: ITC American Typewriter is a registered trademark of International Typeface Corporation.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**AmericanTypewriter-Condensed:**

Full Name: American Typewriter Condensed  
Family: American Typewriter  
Style: Condensed  
Version: 6.0d3e1  
Unique Name: American Typewriter Condensed; 6.0d3e1; 2007-10-02  
Copyright: Digitized Data (c) Copyright 1997 E+F Designstudios. ITC American Typewriter is a registered trademark of International Typeface Corporation.  
Trademark: ITC American Typewriter is a registered trademark of International Typeface Corporation.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**AmericanTypewriter-CondensedBold:**

Full Name: American Typewriter Condensed Bold  
Family: American Typewriter  
Style: Condensed Bold  
Version: 6.0d3e1  
Unique Name: American Typewriter Condensed Bold; 6.0d3e1; 2007-10-02  
Copyright: Digitized data (c) Copyright 1997 E+F Designstudios. ITC American Typewriter is a registered trademark of International Typeface Corporation.  
Trademark: ITC American Typewriter is a registered trademark of International Typeface Corporation.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**AmericanTypewriter-Light:**

Full Name: American Typewriter Light  
Family: American Typewriter  
Style: Light  
Version: 6.0d3e1  
Unique Name: American Typewriter Light; 6.0d3e1; 2007-10-02  
Copyright: Digitized data (c) Copyright 1997 E+F Designstudios. ITC American Typewriter is a registered trademark of International Typeface Corporation.  
Trademark: ITC American Typewriter is a registered trademark of International Typeface Corporation.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**AmericanTypewriter-CondensedLight:**

Full Name: American Typewriter Condensed Light  
Family: American Typewriter  
Style: Condensed Light  
Version: 6.0d3e1  
Unique Name: American Typewriter Condensed Light; 6.0d3e1; 2007-10-02  
Copyright: Digitized data (c) Copyright 1997 E+F Designstudios. ITC American Typewriter is a registered trademark of International Typeface Corporation.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ZapfDingbats.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/ZapfDingbats.dfont  
Typefaces:

**ZapfDingbatsITC:**

Full Name: Zapf Dingbats  
Family: Zapf Dingbats  
Style: Regular  
Version: 6.0d2e1  
Unique Name: Zapf Dingbats; 6.0d2e1; 2006-07-19  
Copyright: (c) Copyright 1999-2000 as an unpublished work by Galapagos Design Group, Inc. All rights reserved  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ヒラギノ角ゴ Pro W6.otf:**

Kind: OpenType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/ヒラギノ角ゴ Pro W6.otf

Typefaces:

**HiraKakuPro-W6:**

Full Name: ヒラギノ角ゴ Pro W6  
Family: Hiragino Kaku Gothic Pro  
Style: W6  
Version: 7.11  
Vendor: Dainippon Screen Mfg. Co., Ltd.  
Unique Name: Dainippon Screen Mfg. Co., Ltd. Hiragino Kaku Gothic Pro W6  
Designer: JYUKOBO Ltd.  
Copyright: ver7.11, Copyright (c) 1993-2002 Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.  
Trademark: Hiragino is a trademark of Dainippon Screen Mfg. Co., Ltd. registered in Japan.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**LucidaGrande.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Luc daGrande.dfont

Typefaces:

**LucidaGrande:**

Full Name: Lucida Grande  
Family: Lucida Grande  
Style: Regular  
Version: 6.0d10e1  
Unique Name: Lucida Grande; 6.0d10e1; 2007-05-16  
Designer: Kris Holmes and Charles Bigelow  
Copyright: Copyright © 1989 Bigelow & Holmes, Inc. All rights reserved. Lucida is a trademark of Bigelow & Holmes Inc. registered in the U.S. Patent and Trademark Office and other jurisdictions. Lucida typeface designs created by Kris Holmes and Charles Bigelow.  
Trademark: Lucida is a registered trademark of Bigelow & Holmes Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**LucidaGrande-Bold:**

Full Name: Lucida Grande Bold  
Family: Lucida Grande  
Style: Bold  
Version: 6.0d10e1  
Unique Name: Lucida Grande Bold; 6.0d10e1; 2007-05-16  
Designer: Kris Holmes and Charles Bigelow  
Copyright: Copyright © 1989 Bigelow & Holmes, Inc. All rights reserved. Lucida is a trademark of Bigelow & Holmes Inc. registered in the U.S. Patent and Trademark Office and other jurisdictions. Lucida typeface designs created by Kris Holmes and Charles Bigelow.  
Trademark: Lucida is a registered trademark of Bigelow & Holmes Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**BlairMdITC TT-Medium:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/BlairMdITC TT-Medium

Typefaces:

**BlairMdITC TT-Medium:**

Full Name: BlairMdITC TT Medium  
Family: BlairMdITC TT  
Style: Medium  
Version: 3.4.1  
Unique Name: BlairMdITC TT Medium; 3.4.1; 2006-02-25  
Copyright: Copyright © 1995-1997 International Typeface Corporation. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**MarkerFelt.dfont:**

Kind: TrueType  
Valid: Yes

Enabled: Yes  
Location: /Library/Fonts/MarkerFelt dfont

Typefaces:

**MarkerFelt-Thin:**

Full Name: Marker Felt Thin  
Family: Marker Felt  
Style: Thin  
Version: 6.0d6e4  
Unique Name: Marker Felt Thin; 6.0d6e4; 2007-07-23  
Copyright: Copyright (c) 1992, 1993, 2001, Pat Snyder, 62976 Ross Inlet, Coos Bay, OR 97420. All rights reserved.  
Trademark: Marker Felt is a Trademark of Pat Snyder, which may be registered in certain jurisdictions.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**MarkerFelt-Wide:**

Full Name: Marker Felt W de  
Family: Marker Felt  
Style: Wide  
Version: 6.0d6e4  
Unique Name: Marker Felt W de; 6.0d6e4; 2007-07-23  
Copyright: Copyright (c) 1992, 1993, 2001, Pat Snyder, 62976 Ross Inlet, Coos Bay, OR 97420. All rights reserved.  
Trademark: Marker Felt is a Trademark of Pat Snyder, which may be registered in certain jurisdictions.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ヒラギノ角ゴ StdN W8.otf:**

Kind: OpenType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/ヒラギノ角ゴ StdN W8.otf

Typefaces:

**HiraKakuStdN-W8:**

Full Name: ヒラギノ角ゴ StdN W8  
Family: Hiragino Kaku Gothic StdN  
Style: W8  
Version: Version 8.00  
Vendor: Dainippon Screen Mfg. Co., Ltd.  
Unique Name: Dainippon Screen Mfg. Co., Ltd. Hiragino Kaku Gothic StdN W8  
Designer: JYUKOBO Ltd.  
Copyright: ver8.00, Copyright (c) 1993-2007 Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.  
Trademark: Hiragino is a trademark of Dainippon Screen Mfg. Co., Ltd. registered in Japan.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**MshtakanBold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/MshtakanBold.ttf

Typefaces:

**MshtakanBold:**

Full Name: Mshtakan Bold  
Family: Mshtakan  
Style: Bold  
Version: 6.0d2e1  
Vendor: Michael Everson  
Unique Name: Mshtakan Bold; 6 0d2e1; 2006-10-20  
Designer: Michael Everson  
Copyright: Mshtakan-Bold 1.1 © 2002-2003 Michael Everson. All Rights Reserved.  
Trademark: Mshtakan Bold is a trademark of Michael Everson.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Arial Narrow Bold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Arial Narrow Bold.ttf

Typefaces:

**ArialNarrow-Bold:**

Full Name: Arial Narrow Bold  
Family: Arial Narrow  
Style: Bold  
Version: Version 2.38.1x  
Vendor: The Monotype Corporation  
Unique Name: Arial Narrow Bold : 2007  
Designer: Robin Nicholas, Patricia Saunders  
Copyright: © 2007 The Monotype Corporation. All Rights Reserved.  
Trademark: Arial is a trademark of The Monotype Corporation in the United States and/or other countries.  
Description: Monotype Drawing Office 1982. A contemporary sans serif design, Arial contains more humanist characteristics than many of its predecessors and as such is more in tune with the mood of the last decades of the twentieth century. The overall treatment of curves is softer and fuller than in most industrial-style sans serif faces. Terminal strokes are cut on the diagonal which helps to give the face a less mechanical appearance. Arial is an extremely versatile family of typefaces which can be used with equal success for text setting in reports, presentations, magazines etc, and for display use in newspapers, advertising and promotions.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### **Hoefler Text.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Hoefler Text.dfont  
Typefaces:

##### **HoeflerText-Regular:**

Full Name: Hoefler Text  
Family: Hoefler Text  
Style: Regular  
Version: 6.0d7e1  
Unique Name: Hoefler Text; 6.0d7e1; 2007-09-11  
Copyright: © 1992-2007 Apple Inc.  
Trademark: Hoefler Text is a trademark of Apple Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

##### **HoeflerText-Black:**

Full Name: Hoefler Text Black  
Family: Hoefler Text  
Style: Black  
Version: 6.0d7e1  
Unique Name: Hoefler Text Black; 6.0d7e1; 2007-09-11  
Copyright: © 1992-2007 Apple Inc.  
Trademark: Hoefler Text is a trademark of Apple Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

##### **HoeflerText-Italic:**

Full Name: Hoefler Text Italic  
Family: Hoefler Text  
Style: Italic  
Version: 6.0d7e1  
Vendor: Apple Inc.  
Unique Name: Hoefler Text Italic; 6.0d7e1; 2007-09-11  
Copyright: © 1992-2007 Apple Inc.  
Trademark: Hoefler Text is a trademark of Apple Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

##### **HoeflerText-BlackItalic:**

Full Name: Hoefler Text Black Italic  
Family: Hoefler Text  
Style: Black Italic  
Version: 6.0d7e1  
Unique Name: Hoefler Text Black Italic; 6.0d7e1; 2007-09-11  
Copyright: © 1992-2007 Apple Inc.  
Trademark: Hoefler Text is a trademark of Apple Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

##### **HoeflerText-Ornaments:**

Full Name: Hoefler Text Ornaments  
Family: Hoefler Text  
Style: Ornaments

Version: 6.0d7e1  
Unique Name: Hoefler Text Ornaments; 6.0d7e1; 2007-09-11  
Copyright: © Apple Inc., 1992-2007  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Arial Rounded Bold.ttf:**

Kind: TrueType  
Val d: Yes  
Enabled: Yes  
Location: /Library/Fonts/Arial Rounded Bold.ttf  
Typefaces:

**ArialRoundedMTBold:**

Full Name: Arial Rounded MT Bold  
Family: Arial Rounded MT Bold  
Style: Regular  
Version: Version 1.51x  
Unique Name: Arial Rounded MT Bold  
Copyright: Copyright © 1993 , Monotype Typography Ltd.  
Trademark: Arial ® Trademark of Monotype Typography Ltd registered in the US Pat & TM.and elsewhere.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Zapfino.dfont:**

Kind: TrueType  
Val d: Yes  
Enabled: Yes  
Location: /Library/Fonts/Zapfino.dfont  
Typefaces:

**Zapfino:**

Full Name: Zapfino  
Family: Zapfino  
Style: Regular  
Version: 6.0d2e1  
Unique Name: Zapfino; 6.0d2e1; 2006-07-19  
Designer: Hermann Zapf  
Copyright: Copyright (c) 1999-2002, Linotype Library GmbH & affiliates. All rights reserved.  
Trademark: Linotype Zapfino is a Trademark of Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.  
Descript on: Today's digital font technology has allowed renowned type designer Hermann Zapf to realise a dream he first had more than fifty years ago: to create a fully calligraphic typeface.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Comic Sans MS.ttf:**

Kind: TrueType  
Val d: Yes  
Enabled: Yes  
Location: /Library/Fonts/Comic Sans MS.ttf  
Typefaces:

**ComicSansMS:**

Full Name: Comic Sans MS  
Family: Comic Sans MS  
Style: Regular  
Version: Version 5.00x  
Vendor: Microsoft Corporation  
Unique Name: Microsoft Comic Sans  
Designer: Vincent Connare  
Copyright: © 2006 Microsoft Corporation. All rights reserved.  
Descript on: Designed by Microsoft's Vincent Connare, this is a face based on the lettering from comic magazines. This casual but legible face has proved very popular with a w de variety of people.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Apple Braille.ttf:**

Kind: TrueType  
Val d: Yes  
Enabled: Yes

Location: /System/Library/Fonts/Apple Braille.ttf

Typefaces:

**AppleBraille:**

Full Name: Apple Braille  
Family: Apple Braille  
Style: Regular  
Version: 1.0d4e1  
Unique Name: Apple Braille; 1.0d4e1; 2007-08-09  
Copyright: © Copyright 2007 by Apple, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Trebuchet MS.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Trebuchet MS.ttf

Typefaces:

**TrebuchetMS:**

Full Name: Trebuchet MS  
Family: Trebuchet MS  
Style: Regular  
Version: Version 5.00x  
Vendor: Microsoft Corporation  
Unique Name: Microsoft Trebuchet  
Designer: Vincent Connare  
Copyright: © 2006 Microsoft Corporation. All Rights Reserved.  
Description: Trebuchet, designed by Vincent Connare in 1996, is a humanist sans serif designed for easy screen readability. Trebuchet takes its inspiration from the sans serifs of the 1930s which had large x heights and round features intended to promote readability on signs. The typeface name is credited to a puzzle heard at Microsoft, where the question was asked, "could you build a Trebuchet (a form of medieval catapult) to launch a person from the main campus to the consumer campus, and how?" The Trebuchet fonts are intended to be the vehicle that fires your messages across the Internet. "Launch your message with a Trebuchet page".  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**GujaratiMT.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/GujaratiMT.ttf

Typefaces:

**GujaratiMT:**

Full Name: Gujarati MT  
Family: Gujarati MT  
Style: Regular  
Version: 6.0d2e1  
Unique Name: Gujarati MT; 6.0d2e1; 2006-10-20  
Copyright: Copyright © Monotype Typography Ltd 1996. All rights reserved.  
Trademark: Monotype Gujarati is a Trademark of Monotype Typography Ltd.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**儷宋 Pro.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/儷宋 Pro.ttf

Typefaces:

**LiSongPro:**

Full Name: LiSong Pro  
Family: LiSong Pro  
Style: Light  
Version: 6.0d4e1  
Unique Name: LiSong Pro; 6.0d4e1; 2007-04-06  
Copyright: (c) Copyright DynaComware Corp. 2003  
Trademark: Trademark by DynaComware Corp.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Apple Symbols.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Apple Symbols.ttf  
Typefaces:

**AppleSymbols:**

Full Name: Apple Symbols  
Family: Apple Symbols  
Style: Regular  
Version: 6.0d7e4  
Unique Name: Apple Symbols; 6.0d7e4; 2007-08-03  
Copyright: © Copyright 2003-2006 by Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**PlantagenetCherokee.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/PlantagenetCherokee.ttf  
Typefaces:

**PlantagenetCherokee:**

Full Name: Plantagenet Cherokee  
Family: Plantagenet Cherokee  
Style: Regular  
Version: 6.0d2e1  
Vendor: Tiro Typeworks  
Unique Name: Plantagenet Cherokee; 6.0d2e1; 2006-10-23  
Designer: Ross Mills  
Copyright: Copyright (c) Tiro Typeworks, 2002. All rights reserved.  
Trademark: Plantagenet Cherokee is a trademark of Tiro Typeworks.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**华文宋体.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/华文宋体.ttf  
Typefaces:

**STSong:**

Full Name: STSong  
Family: STSong  
Style: Regular  
Version: 6.0d4e1  
Unique Name: STSong; 6.0d4e1; 2007-05-23  
Copyright: Copyright (c) 2002, Changzhou SinoType Technology Co., Ltd. All rights reserved.  
Trademark: STSong and SinoType are trademarks of Changzhou SinoType Technology Co., Ltd.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Arial Black.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Arial Black.ttf  
Typefaces:

**Arial-Black:**

Full Name: Arial Black  
Family: Arial Black  
Style: Regular  
Version: Version 5.00.1x  
Vendor: Monotype Typography, Inc.  
Unique Name: Monotype - Arial Black Regular  
Designer: Robin Nicholas, Patricia Saunders  
Copyright: © 2006 The Monotype Corporation. All Rights Reserved.  
Trademark: Arial is a trademark of The Monotype Corporation in the United States and/or other countries.  
Description: Monotype Drawing Office 1982. A contemporary sans serif design, Arial contains more humanist characteristics than many of its predecessors and as such is more in tune with the mood of the last decades of the twentieth century. The overall treatment of curves is softer and fuller than in most industrial-style sans serif faces. Terminal strokes are cut on the diagonal which helps to give the face a less mechanical appearance. Arial is an extremely versatile family of typefaces which can be used with equal success for text setting in reports, presentations, magazines etc, and for

display use in newspapers, advertising and promotions.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**#HeadlineA.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/#HeadlineA.dfont  
Typefaces:

**JCHHeadA:**

Full Name: #HeadLineA Regular  
Family: #HeadLineA  
Style: Regular  
Version: 6.0d2e1  
Unique Name: #HeadLineA Regular; 6.0d2e1; 2007-03-02  
Copyright: Copyright (c) 1994-2001 Apple Computer, Inc. All rights reserved.  
Trademark: #HeadLineA is a trademark of Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Cracked:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Cracked  
Typefaces:

**Cracked:**

Full Name: Cracked  
Family: Cracked  
Style: Regular  
Version: 1.2  
Unique Name: Cracked; 1.2; 2006-02-27  
Copyright: Copyright © 1993 House Industries, Brand Design Company. Copyright © 2001, 2006 Apple Computer, Inc. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**EuphemiaCASItalic.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/EuphemiaCASItalic.ttf  
Typefaces:

**EuphemiaUCAS-Italic:**

Full Name: Euphemia UCAS Italic  
Family: Euphemia UCAS  
Style: Italic  
Version: 6.0d2e1  
Vendor: Tiro Typeworks  
Unique Name: Euphemia UCAS Italic; 6.0d2e1; 2006-10-20  
Designer: Wm. Ross Mills  
Copyright: Copyright (C) 2004, Tiro Typeworks. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ヒラギノ角ゴ ProN W6.otf:**

Kind: OpenType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/ヒラギノ角ゴ ProN W6.otf  
Typefaces:

**HiraKakuProN-W6:**

Full Name: ヒラギノ角ゴ ProN W6  
Family: Hiragino Kaku Gothic ProN  
Style: W6  
Version: Version 8.00  
Vendor: Dainippon Screen Mfg. Co., Ltd.

Unique Name: Dainippon Screen Mfg. Co., Ltd. Hiragino Kaku Gothic ProN W6  
Designer: JYUKOBO Ltd.  
Copyright: ver8.00, Copyright (c) 1993-2007 Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.  
Trademark: Hiragino is a trademark of Dainippon Screen Mfg. Co., Ltd. registered in Japan.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**华文细黑.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/华文细黑.ttf  
Typefaces:

**STXihei:**

Full Name: STXihei  
Family: STHeiti  
Style: Light  
Version: 6.0d5e1  
Unique Name: STXihei; 6 0d5e1; 2007-05-08  
Copyright: Copyright (c) 2002, Changzhou SinoType Technology Co., Ltd. All rights reserved.  
Trademark: STXihei and SinoType are trademarks of Changzhou SinoType Technology Co., Ltd.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Silom.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Silom.ttf  
Typefaces:

**Silom:**

Full Name: Silom  
Family: Silom  
Style: Regular  
Version: 10.5d2e2  
Unique Name: Silom; 10.5d2e2; 2006-10-26  
Copyright: © 1992-2006 Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**GenevaCY.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/GenevaCY.dfont  
Typefaces:

**GenevaCyr:**

Full Name: Geneva CY  
Family: Geneva CY  
Style: Regular  
Version: 6.0d2e2  
Unique Name: Geneva CY; 6.0d2e2; 2006-10-20  
Copyright: © 1997 DoubleAlex Design Studio. All Cyrillic characters designed by DoubleAlex. The font have been designed under contract w th "DPI Group" to be used exclusively w th system software distributed by "DPI Group".  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Arial.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Arial.ttf  
Typefaces:

**ArialMT:**

Full Name: Arial  
Family: Arial  
Style: Regular  
Version: Version 5.01.2x  
Vendor: The Monotype Corporation

Unique Name: Monotype:Arial Regular:Version 5.01 (Microsoft)  
Designer: Monotype Type Drawing Office – Robin Nicholas, Patricia Saunders 1982  
Copyright: © 2006 The Monotype Corporation. All Rights Reserved.  
Trademark: Arial is a trademark of The Monotype Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Georgia Italic.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Georgia Italic.ttf  
Typefaces:

**Georgia-Italic:**

Full Name: Georgia Italic  
Family: Georgia  
Style: Italic  
Version: Version 5.00x  
Vendor: Carter & Cone  
Unique Name: Microsoft Georgia Italic  
Designer: Matthew Carter  
Copyright: © 2006 Microsoft Corporation. All Rights Reserved.  
Trademark: Georgia is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**AppleCasual.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/AppleCasual.dfont  
Typefaces:

**AppleCasual:**

Full Name: Apple Casual  
Family: Casual  
Style: Regular  
Version: Version 1.0d5  
Unique Name: Apple Casual Regular; Apple Computer; Version 1.0d5; 5/9/02  
Copyright: Copyright 2001 Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Times New Roman Bold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Times New Roman Bold.ttf  
Typefaces:

**TimesNewRomanPS-BoldMT:**

Full Name: Times New Roman Bold  
Family: Times New Roman  
Style: Bold  
Version: Version 5.01.3x  
Vendor: The Monotype Corporation  
Unique Name: Monotype:Times New Roman Bold:Version 5.01 (Microsoft)  
Designer: Monotype Type Drawing Office – Stanley Morison, Victor Lardent 1932  
Copyright: © 2006 The Monotype Corporation. All Rights Reserved.  
Trademark: Times New Roman is a trademark of The Monotype Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Osaka.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Osaka.dfont  
Typefaces:

**Osaka:**

Full Name: Osaka  
Family: Osaka  
Style: Regular  
Version: 4.4  
Unique Name: Apple Computer Osaka  
Copyright: ver J-4.4, © 1990–2005 Apple Computer, Inc.  
Trademark: HeiseiKakuGothic is a typeface developed under the license agreement with JSA Font Development and Promotion Center  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Monaco.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Monaco.dfont  
Typefaces:

**Monaco:**

Full Name: Monaco  
Family: Monaco  
Style: Regular  
Version: 6.0d9e1  
Unique Name: Monaco; 6.0d9e1; 2007-07-02  
Copyright: © 1990–2006 Apple Computer Inc. © 1990–97 Type Solutions Inc. © 1990–97 The Font Bureau Inc. TrueType outline design of Monaco typeface created by Kris Holmes and Charles Bigelow.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**OsakaMono.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/OsakaMono.dfont  
Typefaces:

**Osaka-Mono:**

Full Name: Osaka-Mono  
Family: Osaka  
Style: Regular-Mono  
Version: 3.3.2  
Unique Name: Apple Computer Osaka-Mono  
Copyright: © 1990–2000 Apple Computer, Inc.  
Trademark: HeiseiKakuGothic is a typeface developed under the license agreement with JSA Font Development and Promotion Center  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Ayuthaya.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Ayuthaya.ttf  
Typefaces:

**Ayuthaya:**

Full Name: Ayuthaya  
Family: Ayuthaya  
Style: Regular  
Version: 10.5d3e1  
Unique Name: Ayuthaya; 10.5d3e1; 2007-09-24  
Copyright: © 1992–2007 Apple Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**DecoTypeNaskh.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/DecoTypeNaskh.ttf  
Typefaces:

**DecoTypeNaskh:**

Full Name: DecoType Naskh  
Family: DecoType Naskh  
Style: Regular  
Version: 6.0d3e2  
Unique Name: DecoType Naskh; 6.0d3e2; 2007-09-28  
Copyright: DecoType Professional Naskh Family of Fonts. Copyright 1992-2007 DecoType. All Rights Reserved. Created by Thomas Milo.  
Trademark: DecoType Naskh is a trademark of DecoType.  
Description: Copyright (c) 2007 by Thomas Milo. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### **AlBayanBold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/AlBayanBold.ttf

##### Typefaces:

###### **AlBayan-Bold:**

Full Name: Al Bayan Bold  
Family: Al Bayan  
Style: Bold  
Version: 6.0d2e1  
Unique Name: Al Bayan Bold; 6.0d2e1; 2007-04-20  
Copyright: AlBayan designed by Al Bayan Company for Computer Services. Copyright Apple Computer, Inc. and its licensors, 1992-1998 all rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### **Arial Narrow Bold Italic.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Arial Narrow Bold Italic.ttf

##### Typefaces:

###### **ArialNarrow-BoldItalic:**

Full Name: Arial Narrow Bold Italic  
Family: Arial Narrow  
Style: Bold Italic  
Version: Version 2.38.1x  
Vendor: The Monotype Corporation  
Unique Name: Arial Narrow Bold Italic : 2007  
Designer: Robin Nicholas, Patricia Saunders  
Copyright: © 2007 The Monotype Corporation. All Rights Reserved.  
Trademark: Arial is a trademark of The Monotype Corporation in the United States and/or other countries.  
Description: Monotype Drawing Office 1982. A contemporary sans serif design, Arial contains more humanist characteristics than many of its predecessors and as such is more in tune with the mood of the last decades of the twentieth century. The overall treatment of curves is softer and fuller than in most industrial-style sans serif faces. Terminal strokes are cut on the diagonal which helps to give the face a less mechanical appearance. Arial is an extremely versatile family of typefaces which can be used with equal success for text setting in reports, presentations, magazines etc, and for display use in newspapers, advertising and promotions.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### **Didot.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Didot.dfont

##### Typefaces:

###### **Didot:**

Full Name: Didot  
Family: Didot  
Style: Regular  
Version: 6.0d2e1  
Unique Name: Didot; 6.0d2e1; 2006-08-08  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of Heidelberg Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.

Trademark: "Linotype Didot" is a trademark of He delberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of He delberger Druckmaschinen AG.  
Descript on: The Didot family were active as designers for about 100 years in the 18th and 19th centur es. They were printers, publishers, typeface designers, inventors and intellectuals. Around 1800 the D dot family owned the most important print shop and font foundry in France. Pierre D dot, the printer, published a document with the typefaces of his brother, Firmin D dot, the typeface designer. The strong clear forms of this alphabet display objective, rational characteristics and are representative of the time and philosophy of the Enlightenment. Adrian Frutiger's Didot is a sensitive interpretation of the French Modern Face Didot. Another model for this design is the Henriade, a historical printing of the original D dot from 1818. The font Didot gives text a classic and elegant feel.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Didot-Bold:**

Full Name: Didot Bold  
Family: Didot  
Style: Bold  
Version: 6.0d2e1  
Unique Name: Didot Bold; 6.0d2e1; 2006-08-08  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of He delberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.

Trademark: "Linotype Didot" is a trademark of He delberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of He delberger Druckmaschinen AG.  
Descript on: The Didot family were active as designers for about 100 years in the 18th and 19th centur es. They were printers, publishers, typeface designers, inventors and intellectuals. Around 1800 the D dot family owned the most important print shop and font foundry in France. Pierre D dot, the printer, published a document with the typefaces of his brother, Firmin D dot, the typeface designer. The strong clear forms of this alphabet display objective, rational characteristics and are representative of the time and philosophy of the Enlightenment. Adrian Frutiger's Didot is a sensitive interpretation of the French Modern Face Didot. Another model for this design is the Henriade, a historical printing of the original D dot from 1818. The font Didot gives text a classic and elegant feel.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Didot-Italic:**

Full Name: Didot Italic  
Family: Didot  
Style: Italic  
Version: 6.0d2e1  
Unique Name: Didot Italic; 6.0d2e1; 2006-08-08  
Copyright: Copyright (c) 1981, 1982, 1983, 1989 and 1993, Linotype Library GmbH or its affiliated Linotype-Hell companies. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is now the property of He delberger Druckmaschinen AG and its licensors, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Heidelberg Druckmaschinen AG.

Copyright (c) 1988, 1990, 1993 Adobe Systems Incorporated. All Rights Reserved.

Trademark: "Linotype Didot" is a trademark of He delberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of He delberger Druckmaschinen AG.  
Descript on: The Didot family were active as designers for about 100 years in the 18th and 19th centur es. They were printers, publishers, typeface designers, inventors and intellectuals. Around 1800 the D dot family owned the most important print shop and font foundry in France. Pierre D dot, the printer, published a document with the typefaces of his brother, Firmin D dot, the typeface designer. The strong clear forms of this alphabet display objective, rational characteristics and are representative of the time and philosophy of the Enlightenment. Adrian Frutiger's Didot is a sensitive interpretation of the French Modern Face Didot. Another model for this design is the Henriade, a historical printing of the original D dot from 1818. The font Didot gives text a classic and elegant feel.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**InaiMathi.ttf:**

Kind: TrueType  
Val d: Yes  
Enabled: Yes  
Location: /Library/Fonts/InaiMathi.ttf  
Typefaces:

**InaiMathi:**

Full Name: InaiMathi  
Family: InaiMathi  
Style: Regular  
Version: 6.0d2e4  
Vendor: Murasu Systems Sdn. Bhd. Malaysia  
Unique Name: InaiMathi; 6.0d2e4; 2006-12-21  
Designer: Muthu Nedumaran  
Copyright: Copyright (c) 1986 Murasu Systems Sdn. Bhd. Malaysia. (c) 2000 Grow Momentum (S) Pte. Ltd. All rights reserved.

Trademark: InaiMathi is a trademark of Murasu Systems Sdn. Bhd. Malaysia.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Trebuchet MS Bold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Trebuchet MS Bold.ttf  
Typefaces:

**TrebuchetMS-Bold:**

Full Name: Trebuchet MS Bold  
Family: Trebuchet MS  
Style: Bold  
Version: Version 5.00x  
Vendor: Microsoft Corporation  
Unique Name: Microsoft Trebuchet Bold  
Designer: Vincent Connare  
Copyright: © 2006 Microsoft Corporation. All Rights Reserved.  
Description: Trebuchet, designed by Vincent Connare in 1996, is a humanist sans serif designed for easy screen readability. Trebuchet takes its inspiration from the sans serifs of the 1930s which had large x heights and round features intended to promote readability on signs. The typeface name is credited to a puzzle heard at Microsoft, where the question was asked, "could you build a Trebuchet (a form of medieval catapult) to launch a person from the main campus to the consumer campus, and how?" The Trebuchet fonts are intended to be the vehicle that fires your messages across the Internet. "Launch your message with a Trebuchet page".  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Wingdings 2.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Wingdings 2.ttf  
Typefaces:

**Wingdings2:**

Full Name: Wingdings 2  
Family: Wingdings 2  
Style: Regular  
Version: Version 1.55x  
Unique Name: Wingdings 2  
Copyright: Wingdings 2 designed by Bigelow & Holmes Inc. for Microsoft Corporation. Copyright © 1992 Microsoft Corporation. Pat. Pend. All Rights Reserved. © 1990-1991 Type Solutions, Inc. All Rights Reserved.  
Trademark: Wingdings is a trademark of Microsoft Corporation.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ヒラギノ角ゴ ProN W3.otf:**

Kind: OpenType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/ヒラギノ角ゴ ProN W3.otf  
Typefaces:

**HiraKakuProN-W3:**

Full Name: ヒラギノ角ゴ ProN W3  
Family: Hiragino Kaku Gothic ProN  
Style: W3  
Version: Version 8.00  
Vendor: Dainippon Screen Mfg. Co., Ltd.  
Unique Name: Dainippon Screen Mfg. Co., Ltd. Hiragino Kaku Gothic ProN W3  
Designer: JIYUKOBO Ltd.  
Copyright: ver8.00, Copyright (c) 1993-2007 Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.  
Trademark: Hiragino is a trademark of Dainippon Screen Mfg. Co., Ltd. registered in Japan.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**儼黑 Pro.ttf:**

Kind: TrueType  
Valid: Yes

Enabled: Yes  
Location: /System/Library/Fonts/儼黑 Pro.ttf

Typefaces:

**LiHeiPro:**

Full Name: LiHei Pro  
Family: LiHei Pro  
Style: Medium  
Version: 6.0d4e1  
Unique Name: LiHei Pro; 6.0d4e1; 2007-04-06  
Copyright: (c) Copyright DynaComware Corp. 2003  
Trademark: Trademark by DynaComware Corp.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Arial Italic.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Arial Italic.ttf

Typefaces:

**Arial-ItalicMT:**

Full Name: Arial Italic  
Family: Arial  
Style: Italic  
Version: Version 5.00.2x  
Vendor: The Monotype Corporation  
Unique Name: Monotype:Arial Regular Italic:Version 5.00 (Microsoft)  
Designer: Monotype Type Drawing Office – Robin Nicholas, Patricia Saunders 1982  
Copyright: © 2006 The Monotype Corporation. All Rights Reserved.  
Trademark: Arial is a trademark of The Monotype Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Times LT MM:**

Kind: PostScript  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Times LT MM

Typefaces:

**TimesLTMM:**

Full Name: .Times LT MM  
Family: .Times LT MM  
Style: Regular  
Version: 001.006  
Unique Name: .Times LT MM  
Copyright: Copyright © 1985, 1987, 1989, 1990, 1993, 1997 – 1999 Adobe Systems Incorporated. All Rights Reserved. © 1981, 1999, 2002 – 2004 Heidelberg Druckmaschinen AG. All rights reserved.  
Trademark: Times is a trademark of Heidelberg Druckmaschinen AG, exclusively licensed through Linotype Library GmbH, and may be registered in certain jurisdictions.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Courier New.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Courier New.ttf

Typefaces:

**CourierNewPSMT:**

Full Name: Courier New  
Family: Courier New  
Style: Regular  
Version: Version 5.00.1x  
Vendor: The Monotype Corporation  
Unique Name: Monotype:Courier New:version 3.10 (Microsoft)  
Designer: Howard Kettler  
Copyright: © 2006 The Monotype Corporation. All Rights Reserved.  
Trademark: Courier New is a trademark of The Monotype Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

## Futura.dfont:

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Futura.dfont

### Typefaces:

#### Futura-Medium:

Full Name: Futura Medium  
Family: Futura  
Style: Medium  
Version: 6.0d3e1  
Unique Name: Futura Medium; 6.0d3e1; 2007-03-15  
Designer: Paul Renner (1928)  
Copyright: © Copyright 1998, Neufville Digital. ALL RIGHTS RESERVED. This font is licensed, not sold, and may not be reproduced without the written consent of Neufville Digital. Parts © Visualogik Technology & Design, 1998.  
Trademark: Futura is a registered trademark of Bauer Types SA. Unauthorised use prohibited. ALL RIGHTS RESERVED. Neufville Digital is a trademark of Visualogik, used with the permission of Neufville SL.  
Description: Paul Renner (1878–1956) was a painter, typographer, typeface designer and teacher. Between 1908 and 1917 he designed thousands of books for Munich publishers in a refined traditional style. In the early 1920s he began to support the modern styles of architecture and typography, becoming a leading proponent of the New Typography. Renner is best known for designing the typeface Futura, which became a standard tool for the New Typography, and remains a popular typeface today. Futura does give a restful, almost bland impression, which accords with Renner's objectives. Futura seems classical, not only due to the form of its capitals, but also to the open, wide forms of the geometrical small letters. The typeface relies on notions of classical, yet contemporary form, – harmony and evenness of texture. Thanks to the modern digital technology Futura lives on in a greater variety than ever, offering a wide choice of typographic solutions for contemporary design in the new millennium.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### Futura-MediumItalic:

Full Name: Futura Medium Italic  
Family: Futura  
Style: Medium Italic  
Version: 6.0d3e1  
Unique Name: Futura Medium Italic; 6.0d3e1; 2007-03-15  
Designer: Paul Renner (1928)  
Copyright: © Copyright 1998, Neufville Digital. ALL RIGHTS RESERVED. This font is licensed, not sold, and may not be reproduced without the written consent of Neufville Digital. Parts © Visualogik Technology & Design, 1998.  
Trademark: Futura is a registered trademark of Bauer Types SA. Unauthorised use prohibited. ALL RIGHTS RESERVED. Neufville Digital is a trademark of Visualogik, used with the permission of Neufville SL.  
Description: Paul Renner (1878–1956) was a painter, typographer, typeface designer and teacher. Between 1908 and 1917 he designed thousands of books for Munich publishers in a refined traditional style. In the early 1920s he began to support the modern styles of architecture and typography, becoming a leading proponent of the New Typography. Renner is best known for designing the typeface Futura, which became a standard tool for the New Typography, and remains a popular typeface today. Futura does give a restful, almost bland impression, which accords with Renner's objectives. Futura seems classical, not only due to the form of its capitals, but also to the open, wide forms of the geometrical small letters. The typeface relies on notions of classical, yet contemporary form, – harmony and evenness of texture. Thanks to the modern digital technology Futura lives on in a greater variety than ever, offering a wide choice of typographic solutions for contemporary design in the new millennium.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### Futura-CondensedMedium:

Full Name: Futura Condensed Medium  
Family: Futura  
Style: Condensed Medium  
Version: 6.0d3e1  
Unique Name: Futura Condensed Medium; 6.0d3e1; 2007-03-15  
Designer: Paul Renner (1928)  
Copyright: © Copyright 1998, Neufville Digital. ALL RIGHTS RESERVED. This font is licensed, not sold, and may not be reproduced without the written consent of Neufville Digital. Parts © Visualogik Technology & Design, 1998.  
Trademark: Futura is a registered trademark of Bauer Types SA. Unauthorised use prohibited. ALL RIGHTS RESERVED. Neufville Digital is a trademark of Visualogik, used with the permission of Neufville SL.  
Description: Paul Renner (1878–1956) was a painter, typographer, typeface designer and teacher. Between 1908 and 1917 he designed thousands of books for Munich publishers in a refined traditional style. In the early 1920s he began to support the modern styles of architecture and typography, becoming a leading proponent of the New Typography. Renner is best known for designing the typeface Futura, which became a standard tool for the New Typography, and remains a popular typeface today. Futura does give a restful, almost bland impression, which accords with Renner's objectives. Futura seems classical, not only due to the form of its capitals, but also to the open, wide forms of the geometrical small letters. The typeface relies on notions of classical, yet contemporary form, – harmony and evenness of texture. Thanks to the modern digital technology Futura lives on in a greater variety than ever, offering a wide choice of typographic solutions for contemporary design in the new millennium.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### Futura-CondensedExtraBold:

Full Name: Futura Condensed ExtraBold  
Family: Futura  
Style: Condensed ExtraBold

Version: 6.0d3e1  
Unique Name: Futura Condensed ExtraBold; 6.0d3e1; 2007-03-15  
Designer: Paul Renner (1928)  
Copyright: © Copyright 1998, Neufville Dig tal. ALL RIGHTS RESERVED. This font is licensed, not sold, and may not be reproduced without the written consent of Neufville Dig tal. Parts © Visualogik Technology & Design, 1998.  
Trademark: Futura is a registered trademark of Bauer Types SA. Unauthorised use prohibited. ALL RIGHTS RESERVED. Neufville Digital is a trademark of Visualogik, used with the permission of Neufville SL.  
Description: Paul Renner (1878-1956) was a painter, typographer, typeface designer and teacher. Between 1908 and 1917 he designed thousands of books for Munich publishers in a refined traditional style. In the early 1920s he began to support the modern styles of architecture and typography, becoming a leading proponent of the New Typography. Renner is best known for designing the typeface Futura, which became a standard tool for the New Typography, and remains a popular typeface today. Futura does give a restful, almost bland impression, which accords with Renner's objectives. Futura seems classical, not only due to the form of its capitals, but also to the open, wide forms of the geometrical small letters. The typeface relies on notions of classical, yet contemporary form, – harmony and evenness of texture. Thanks to the modern digital technology Futura lives on in a greater variety than ever, offering a wide choice of typographic solutions for contemporary design in the new millennium.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### **Courier.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Courier.dfont  
Typefaces:

##### **Courier:**

Full Name: Courier  
Family: Courier  
Style: Regular  
Version: 6.0d7e1  
Unique Name: Courier; 6.0d7e1; 2007-07-12  
Copyright: Copyright © 1990-91 by Bitstream Inc. Copyright © 1990-2007 by Apple Inc. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

##### **Courier-Bold:**

Full Name: Courier Bold  
Family: Courier  
Style: Bold  
Version: 6.0d7e1  
Unique Name: Courier Bold; 6.0d7e1; 2007-07-12  
Copyright: Copyright © 1990-91 by Bitstream Inc. Copyright © 1990-2007 by Apple Inc. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

##### **Courier-Oblique:**

Full Name: Courier Oblique  
Family: Courier  
Style: Oblique  
Version: 6.0d7e1  
Unique Name: Courier Oblique; 6.0d7e1; 2007-07-12  
Copyright: Copyright © 1990-91 by Bitstream Inc. Copyright © 1990-2007 by Apple Inc. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

##### **Courier-BoldOblique:**

Full Name: Courier Bold Oblique  
Family: Courier  
Style: Bold Oblique  
Version: 6.0d7e1  
Unique Name: Courier Bold Oblique; 6.0d7e1; 2007-07-12  
Copyright: Copyright © 1990-91 by Bitstream Inc. Copyright © 1990-2007 by Apple Inc. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### **Times New Roman Italic.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Times New Roman Italic.ttf  
Typefaces:

**TimesNewRomanPS-ItalicMT:**

Full Name: Times New Roman Italic  
 Family: Times New Roman  
 Style: Italic  
 Version: Version 5.00.3x  
 Vendor: The Monotype Corporation  
 Unique Name: Monotype:Times New Roman Italic:Version 5.00 (Microsoft)  
 Designer: Monotype Type Drawing Office – Stanley Morison, Victor Lardent 1932  
 Copyright: © 2006 The Monotype Corporation. All Rights Reserved.  
 Trademark: Times New Roman is a trademark of The Monotype Corporation in the United States and/or other countries.  
 Outline: Yes  
 Valid: Yes  
 Enabled: Yes  
 Duplicate: No  
 Copy Protected: No  
 Embeddable: Yes

**Verdana Italic.ttf:**

Kind: TrueType  
 Valid: Yes  
 Enabled: Yes  
 Location: /Library/Fonts/Verdana Italic.ttf  
 Typefaces:

**Verdana-Italic:**

Full Name: Verdana Italic  
 Family: Verdana  
 Style: Italic  
 Version: Version 5.01x  
 Vendor: Carter & Cone  
 Unique Name: Microsoft:Verdana Italic:Version 5.01x (Microsoft)  
 Designer: Matthew Carter  
 Copyright: © 2006 Microsoft Corporation. All Rights Reserved.  
 Trademark: Verdana is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries.  
 Outline: Yes  
 Valid: Yes  
 Enabled: Yes  
 Duplicate: No  
 Copy Protected: No  
 Embeddable: Yes

**Wingdings.ttf:**

Kind: TrueType  
 Valid: Yes  
 Enabled: Yes  
 Location: /Library/Fonts/Wingdings.ttf  
 Typefaces:

**Wingdings-Regular:**

Full Name: Wingdings  
 Family: Wingdings  
 Style: Regular  
 Version: Version 5.00x  
 Vendor: Microsoft Typography  
 Unique Name: Wingdings Regular: MS: 2006  
 Copyright: © 2006 Microsoft Corporation. All Rights Reserved.  
 Trademark: Wingdings is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries.  
 Description: The Wingdings fonts were designed by Kris Holmes and Charles Bigelow in 1990 and 1991.

The fonts were originally named Lucida Icons, Arrows, and Stars to complement the Lucida text font family by the same designers. Renamed, reorganized, and released in 1992 as Microsoft Wingdings, the three fonts provide a harmoniously designed set of icons representing the common components of personal computer systems and the elements of graphical user interfaces.

There are icons for PC, monitor, keyboard, mouse, trackball, hard drive, diskette, tape cassette, printer, fax, etc., as well as icons for file folders, documents, mail, mailboxes, windows, clipboard, and wastebasket. In addition, Wingdings includes icons with both traditional and computer significance, such as writing tools and hands, reading glasses, clipping scissors, bell, bomb, check boxes, as well as more traditional images such as weather signs, religious symbols, astrological signs, encircled numerals, a selection of ampersands and interrobangs, plus elegant flowers and flourishes.

Pointing and indicating are frequent functions in graphical interfaces, so in addition to a wide selection of pointing hands, the Wingdings fonts also offer arrows in careful gradations of weight and different directions and styles. For variety and impact as bullets, asterisks, and ornaments, Wingdings also offers a varied set of geometric circles, squares, polygons, targets, and stars.

Outline: Yes  
 Valid: Yes  
 Enabled: Yes  
 Duplicate: No  
 Copy Protected: No  
 Embeddable: Yes

**Arial Narrow.ttf:**

Kind: TrueType  
 Valid: Yes  
 Enabled: Yes

Location: /Library/Fonts/Arial Narrow.ttf

Typefaces:

**Arial Narrow:**

Full Name: Arial Narrow  
Family: Arial Narrow  
Style: Regular  
Version: Version 2.38.1x  
Vendor: The Monotype Corporation  
Unique Name: Arial Narrow Regular : 2007  
Designer: Robin Nicholas, Patricia Saunders  
Copyright: © 2007 The Monotype Corporation. All Rights Reserved.  
Trademark: Arial is a trademark of The Monotype Corporation in the United States and/or other countries.  
Description: Monotype Drawing Office 1982. A contemporary sans serif design, Arial contains more humanist characteristics than many of its predecessors and as such is more in tune with the mood of the last decades of the twentieth century. The overall treatment of curves is softer and fuller than in most industrial-style sans serif faces. Terminal strokes are cut on the diagonal which helps to give the face a less mechanical appearance. Arial is an extremely versatile family of typefaces which can be used with equal success for text setting in reports, presentations, magazines etc, and for display use in newspapers, advertising and promotions.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Courier New Bold Italic.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Courier New Bold Italic.ttf

Typefaces:

**CourierNewPS-BoldItalicMT:**

Full Name: Courier New Bold Italic  
Family: Courier New  
Style: Bold Italic  
Version: Version 5.00x  
Vendor: The Monotype Corporation  
Unique Name: Monotype:Courier New Bold Italic:version 3.10 (Microsoft)  
Designer: Howard Kettler  
Copyright: © 2006 The Monotype Corporation. All Rights Reserved.  
Trademark: Courier New is a trademark of The Monotype Corporation in the United States and/or other countries.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Palatino:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Palatino

Typefaces:

**Palatino-Roman:**

Full Name: Palatino  
Family: Palatino  
Style: Regular  
Version: 3.8  
Unique Name: Palatino; 3.8; 2006-02-23  
Copyright: Copyright © 1991-99, 2006 Apple Computer, Inc. Copyright © 1991-92 Type Solutions, Inc. All rights reserved.  
Trademark: Palatino is a registered trademark of Linotype AG

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Palatino-Bold:**

Full Name: Palatino Bold  
Family: Palatino  
Style: Bold  
Version: 3.8  
Unique Name: Palatino Bold; 3.8; 2006-02-23  
Copyright: Copyright © 1991-99, 2006 Apple Computer, Inc. Copyright © 1991-92 Type Solutions, Inc. All rights reserved.  
Trademark: Palatino is a registered trademark of Linotype AG

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Palatino-Italic:**

Full Name: Palatino Italic  
Family: Palatino  
Style: Italic  
Version: 3.8  
Unique Name: Palatino Italic; 3.8; 2006-02-23

Copyright: Copyright © 1991–99, 2006 Apple Computer, Inc. Copyright © 1991–92 Type Solutions, Inc. All rights reserved.  
Trademark: Palatino is a registered trademark of Linotype AG  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Palatino-BoldItalic:**

Full Name: Palatino Bold Italic  
Family: Palatino  
Style: Bold Italic  
Version: 3.8  
Unique Name: Palatino Bold Italic; 3.8; 2006–02–23  
Copyright: Copyright © 1991–99, 2006 Apple Computer, Inc. Copyright © 1991–92 Type Solutions, Inc. All rights reserved.  
Trademark: Palatino is a registered trademark of Linotype AG  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**LastResort.dfont:**

Kind: Unknown  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/LastResort.dfont  
Typefaces:

**LastResort:**

Full Name: LastResort  
Family: LastResort  
Style: Regular  
Version: 5.0  
Vendor: Apple Computer, Inc.  
Unique Name: LastResort; 5.0; 2006–08–16  
Designer: Original design by Apple Computer 1998; Block additions by Michael Everson 2001–2006  
Copyright: © 1998–2006 Apple Computer, Inc. Block additions by Michael Everson  
Description: The LastResort font is used by the operating system to display Unicode data when no other font can be found. Glyphs correspond to Unicode blocks. The block name and hex range values can be viewed around the border of the glyph at large sizes.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Geeza Pro.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Geeza Pro.ttf  
Typefaces:

**GeezaPro:**

Full Name: Geeza Pro  
Family: Geeza Pro  
Style: Regular  
Version: 6.0d5e5  
Unique Name: Geeza Pro; 6.0d5e5; 2007–07–16  
Copyright: Diwan Software Ltd. 1992–2003 all rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Tahoma Bold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Tahoma Bold.ttf  
Typefaces:

**Tahoma-Bold:**

Full Name: Tahoma Bold  
Family: Tahoma  
Style: Bold  
Version: Version 5.01.1x  
Vendor: Microsoft Corporation  
Unique Name: Microsoft Tahoma Bold  
Designer: Matthew Carter  
Copyright: © 2006 Microsoft Corporation. All rights reserved.  
Trademark: Tahoma is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries.  
Outline: Yes

Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Symbol.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Symbol.dfont  
Typefaces:

**Symbol:**

Full Name: Symbol  
Family: Symbol  
Style: Regular  
Version: 6.0d2e1  
Unique Name: Symbol; 6.0d2e1; 2006-07-19  
Copyright: © 1990-99 Apple Computer Inc. © 1990-91 Bitstream Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**AlBayan.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/AlBayan.ttf  
Typefaces:

**AlBayan:**

Full Name: Al Bayan Plain  
Family: Al Bayan  
Style: Plain  
Version: 6.0d2e1  
Unique Name: Al Bayan Plain; 6.0d2e1; 2007-04-20  
Copyright: AlBayan designed by Al Bayan Company for Computer Services. Copyright Apple Computer, Inc. and its licensors, 1992-1998 all rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**EuphemiaCASRegular.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/EuphemiaCASRegular.ttf  
Typefaces:

**EuphemiaUCAS:**

Full Name: Euphemia UCAS  
Family: Euphemia UCAS  
Style: Regular  
Version: 6.0d2e1  
Vendor: Tiro Typeworks  
Unique Name: Euphemia UCAS; 6.0d2e1; 2006-10-20  
Designer: Wm. Ross Mills  
Copyright: Copyright (c) Tiro Typeworks, 2004. All rights reserved.  
Trademark: Euphemia is a trademark of Tiro Typeworks.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Thonburi.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Thonburi.ttf  
Typefaces:

**Thonburi:**

Full Name: Thonburi  
Family: Thonburi  
Style: Regular  
Version: 10.5d5e1  
Unique Name: Thonburi; 10.5d5e1; 2007-04-05  
Copyright: © 1992-2003 Apple Computer, Inc.  
Outline: Yes  
Valid: Yes

Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Georgia Bold Italic.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Georgia Bold Italic.ttf  
Typefaces:

**Georgia-BoldItalic:**

Full Name: Georgia Bold Italic  
Family: Georgia  
Style: Bold Italic  
Version: Version 5.00x  
Vendor: Carter & Cone  
Unique Name: Microsoft Georgia Bold Italic  
Designer: Matthew Carter  
Copyright: © 2006 Microsoft Corporation. All Rights Reserved.  
Trademark: Georgia is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Arial Bold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Arial Bold.ttf  
Typefaces:

**Arial-BoldMT:**

Full Name: Arial Bold  
Family: Arial  
Style: Bold  
Version: Version 5.01.2x  
Vendor: The Monotype Corporation  
Unique Name: Monotype:Arial Bold:Version 5.01 (Microsoft)  
Designer: Monotype Type Drawing Office – Robin Nicholas, Patricia Saunders 1982  
Copyright: © 2006 The Monotype Corporation. All Rights Reserved.  
Trademark: Arial is a trademark of The Monotype Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ヒラギノ明朝 Pro W6.otf:**

Kind: OpenType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/ヒラギノ明朝 Pro W6.otf  
Typefaces:

**HiraMinPro-W6:**

Full Name: ヒラギノ明朝 Pro W6  
Family: Hiragino Mincho Pro  
Style: W6  
Version: 7.11  
Vendor: Dainippon Screen Mfg. Co., Ltd.  
Unique Name: Dainippon Screen Mfg. Co., Ltd. Hiragino Mincho Pro W6  
Designer: JIYUKOBO Ltd.  
Copyright: ver7.11, Copyright (c) 1993–2002 Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.  
Trademark: Hiragino is a trademark of Dainippon Screen Mfg. Co., Ltd. registered in Japan.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**BigCaslon.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/BigCaslon.dfont  
Typefaces:

**BigCaslon-Medium:**

Full Name: Big Caslon Medium  
Family: Big Caslon

Style: Medium  
Version: 6.0d2e1  
Unique Name: Big Caslon Medium; 6.0d2e1; 2006-07-19  
Copyright: Copyright (c) 1994 Carter & Cone Type, Inc. All rights reserved.

The digitally encoded machine readable software for producing the Typefaces licensed to you is the property of Carter & Cone Type, Inc. and their licensors and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Carter & Cone Type, Inc.

Trademark: "Big Caslon" is a Trademark of Carter & Cone Type, Inc. which may be registered in certain jurisdictions.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### 华文楷体.ttf:

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/华文楷体.ttf

#### Typefaces:

##### STKaiti:

Full Name: STKaiti  
Family: STKaiti  
Style: Regular  
Version: 6.0d4e1  
Unique Name: STKaiti; 6.0d4e1; 2007-05-23  
Copyright: Copyright (c) 2002, Changzhou SinoType Technology Co., Ltd. All rights reserved.  
Trademark: STKaiti and SinoType are trademarks of Changzhou SinoType Technology Co., Ltd.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### #PCmyungjo.dfont:

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/#PCmyungjo.dfont

#### Typefaces:

##### JCsmPC:

Full Name: #PCMyungjo Regular  
Family: #PCMyungjo  
Style: Regular  
Version: 6.0d2e1  
Unique Name: #PCMyungjo Regular; 6.0d2e1; 2007-03-02  
Copyright: Copyright (c) 1994-2001 Apple Computer, Inc. All rights reserved.  
Trademark: #PCMyungjo is a trademark of Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### Herculanum.dfont:

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Herculanum.dfont

#### Typefaces:

##### Herculanum:

Full Name: Herculanum  
Family: Herculanum  
Style: Regular  
Version: 6.0d3e1  
Unique Name: Herculanum; 6.0d3e1; 2007-02-13  
Copyright: Copyright (c) 1981, 1982, Linotype Library GmbH.  
Trademark: "Herculanum" is a trademark of Heidelberger Druckmaschinen AG, which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.  
Description: Herculanum is a work  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

#### GujaratiMTBold.ttf:

Kind: TrueType  
Valid: Yes  
Enabled: Yes

Location: /Library/Fonts/GujaratiMTBold.ttf

Typefaces:

**GujaratiMT-Bold:**

Full Name: Gujarati MT Bold  
Family: Gujarati MT  
Style: Bold  
Version: 6.0d2e1  
Unique Name: Gujarati MT Bold; 6.0d2e1; 2006-10-20  
Copyright: Copyright © Monotype Typography Ltd 1994 . All rights reserved.  
Trademark: Monotype Gujarati is a Trademark of Monotype Typography Ltd.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Nadeem.ttf:**

Kind: TrueType

Valid: Yes

Enabled: Yes

Location: /Library/Fonts/Nadeem.ttf

Typefaces:

**Nadeem:**

Full Name: Nadeem  
Family: Nadeem  
Style: Regular  
Version: 6.0d2e1  
Unique Name: Nadeem; 6.0d2e1; 2007-04-20  
Copyright: Nadeem designed by Diwan Software Ltd. Copyright Apple Computer, Inc. and its licensors, 1992-1998 all rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Keyboard.dfont:**

Kind: Unknown

Valid: Yes

Enabled: Yes

Location: /System/Library/Fonts/Keyboard.dfont

Typefaces:

**Keyboard:**

Full Name: .Keyboard  
Family: .Keyboard  
Style: Regular  
Version: 6.0d2e3  
Unique Name: .Keyboard; 6.0d2e3; 2006-12-07  
Copyright: ©1995-2002 Apple Computer, Inc. All Rights Reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Kokonor.ttf:**

Kind: TrueType

Valid: Yes

Enabled: Yes

Location: /Library/Fonts/Kokonor.ttf

Typefaces:

**Kokonor:**

Full Name: Kokonor  
Family: Kokonor  
Style: Regular  
Version: 6.0d7e1  
Vendor: Shojiro Nomura and Steve Hartwell  
Unique Name: Kokonor Regular; 6.0d7e1; 2007-08-09  
Designer: Shojiro Nomura  
Copyright: Copyright (c) Otani University Shin Buddhist Research Institute, 2006. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Brush Script.ttf:**

Kind: TrueType

Valid: Yes

Enabled: Yes

Location: /Library/Fonts/Brush Script.ttf

Typefaces:

**BrushScriptMT:**

Full Name: Brush Script MT Italic  
Family: Brush Script MT  
Style: Italic  
Version: Version 1.52x  
Vendor: Monotype Typography  
Unique Name: Brush Script MT Italic  
Copyright: Copyright © 1993 , Monotype Typography Ltd.  
Trademark: Brush Script is a Trademark of Monotype Typography Ltd.  
Description: This heavy, informal script looks as though it was written with a brush because its lowercase letters join together. Use the uppercase letters primarily as initials, although you might find it interesting to use all capitals of this typeface for some words.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Impact.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Impact.ttf  
Typefaces:  
**Impact:**  
Full Name: Impact  
Family: Impact  
Style: Regular  
Version: Version 5.00x  
Vendor: The Monotype Corporation  
Unique Name: Impact - 1992  
Designer: Geoffrey Lee  
Copyright: © 2006 The Monotype Corporation. All Rights Reserved.  
Trademark: Impact is a trademark of Stephenson Blake (Holdings) Ltd.  
Description: 1965. Designed for the Stephenson Blake type foundry. A very heavy, narrow, sans serif face intended for use in newspapers, for headlines and in advertisements. Aptly named, this face has a very large "x" height with short ascenders and descenders.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Courier New Italic.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Courier New Italic.ttf  
Typefaces:

**CourierNewPS-ItalicMT:**

Full Name: Courier New Italic  
Family: Courier New  
Style: Italic  
Version: Version 5.00x  
Vendor: The Monotype Corporation  
Unique Name: Monotype:Courier New Italic:version 3.10 (Microsoft)  
Designer: Howard Kettler  
Copyright: © 2006 The Monotype Corporation. All Rights Reserved.  
Trademark: Courier New is a trademark of The Monotype Corporation in the United States and/or other countries.

Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Hei.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Hei dfont  
Typefaces:

**SIL-Hei-Med-Jian:**

Full Name: Hei Regular  
Family: Hei  
Style: Regular  
Version: 5.0d1e1  
Unique Name: Hei Regular; 5.0d1e1; Wed, Feb 9, 2005  
Copyright: © Copyright Shanghai Ikarus Ltd. 1993 1994 1995  
Trademark: Shanghai Ikarus Ltd./URW Software & Type GmbH  
Outline: Yes  
Valid: Yes

Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**AquaKanaRegular.otf:**

Kind: OpenType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/AquaKanaRegular.otf  
Typefaces:

**AquaKana:**  
Full Name: .Aqua かな  
Family: .Aqua Kana  
Style: Regular  
Version: 1.0  
Vendor: DAINIPPON SCREEN MFG. CO., LTD.  
Unique Name: .Apple Aqua Kana Regular  
Designer: JIYU-KOBO Ltd.  
Copyright: ver1.0.2, Copyright 2001–2004 Apple Computer, Inc.  
Trademark: Aqua Kana is a trademark of Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**NewPenimMTInclined.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/NewPenimMTInclined.ttf  
Typefaces:

**NewPenimMT-Inclined:**  
Full Name: New Penim MT Inclined  
Family: New Penim MT  
Style: Inclined  
Version: 6.0d2e1  
Unique Name: New Penim MT Inclined; 6.0d2e1; 2006–10–23  
Copyright: Typeface © Monotype Typography Ltd. Data © Monotype Typography Ltd, Type Solutions Inc 1990–1993. All rights reserved.  
Trademark: Penim ® is a Trademark of The Monotype Corporation registered in certain countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Times New Roman.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Times New Roman.ttf  
Typefaces:

**TimesNewRomanPSMT:**  
Full Name: Times New Roman  
Family: Times New Roman  
Style: Regular  
Version: Version 5.01.3x  
Vendor: The Monotype Corporation  
Unique Name: Monotype:Times New Roman Regular:Version 5.01 (Microsoft)  
Designer: Monotype Type Drawing Office – Stanley Morison, Victor Lardent 1932  
Copyright: © 2006 The Monotype Corporation. All Rights Reserved.  
Trademark: Times New Roman is a trademark of The Monotype Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**CorsivaBold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/CorsivaBold.ttf  
Typefaces:

**CorsivaHebrew-Bold:**  
Full Name: Corsiva Hebrew Bold  
Family: Corsiva Hebrew  
Style: Bold  
Version: 6.0d2e1  
Unique Name: Corsiva Hebrew Bold; 6.0d2e1; 2006–10–26

Copyright: Typeface © Monotype Typography Ltd. Data © Monotype Typography Ltd. /Type Solutions Inc. 1990-91-92-93 All rights reserved.  
Trademark: Corsiva™ Trademark of The Monotype Corporation registered in certain countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**DevanagariMTBold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/DevanagariMTBold.ttf  
Typefaces:

**DevanagariMT-Bold:**

Full Name: Devanagari MT Bold  
Family: Devanagari MT  
Style: Bold  
Version: 6.0d3e1  
Unique Name: Devanagari MT Bold; 6.0d3e1; 2007-01-13  
Copyright: Copyright © Monotype Typography Ltd 1996. All rights reserved.  
Trademark: Monotype Devanagari is a Trademark of Monotype Typography Ltd.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**KufiStandardGK.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/KufiStandardGK.ttf  
Typefaces:

**KufiStandardGK:**

Full Name: KufiStandardGK  
Family: KufiStandardGK  
Style: Regular  
Version: 6.0d3e1  
Unique Name: KufiStandardGK; 6.0d3e1; 2007-09-02  
Copyright: Kufi designed by Diwan Software Ltd. Copyright Apple Computer, Inc. and its licensors, 1992-1998 all rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**RaananaBold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/RaananaBold.ttf  
Typefaces:

**RaananaBold:**

Full Name: Raanana Bold  
Family: Raanana  
Style: Bold  
Version: 6.0d2e1  
Vendor: Apple Computer, Inc.  
Unique Name: Raanana Bold; 6.0d2e1; 2006-10-26  
Copyright: © Apple Computer, Inc. 1992-1995  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Wingdings 3.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Wingdings 3.ttf  
Typefaces:

**Wingdings3:**

Full Name: Wingdings 3  
Family: Wingdings 3  
Style: Regular  
Version: Version 1.55x  
Unique Name: Wingdings 3

Copyright: Wingdings 3 designed by Bigelow & Holmes Inc. for Microsoft Corporation. Copyright © 1992 Microsoft Corporation. Pat. pend. All Rights Reserved. © 1990-1991 Type Solutions, Inc. All Rights Reserved.  
Trademark: Wingdings is a trademark of Microsoft Corporation.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**华文仿宋.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/华文仿宋.ttf  
Typefaces:

**STFangsong:**

Full Name: STFangsong  
Family: STFangsong  
Style: Regular  
Version: 6.0d4e1  
Unique Name: STFangsong; 6.0d4e1; 2007-05-23  
Copyright: Copyright (c) 2002, Changzhou SinoType Technology Co., Ltd. All rights reserved.  
Trademark: STFangsong and SinoType are trademarks of Changzhou SinoType Technology Co., Ltd.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Kailasa.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Kailasa.ttf  
Typefaces:

**Kailasa:**

Full Name: Kailasa  
Family: Kailasa  
Style: Regular  
Version: 6.0d7e1  
Vendor: Steve Hartwell & Shojiro Nomura  
Unique Name: Kailasa Regular; 6.0d7e1; 2007-08-09  
Designer: Yoichi Fukuda, Steve Hartwell & Shojiro Nomura  
Copyright: Copyright (c) Otani University Shin Buddhist Research Institute, 2006. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Helvetica.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Helvetica.dfont  
Typefaces:

**Helvetica:**

Full Name: Helvetica  
Family: Helvetica  
Style: Regular  
Version: 6.0d7e1  
Unique Name: Helvetica; 6.0d7e1; 2007-09-27  
Copyright: © 1990-2006 Apple Computer Inc. © 1981 Linotype AG © 1990-91 Type Solutions Inc.  
Trademark: Helvetica is a registered trademark of Linotype AG  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Helvetica-Bold:**

Full Name: Helvetica Bold  
Family: Helvetica  
Style: Bold  
Version: 6.0d7e1  
Unique Name: Helvetica Bold; 6.0d7e1; 2007-09-27  
Copyright: © 1990-2006 Apple Computer Inc. © 1981 Linotype AG © 1990-91 Type Solutions Inc.  
Trademark: Helvetica is a registered trademark of Linotype AG  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No

Embeddable: Yes

**Helvetica-Oblique:**

Full Name: Helvetica Oblique  
Family: Helvetica  
Style: Oblique  
Version: 6.0d7e1  
Unique Name: Helvetica Oblique; 6.0d7e1; 2007-09-27  
Copyright: © 1990-2006 Apple Computer Inc. © 1981 Linotype AG © 1990-91 Type Solutions Inc.  
Trademark: Helvetica is a registered trademark of Linotype AG  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Helvetica-BoldOblique:**

Full Name: Helvetica Bold Oblique  
Family: Helvetica  
Style: Bold Oblique  
Version: 6.0d7e1  
Unique Name: Helvetica Bold Oblique; 6.0d7e1; 2007-09-27  
Copyright: © 1990-2006 Apple Computer Inc. © 1981 Linotype AG © 1990-91 Type Solutions Inc.  
Trademark: Helvetica is a registered trademark of Linotype AG  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**CharcoalCY.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/CharcoalCY.dfont  
Typefaces:

**CharcoalCY:**

Full Name: Charcoal CY  
Family: Charcoal CY  
Style: Regular  
Version: 6.0d2e2  
Unique Name: Charcoal CY; 6.0d2e2; 2006-10-20  
Copyright: © 1997 DoubleAlex Design Studio. All rights reserved.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Apple Braille Outline 8 Dot.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Apple Braille Outline 8 Dot.ttf  
Typefaces:

**AppleBraille-Outline8Dot:**

Full Name: Apple Braille Outline 8 Dot  
Family: Apple Braille  
Style: Outline 8 Dot  
Version: 1.0d4e1  
Unique Name: Apple Braille Outline 8 Dot; 1.0d4e1; 2007-08-09  
Copyright: © Copyright 2007 by Apple, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Geneva.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Geneva.dfont  
Typefaces:

**Geneva:**

Full Name: Geneva  
Family: Geneva  
Style: Regular  
Version: 6.0d3e1  
Unique Name: Geneva; 6.0d3e1; 2007-01-17  
Copyright: © 1990-99 Apple Computer Inc. © 1990-98 Type Solutions Inc. © 1990-98 The Font Bureau Inc. TrueType outline design of Geneva typeface created by Kris Holmes and Charles Bigelow.  
Outline: Yes  
Valid: Yes

Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Comic Sans MS Bold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Comic Sans MS Bold.ttf  
Typefaces:

**ComicSansMS-Bold:**

Full Name: Comic Sans MS Bold  
Family: Comic Sans MS  
Style: Bold  
Version: Version 5.00x  
Vendor: Microsoft Corporation  
Unique Name: Microsoft Comic Sans Bold  
Designer: Vincent Connare  
Copyright: © 2006 Microsoft Corporation. All rights reserved.  
Description: Designed by Microsoft's Vincent Connare, this is a face based on the lettering from comic magazines. This casual but legible face has proved very popular with a wide variety of people.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ヒラギノ丸ゴ Pro W4.otf:**

Kind: OpenType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/ヒラギノ丸ゴ Pro W4.otf  
Typefaces:

**HiraMaruPro-W4:**

Full Name: ヒラギノ丸ゴ Pro W4  
Family: Hiragino Maru Gothic Pro  
Style: W4  
Version: 7.11  
Vendor: Dainippon Screen Mfg. Co., Ltd.  
Unique Name: Dainippon Screen Mfg. Co., Ltd. Hiragino Maru Gothic Pro W4  
Designer: JIYUKOBO Ltd.  
Copyright: ver7.11, Copyright (c) 2000-2002 Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.  
Trademark: Hiragino is a trademark of Dainippon Screen Mfg. Co., Ltd. registered in Japan.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ArialHB.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/ArialHB.ttf  
Typefaces:

**ArialHebrew:**

Full Name: Arial Hebrew  
Family: Arial Hebrew  
Style: Regular  
Version: 6.0d2e1  
Unique Name: Arial Hebrew; 6.0d2e1; 2006-10-26  
Copyright: Typeface © Monotype Typography Ltd. Data © Monotype Typography Ltd, Type Solutions Inc 1990-1993. All rights reserved.  
Trademark: Arial ® Trademark of The Monotype Corporation registered in the US Pat & TM off. and elsewhere.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Georgia.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Georgia.ttf  
Typefaces:

**Georgia:**

Full Name: Georgia  
Family: Georgia  
Style: Regular

Version: Version 5.00x  
Vendor: Carter & Cone  
Unique Name: Microsoft Georgia Regular  
Designer: Matthew Carter  
Copyright: © 2006 Microsoft Corporation. All Rights Reserved.  
Trademark: Georgia is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**EuphemiaCASBold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/EuphemiaCASBold.ttf  
Typefaces:

**EuphemiaUCAS-Bold:**  
Full Name: Euphemia UCAS Bold  
Family: Euphemia UCAS  
Style: Bold  
Version: 6.0d2e1  
Vendor: Tiro Typeworks  
Unique Name: Euphemia UCAS Bold; 6.0d2e1; 2006-10-20  
Designer: Wm. Ross Mills  
Copyright: Copyright (c) Tiro Typeworks, 2004. All rights reserved.  
Trademark: Euphemia is a trademark of Tiro Typeworks.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Helvetica LT MM:**

Kind: PostScript  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/Helvetica LT MM  
Typefaces:

**HelveticaLTMM:**  
Full Name: .Helvetica LT MM  
Family: .Helvetica LT MM  
Style: Regular  
Version: 001.006  
Unique Name: .Helvetica LT MM  
Copyright: Part of the digitally encoded machine readable outline data for producing the Typefaces provided is copyrighted (c) 1988, 1990, 1991, 2002-2004 Linotype Library GmbH, www.linotype.com. All rights reserved. This software is the property of Linotype Library GmbH, and may not be reproduced, used, displayed, modified, disclosed or transferred without the express written approval of Linotype Library GmbH. Copyright (c) 1988, 1990, 1991 Adobe Systems Incorporated. All rights reserved.  
Trademark: Helvetica is a trademark of Heidelberger Druckmaschinen AG which may be registered in certain jurisdictions, exclusively licensed through Linotype Library GmbH, a wholly owned subsidiary of Heidelberger Druckmaschinen AG.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ヒラギノ明朝 ProN W3.otf:**

Kind: OpenType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/ヒラギノ明朝 ProN W3.otf  
Typefaces:

**HiraMinProN-W3:**  
Full Name: ヒラギノ明朝 ProN W3  
Family: Hiragino Mincho ProN  
Style: W3  
Version: Version 8.00  
Vendor: Dainippon Screen Mfg. Co., Ltd.  
Unique Name: Dainippon Screen Mfg. Co., Ltd. Hiragino Mincho ProN W3  
Designer: JYUKOBO Ltd.  
Copyright: ver8.00, Copyright (c) 1993-2007 Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.  
Trademark: Hiragino is a trademark of Dainippon Screen Mfg. Co., Ltd. registered in Japan.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Raanana.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Raanana.ttf  
Typefaces:

**Raanana:**

Full Name: Raanana  
Family: Raanana  
Style: Regular  
Version: 6.0d2e1  
Vendor: Apple Computer, Inc.  
Unique Name: Raanana; 6.0d2e1; 2006-10-26  
Copyright: © Apple Computer, Inc. 1991-1995  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Tahoma.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Tahoma.ttf  
Typefaces:

**Tahoma:**

Full Name: Tahoma  
Family: Tahoma  
Style: Regular  
Version: Version 5.01.2x  
Vendor: Microsoft Corporation  
Unique Name: Microsoft Tahoma Regular  
Designer: Matthew Carter  
Copyright: © 2006 Microsoft Corporation. All rights reserved.  
Trademark: Tahoma is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**AquaKanaBold.otf:**

Kind: OpenType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/AquaKanaBold.otf  
Typefaces:

**AquaKana-Bold:**

Full Name: .Aqua かな ボールド  
Family: .Aqua Kana  
Style: Bold  
Version: 1.0.3  
Vendor: DAINIPPON SCREEN MFG. CO., LTD.  
Unique Name: .Apple Aqua Kana Bold  
Designer: JIYU-KOBO Ltd.  
Copyright: ver1.0.3, Copyright 2001-2005 Apple Computer, Inc.  
Trademark: Aqua Kana is a trademark of Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Bordeaux Roman Bold LET Fonts:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Bordeaux Roman Bold LET Fonts  
Typefaces:

**BordeauxRomanBoldLetPlain:**

Full Name: Bordeaux Roman Bold LET Plain:1.0  
Family: Bordeaux Roman Bold LET  
Style: Plain  
Version: 1.0  
Unique Name: Bordeaux Roman Bold LET Plain  
Copyright: COPYRIGHT ESSELTE LETRASET LTD., 1990  
Outline: Yes  
Valid: Yes  
Enabled: Yes

Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Verdana.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Verdana.ttf  
Typefaces:

**Verdana:**

Full Name: Verdana  
Family: Verdana  
Style: Regular  
Version: Version 5.01x  
Vendor: Carter & Cone  
Unique Name: Microsoft:Verdana Regular:Version 5.01x (Microsoft)  
Designer: Matthew Carter  
Copyright: © 2006 Microsoft Corporation. All Rights Reserved.  
Trademark: Verdana is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Andale Mono.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Andale Mono.ttf  
Typefaces:

**AndaleMono:**

Full Name: Andale Mono  
Family: Andale Mono  
Style: Regular  
Version: Version 2.00x  
Vendor: Monotype Typography  
Unique Name: Andale Mono Regular  
Designer: Steven R. Matteson  
Copyright: Digitized data copyright (C) 1993-1997 The Monotype Corporation. All rights reserved.  
Trademark: Andale™ is a trademark of The Monotype Corporation which may be registered in certain jurisdictions.  
Description: Andale Monospaced is a highly legible monospaced font.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**BiauKai.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/BiauKai.dfont  
Typefaces:

**DFKaiShu-SB-Estd-BF:**

Full Name: BiauKai  
Family: BiauKai  
Style: Regular  
Version: 6.0d3e1  
Unique Name: BiauKai; 6.0d3e1; 2006-12-04  
Copyright: (c) Copyright DynaLab Inc. 1995  
Trademark: Trademark by DynaLab Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**NewPeninimMT.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/NewPeninimMT.ttf  
Typefaces:

**NewPeninimMT:**

Full Name: New Peninim MT  
Family: New Peninim MT  
Style: Regular  
Version: 6.0d2e1  
Unique Name: New Peninim MT; 6.0d2e1; 2006-10-23

Copyright: Typeface © Monotype Typography Ltd. Data © Monotype Typography Ltd, Type Solutions Inc 1990–1993. All rights reserved.  
Trademark: Peninim ® is a Trademark of The Monotype Corporation registered in certain countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Apple LiSung Light.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Apple LiSung Light.dfont  
Typefaces:

**LiSungLight:**

Full Name: Apple LiSung Light  
Family: Apple LiSung  
Style: Light  
Version: 6.0d1e2  
Unique Name: Apple LiSung Light; 6.0d1e2; 2007–01–10  
Copyright: Apple Computer, Inc. 1992–1998  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Handwriting – Dakota:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Handwriting – Dakota  
Typefaces:

**Handwriting–Dakota:**

Full Name: Handwriting – Dakota  
Family: Handwriting – Dakota  
Style: Regular  
Version: 1.2.1  
Unique Name: Handwriting – Dakota; 1.2.1; 2006–03–03  
Copyright: Copyright © 1995 vLetter.com, Inc., © 2001 Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ヒラギノ明朝 ProN W6.otf:**

Kind: OpenType  
Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/ヒラギノ明朝 ProN W6.otf  
Typefaces:

**HiraMinProN–W6:**

Full Name: ヒラギノ明朝 ProN W6  
Family: Hiragino Mincho ProN  
Style: W6  
Version: Version 8.00  
Vendor: Dainippon Screen Mfg. Co., Ltd.  
Unique Name: Dainippon Screen Mfg. Co., Ltd. Hiragino Mincho ProN W6  
Designer: JIYUKOBO Ltd.  
Copyright: ver8.00, Copyright (c) 1993–2007 Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.  
Trademark: Hiragino is a trademark of Dainippon Screen Mfg. Co., Ltd. registered in Japan.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Gurmukhi.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Gurmukhi.ttf  
Typefaces:

**MonotypeGurmukhi:**

Full Name: Gurmukhi MT  
Family: Gurmukhi MT  
Style: Regular  
Version: 6.0d2e1

Unique Name: Gurmukhi MT; 6.0d2e1; 2006-10-20  
Copyright: Copyright © Monotype Typography Ltd. 1996. All Rights reserved.  
Trademark: Monotype Gurmukhi is a Trademark of Monotype Typography Ltd.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**MshtakanBoldOblique.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/MshtakanBoldOblique.ttf  
Typefaces:

**MshtakanBoldOblique:**

Full Name: Mshtakan BoldOblique  
Family: Mshtakan  
Style: BoldOblique  
Version: 6.0d2e1  
Vendor: Michael Everson  
Unique Name: Mshtakan BoldOblique; 6.0d2e1; 2006-10-20  
Designer: Michael Everson  
Copyright: Mshtakan-BoldOblique 1.1 © 2002-2003 Michael Everson. All Rights Reserved.  
Trademark: Mshtakan BoldOblique is a trademark of Michael Everson.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Georgia Bold.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Georgia Bold.ttf  
Typefaces:

**Georgia-Bold:**

Full Name: Georgia Bold  
Family: Georgia  
Style: Bold  
Version: Version 5.00x  
Vendor: Carter & Cone  
Unique Name: Microsoft Georgia Bold  
Designer: Matthew Carter  
Copyright: © 2006 Microsoft Corporation. All Rights Reserved.  
Trademark: Georgia is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Papyrus.dfont:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Papyrus.dfont  
Typefaces:

**Papyrus:**

Full Name: Papyrus  
Family: Papyrus  
Style: Regular  
Version: 6.0d6e1  
Unique Name: Papyrus; 6.0d6e1; 2007-07-30  
Copyright: Digitized data copyright © 2001 Agfa Monotype Corporation. All rights reserved. COPYRIGHT ESSELTE LETRASET LTD., 1990. Papyrus™ is a trademark of Esselte Corp.  
Trademark: Papyrus™ is a trademark of Esselte Corp.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Papyrus-Condensed:**

Full Name: Papyrus Condensed  
Family: Papyrus  
Style: Condensed  
Version: 6.0d6e1  
Unique Name: Papyrus Condensed; 6.0d6e1; 2007-07-30  
Copyright: Digitized data copyright © 2001 Agfa Monotype Corporation. All rights reserved. COPYRIGHT ESSELTE LETRASET LTD., 1990. Papyrus™ is a trademark of Esselte Corp.

Trademark: Papyrus™ is a trademark of Esselte Corp.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Times New Roman Bold Italic.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Times New Roman Bold Italic.ttf

Typefaces:

**TimesNewRomanPS-BoldItalicMT:**

Full Name: Times New Roman Bold Italic  
Family: Times New Roman  
Style: Bold Italic  
Version: Version 5.00.3x  
Vendor: The Monotype Corporation  
Unique Name: Monotype:Times New Roman Bold Italic:Version 5.00 (Microsoft)  
Designer: Monotype Type Drawing Office – Stanley Morison, Victor Lardent 1932  
Copyright: © 2006 The Monotype Corporation. All Rights Reserved.  
Trademark: Times New Roman is a trademark of The Monotype Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Trebuchet MS Bold Italic.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Trebuchet MS Bold Italic.ttf

Typefaces:

**Trebuchet-BoldItalic:**

Full Name: Trebuchet MS Bold Italic  
Family: Trebuchet MS  
Style: Bold Italic  
Version: Version 5.00x  
Vendor: Microsoft Corporation  
Unique Name: Microsoft Trebuchet Bold Italic  
Designer: Vincent Connare  
Copyright: © 2006 Microsoft Corporation. All Rights Reserved.  
Description: Trebuchet, designed by Vincent Connare in 1996, is a humanist sans serif designed for easy screen readability. Trebuchet takes its inspiration from the sans serifs of the 1930s which had large x heights and round features intended to promote readability on signs. The typeface name is credited to a puzzle heard at Microsoft, where the question was asked, "could you build a Trebuchet (a form of medieval catapult) to launch a person from the main campus to the consumer campus, and how?" The Trebuchet fonts are intended to be the vehicle that fires your messages across the Internet. "Launch your message with a Trebuchet page".  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**ヒラギノ明朝 Pro W3.otf:**

Kind: OpenType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/ヒラギノ明朝 Pro W3.otf

Typefaces:

**HiraMinPro-W3:**

Full Name: ヒラギノ明朝 Pro W3  
Family: Hiragino Mincho Pro  
Style: W3  
Version: 7.11  
Vendor: Dainippon Screen Mfg. Co., Ltd.  
Unique Name: Dainippon Screen Mfg. Co., Ltd. Hiragino Mincho Pro W3  
Designer: JYUKOBO Ltd.  
Copyright: ver7.11, Copyright (c) 1993–2002 Dainippon Screen Mfg. Co., Ltd. All Rights Reserved.  
Trademark: Hiragino is a trademark of Dainippon Screen Mfg. Co., Ltd. registered in Japan.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**AppleGothic.ttf:**

Kind: TrueType

Valid: Yes  
Enabled: Yes  
Location: /System/Library/Fonts/AppleGothic.ttf  
Typefaces:

**AppleGothic:**

Full Name: AppleGothic  
Family: AppleGothic  
Style: Regular  
Version: 6.0d11e1  
Unique Name: AppleGothic Regular; 6.0d11e1; 2007-07-31  
Copyright: Copyright © 1994-2006 Apple Computer, Inc. All rights reserved.  
Trademark: AppleGothic is a trademark of Apple Computer, Inc.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Verdana Bold Italic.ttf:**

Kind: TrueType  
Valid: Yes  
Enabled: Yes  
Location: /Library/Fonts/Verdana Bold Italic.ttf  
Typefaces:

**Verdana-BoldItalic:**

Full Name: Verdana Bold Italic  
Family: Verdana  
Style: Bold Italic  
Version: Version 5.01x  
Vendor: Carter & Cone  
Unique Name: Microsoft:Verdana Bold Italic:Version 5.01x (Microsoft)  
Designer: Matthew Carter  
Copyright: © 2006 Microsoft Corporation. All Rights Reserved.  
Trademark: Verdana is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries.  
Outline: Yes  
Valid: Yes  
Enabled: Yes  
Duplicate: No  
Copy Protected: No  
Embeddable: Yes

**Frameworks:**

**Accelerate:**

Version: 1.4.2  
Last Modified: 20/09/08 3:39 PM  
Get Info String: vImage, DSP, BLAS, LAPACK, Vector Math, and Large Number Library  
Location: /System/Library/Frameworks/Accelerate.framework  
Private: No

**AddressBook:**

Version: 4.1.1  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/AddressBook.framework  
Private: No

**AGL:**

Version: 3.0.9  
Last Modified: 20/09/08 3:41 PM  
Get Info String: OpenGL Carbon compatibility dylib for Mac OS X  
Location: /System/Library/Frameworks/AGL.framework  
Private: No

**AppKit:**

Version: 6.5.5  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/AppKit.framework  
Private: No

**AppKitScripting:**

Version: 6.1  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/AppKitScripting.framework  
Private: No

**AppleScriptKit:**

Version: 1.5  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/AppleScriptKit.framework

Private: No

**AppleShareClient:**

Version: 1.6.1  
Last Modified: 20/09/08 3:39 PM  
Get Info String: High Level AppleShare Client Framework, Copyright © 2000–2005, Apple Computer, Inc.  
Location: /System/Library/Frameworks/AppleShareClient.framework  
Private: No

**AppleShareClientCore:**

Version: 1.6.1  
Last Modified: 20/09/08 3:39 PM  
Get Info String: Low Level AppleShare Client Framework, Copyright © 2000–2005, Apple Computer, Inc.  
Location: /System/Library/Frameworks/AppleShareClientCore.framework  
Private: No

**AppleTalk:**

Version: 1.2.0  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/AppleTalk.framework  
Private: No

**ApplicationServices:**

Version: 34  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/ApplicationServices.framework  
Private: No

**AudioToolbox:**

Version: 1.5.1  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/AudioToolbox.framework  
Private: No

**AudioUnit:**

Version: 1.5  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/AudioUnit.framework  
Private: No

**Automator:**

Version: 1.1.1  
Last Modified: 20/09/08 3:44 PM  
Location: /System/Library/Frameworks/Automator.framework  
Private: No

**CalendarStore:**

Version: 3.0.5  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/CalendarStore.framework  
Private: No

**Carbon:**

Version: 136  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/Carbon.framework  
Private: No

**Cocoa:**

Version: 6.5  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/Cocoa.framework  
Private: No

**Collaboration:**

Version: 26  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/Collaboration.framework  
Private: No

**CoreAudio:**

Version: 3.1.0  
Last Modified: 20/09/08 3:39 PM  
Get Info String: CoreAudio 3.1  
Location: /System/Library/Frameworks/CoreAudio.framework  
Private: No

**CoreAudioKit:**

Version: 1.5  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/CoreAudioKit.framework  
Private: No

**CoreData:**

Version: 100.1  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/CoreData.framework  
Private: No

**CoreFoundation:**

Version: 6.5.4  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/CoreFoundation.framework  
Private: No

**CoreMIDI:**

Version: 1.6  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/CoreMIDI.framework  
Private: No

**CoreMIDI Server:**

Version: 1.6  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/CoreMIDI Server.framework  
Private: No

**CoreServices:**

Version: 32  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/CoreServices.framework  
Private: No

**CoreVideo:**

Version: 1.5.1  
Last Modified: 16/10/08 1:23 PM  
Location: /System/Library/Frameworks/CoreVideo.framework  
Private: No

**DirectoryService:**

Version: 3.5.5  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/DirectoryService.framework  
Private: No

**DiscRecording:**

Version: 4.0.3  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/DiscRecording.framework  
Private: No

**DiscRecordingUI:**

Version: 4.0.3  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/DiscRecordingUI.framework  
Private: No

**DiskArbitration:**

Version: 2.2.1  
Last Modified: 20/09/08 3:39 PM  
Get Info String: 2.2.1, Copyright © 1998–2007 Apple Inc.  
Location: /System/Library/Frameworks/DiskArbitration.framework  
Private: No

**DrawSprocket:**

Version: 2.0.82  
Last Modified: 20/09/08 3:41 PM  
Get Info String: DrawSprocket version 2.0.82 dylib for Mac OS X  
Location: /System/Library/Frameworks/DrawSprocket.framework  
Private: No

**DVComponentGlue:**

Version: 1.9.5  
Last Modified: 20/09/08 3:41 PM  
Get Info String: IOFWDVComponents version 1.9.5, Copyright 2007 Apple Computer, Inc.  
Location: /System/Library/Frameworks/DVComponentGlue.framework  
Private: No

**DVDPlayback:**

Version: 5.0.5  
Last Modified: 20/09/08 3:41 PM  
Get Info String: DVDPlayback Framework  
Location: /System/Library/Frameworks/DVDPlayback.framework  
Private: No

**ExceptionHandler:**

Version: 1.5  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/ExceptionHandler.framework  
Private: No

**ForceFeedback:**

Version: 1.0.2  
Last Modified: 20/09/08 3:41 PM  
Get Info String: 1.0.2, Copyright Apple Computer, Inc. 2002–2005  
Location: /System/Library/Frameworks/ForceFeedback.framework  
Private: No

**Foundation:**

Version: 6.5.6  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/Foundation.framework  
Private: No

**FWAUserLib:**

Version: 2.4.2  
Last Modified: 20/09/08 3:41 PM  
Get Info String: FWAUserLib 2.4.2, Copyright 2002–2008 Apple Inc.  
Location: /System/Library/Frameworks/FWAUserLib.framework  
Private: No

**GLUT:**

Version: 3.4.2  
Last Modified: 20/09/08 3:41 PM  
Get Info String: 3.4.2, Copyright © 2001–2008 Apple Inc. All rights reserved.  
Location: /System/Library/Frameworks/GLUT.framework  
Private: No

**ICADevices:**

Version: 4.0.2  
Last Modified: 20/09/08 3:41 PM  
Get Info String: 4.0.2, © Copyright 2000–2008 Apple Inc., all rights reserved.  
Location: /System/Library/Frameworks/ICADevices.framework  
Private: No

**InputMethodKit:**

Version: 1.0  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/InputMethodKit.framework  
Private: No

**InstallerPlugins:**

Version: 3.0.2  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/InstallerPlugins.framework  
Private: No

**InstantMessage:**

Version: 4.0.5  
Last Modified: 20/09/08 4:00 PM  
Get Info String: 4.0.5, Copyright © 2002–2008 Apple Inc. All rights reserved.  
Location: /System/Library/Frameworks/InstantMessage.framework  
Private: No

**IOBluetooth:**

Version: 2.1.2  
Last Modified: 20/09/08 3:41 PM  
Get Info String: 2.1.2, Copyright (c) 2008 Apple Inc. All Rights Reserved.

Location: /System/Library/Frameworks/IOBluetooth.framework  
Private: No

**IOBluetoothUI:**

Version: 2.1.2  
Last Modified: 20/09/08 3:39 PM  
Get Info String: 2.1.2, Copyright (c) 2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/Frameworks/IOBluetoothUI.framework  
Private: No

**IOKit:**

Version: 1.5.1  
Last Modified: 20/09/08 3:39 PM  
Get Info String: I/O Kit Framework, Apple Computer Inc  
Location: /System/Library/Frameworks/IOKit.framework  
Private: No

**JavaEmbedding:**

Version: 12.0.0  
Last Modified: 20/09/08 3:45 PM  
Get Info String: 12.0.0, Copyright 2002–2006, Apple Computer, Inc.  
Location: /System/Library/Frameworks/JavaEmbedding.framework  
Private: No

**JavaFrameEmbedding:**

Version: 12.2.0  
Last Modified: 16/10/08 1:22 PM  
Location: /System/Library/Frameworks/JavaFrameEmbedding.framework  
Private: No

**JavaScriptCore:**

Version: 5525.18  
Last Modified: 20/09/08 3:39 PM  
Get Info String: 5525.18, Copyright 2003–2007 Apple Inc.; Copyright 1999–2001 Harri Porten <porten@kde.org>; Copyright 2001 Peter Kelly <pmk@post.com>; Copyright 1997–2005 University of Cambridge; Copyright 1991, 2000, 2001 by Lucent Technologies.  
Location: /System/Library/Frameworks/JavaScriptCore.framework  
Private: No

**JavaVM:**

Version: 12.2.0  
Last Modified: 16/10/08 1:22 PM  
Location: /System/Library/Frameworks/JavaVM.framework  
Private: No

**Kerberos:**

Version: 6.0.12  
Last Modified: 20/09/08 3:39 PM  
Get Info String: 6.0 Copyright © 2007 Massachusetts Institute of Technology  
Location: /System/Library/Frameworks/Kerberos.framework  
Private: No

**Kernel:**

Version: 9.5.1  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/Kernel.framework  
Private: No

**LatentSemanticMapping:**

Version: 2.6.4  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/LatentSemanticMapping.framework  
Private: No

**LDAP:**

Version: 1.4.5  
Last Modified: 20/09/08 3:41 PM  
Get Info String: OpenLDAP framework v2.3.27  
Location: /System/Library/Frameworks/LDAP.framework  
Private: No

**Message:**

Version: 3.5  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/Message.framework  
Private: No

**OpenAL:**

Version: 1.2  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/OpenAL.framework  
Private: No

**OpenGL:**

Version: 1.5.8  
Last Modified: 20/09/08 3:39 PM  
Get Info String: OpenGL 1.5.8.2.0  
Location: /System/Library/Frameworks/OpenGL.framework  
Private: No

**OSAKit:**

Version: 1.1  
Last Modified: 20/09/08 3:41 PM  
Get Info String: 1.0.1, Copyright © 2005–2005 Apple Computer, Inc. All Rights Reserved  
Location: /System/Library/Frameworks/OSAKit.framework  
Private: No

**PCSC:**

Version: 6.0  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/PCSC.framework  
Private: No

**PreferencePanes:**

Version: 12.2  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/PreferencePanes.framework  
Private: No

**PubSub:**

Version: 1.0.3  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/PubSub.framework  
Private: No

**Python:**

Version: 2.5  
Last Modified: 20/09/08 3:42 PM  
Get Info String: Python Runtime and Library  
Location: /System/Library/Frameworks/Python.framework  
Private: No

**QtKit:**

Version: 7.5.5  
Last Modified: 16/10/08 1:23 PM  
Get Info String: QtKit 7.5.5, Copyright 2003–2008, Apple Inc.  
Location: /System/Library/Frameworks/QtKit.framework  
Private: No

**Quartz:**

Version: 1.5  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/Quartz.framework  
Private: No

**QuartzCore:**

Version: 1.5.6  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/QuartzCore.framework  
Private: No

**QuickLook:**

Version: 1.3.1  
Last Modified: 16/10/08 1:22 PM  
Location: /System/Library/Frameworks/QuickLook.framework  
Private: No

**QuickTime:**

Version: 7.5.5  
Last Modified: 16/10/08 1:23 PM  
Location: /System/Library/Frameworks/QuickTime.framework  
Private: No

**Ruby:**

Version: 1.8.6  
Last Modified: 20/09/08 3:41 PM  
Get Info String: Ruby Runtime and Library  
Location: /System/Library/Frameworks/Ruby.framework  
Private: No

**RubyCocoa:**

Version: 0.13.1  
Last Modified: 20/09/08 3:41 PM  
Get Info String: RubyCocoa 0.13.1 Copyright (c) 2002 FUJIMOTO Hisakuni.  
Location: /System/Library/Frameworks/RubyCocoa.framework  
Private: No

**ScreenSaver:**

Version: 2.2  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/ScreenSaver.framework  
Private: No

**Scripting:**

Version: 6.1  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/Scripting.framework  
Private: No

**ScriptingBridge:**

Version: 1.0  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/Frameworks/ScriptingBridge.framework  
Private: No

**Security:**

Version: 5.0.4  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/Security.framework  
Private: No

**SecurityFoundation:**

Version: 3.0  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/SecurityFoundation.framework  
Private: No

**SecurityInterface:**

Version: 3.0  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/SecurityInterface.framework  
Private: No

**SyncServices:**

Version: 3.1  
Last Modified: 20/09/08 3:41 PM  
Get Info String: © 2003–2004 Apple  
Location: /System/Library/Frameworks/SyncServices.framework  
Private: No

**System:**

Version: 9.1  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/Frameworks/System.framework  
Private: No

**SystemConfiguration:**

Version: 1.9.2  
Last Modified: 20/09/08 3:39 PM  
Get Info String: 1.9.2  
Location: /System/Library/Frameworks/SystemConfiguration.framework  
Private: No

**Tcl:**

Version: 8.4.7 b  
Last Modified: 20/09/08 3:41 PM  
Get Info String: Tcl Library 8.4 b, Copyright © 2008 Tcl Core Team.

MacOS X Port by Jim Ingham <jingham@apple.com> & Ian Reid, Copyright

© 2001–2002, Apple Computer, Inc.  
Location: /System/Library/Frameworks/Tcl.framework  
Private: No

**Tk:**

Version: 8.4.7 b  
Last Modified: 20/09/08 3:41 PM  
Get Info String: Tk Library 8.4, Copyright © 2004 Tcl Core Team.  
MacOS X Port by Jim Ingham <jingham@apple.com> & Ian Reid, Copyright © 2001–2002, Apple Computer, Inc.  
Location: /System/Library/Frameworks/Tk.framework  
Private: No

**TWAIN:**

Version: 1.9.3  
Last Modified: 20/09/08 3:41 PM  
Get Info String: 1.9.3, © Copyright 2001–2004, TWAIN Working Group.  
Location: /System/Library/Frameworks/TWAIN.framework  
Private: No

**vecLib:**

Version: 3.4.2  
Last Modified: 20/09/08 3:39 PM  
Get Info String: DSP, BLAS, LAPACK, Vector Math, and Large Number Library  
Location: /System/Library/Frameworks/vecLib.framework  
Private: No

**WebKit:**

Version: 5525.18.1  
Last Modified: 20/09/08 3:39 PM  
Get Info String: 5525.18.1, Copyright 2003–2007 Apple Inc.  
Location: /System/Library/Frameworks/WebKit.framework  
Private: No

**XgridFoundation:**

Version: 1.3  
Last Modified: 20/09/08 3:41 PM  
Get Info String: 1.3, Copyright 2003–2006 Apple Computer, Inc., All Rights Reserved  
Location: /System/Library/Frameworks/XgridFoundation.framework  
Private: No

**Admin:**

Version: 3.6  
Last Modified: 20/09/08 3:41 PM  
Get Info String: Admin Framework  
Location: /System/Library/PrivateFrameworks/Admin.framework  
Private: Yes

**Apple80211:**

Version: 5.2.3  
Last Modified: 20/09/08 3:39 PM  
Get Info String: Apple AirPort Framework, Copyright © 2000–2007 Apple Inc. All Rights Reserved.  
Location: /System/Library/PrivateFrameworks/Apple80211.framework  
Private: Yes

**AppleAppSupport:**

Version: 1.5  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/AppleAppSupport.framework  
Private: Yes

**AppleScript:**

Version: 2.0.1  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/AppleScript.framework  
Private: Yes

**AppleVA:**

Version: 4.1.14  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/AppleVA.framework  
Private: Yes

**Assistant:**

Version: 1.2.0  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/Assistant.framework

Private: Yes

**BackRow:**

Version: 2.1.3  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/BackRow.framework  
Private: Yes

**Backup:**

Version: 1.0  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/Backup.framework  
Private: Yes

**BEEP:**

Version: 1.3  
Last Modified: 20/09/08 3:41 PM  
Get Info String: 1.3, Copyright 2003–2006 Apple Computer, Inc., All Rights Reserved  
Location: /System/Library/PrivateFrameworks/BEEP.framework  
Private: Yes

**BezelServices:**

Version: 1.4.924  
Last Modified: 20/09/08 3:41 PM  
Get Info String: BezelServices 1.4.924  
Location: /System/Library/PrivateFrameworks/BezelServices.framework  
Private: Yes

**Bom:**

Version: 9.0  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/Bom.framework  
Private: Yes

**BrowserKit:**

Version: 1.5  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/BrowserKit.framework  
Private: Yes

**ByteRangeLocking:**

Version: 1.1.0  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/ByteRangeLocking.framework  
Private: Yes

**Calculate:**

Version: 1.3.0  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/Calculate.framework  
Private: Yes

**CommonCandidateWindow:**

Version: 1.1.0  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/CommonCandidateWindow.framework  
Private: Yes

**CoreChineseEngine:**

Version: 1.1  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/CoreChineseEngine.framework  
Private: Yes

**CoreFP:**

Version: 1.0.15  
Last Modified: 16/10/08 1:23 PM  
Location: /System/Library/PrivateFrameworks/CoreFP.framework  
Private: Yes

**CoreMediaAuthoringPrivate:**

Version: 1.5  
Last Modified: 16/10/08 1:23 PM  
Location: /System/Library/PrivateFrameworks/CoreMediaAuthoringPrivate.framework  
Private: Yes

**CoreMediaIOServicesPrivate:**

Version: 13.0  
Last Modified: 16/10/08 1:23 PM  
Location: /System/Library/PrivateFrameworks/CoreMediaIOServicesPrivate.framework  
Private: Yes

**CoreMediaPrivate:**

Version: 13.0  
Last Modified: 16/10/08 1:23 PM  
Location: /System/Library/PrivateFrameworks/CoreMediaPrivate.framework  
Private: Yes

**CoreRAID:**

Version: 36  
Last Modified: 20/09/08 3:39 PM  
Get Info String: 36, Copyright 2007 Apple Inc.  
Location: /System/Library/PrivateFrameworks/CoreRAID.framework  
Private: Yes

**CoreUI:**

Version: 1.2  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/CoreUI.framework  
Private: Yes

**CrashReporterSupport:**

Version: 10.5.5  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/CrashReporterSupport.framework  
Private: Yes

**DataDetectors:**

Version: 1.0.1  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/DataDetectors.framework  
Private: Yes

**DataDetectorsCore:**

Version: 1.0.2  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/DataDetectorsCore.framework  
Private: Yes

**DAVKit:**

Version: 3.0.4  
Last Modified: 20/09/08 3:44 PM  
Location: /System/Library/PrivateFrameworks/DAVKit.framework  
Private: Yes

**DebugSymbols:**

Version: 1.0  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/DebugSymbols.framework  
Private: Yes

**DesktopServicesPriv:**

Version: 1.4.7  
Last Modified: 20/09/08 3:39 PM  
Get Info String: Desktop Services  
Location: /System/Library/PrivateFrameworks/DesktopServicesPriv.framework  
Private: Yes

**DeviceLink:**

Version: 2.0  
Last Modified: 16/10/08 1:21 PM  
Location: /System/Library/PrivateFrameworks/DeviceLink.framework  
Private: Yes

**DigiHubPreference:**

Version: 1.5  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/DigiHubPreference.framework  
Private: Yes

**DirectoryServiceCore:**

Version: 3.5.5  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/DirectoryServiceCore.framework  
Private: Yes

**DiskArbitration:**

Version: 2.2.1  
Last Modified: 20/09/08 3:39 PM  
Get Info String: 2.2.1, Copyright © 1998–2007 Apple Inc.  
Location: /System/Library/PrivateFrameworks/DiskArbitration.framework  
Private: Yes

**DiskImages:**

Version: 10.5.3  
Last Modified: 20/09/08 3:39 PM  
Get Info String: 10.5, Copyright 2000–2007 Apple Inc.  
Location: /System/Library/PrivateFrameworks/DiskImages.framework  
Private: Yes

**DiskManagement:**

Version: 2.3  
Last Modified: 20/09/08 3:39 PM  
Get Info String: Disk Management vers on 2.3, Copyright © 1998–2008 Apple Inc. All Rights Reserved.  
Location: /System/Library/PrivateFrameworks/DiskManagement.framework  
Private: Yes

**DisplayServices:**

Version: 2.0.2  
Last Modified: 20/09/08 3:41 PM  
Get Info String: DisplayServices 2.0.2  
Location: /System/Library/PrivateFrameworks/DisplayServices.framework  
Private: Yes

**DMNotification:**

Version: 1.1.0  
Last Modified: 20/09/08 3:41 PM  
Get Info String: .Mac Notificat on Framework, Copyright 2004–2007 Apple, Inc.  
Location: /System/Library/PrivateFrameworks/DMNotification.framework  
Private: Yes

**DotMacLegacy:**

Version: 3.1  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/DotMacLegacy.framework  
Private: Yes

**DotMacSyncManager:**

Version: 1.2.3  
Last Modified: 20/09/08 3:41 PM  
Get Info String: .Mac Sync Manager, Copyright 2004–2006 Apple Computer, Inc.  
Location: /System/Library/PrivateFrameworks/DotMacSyncManager.framework  
Private: Yes

**DObjCWrappers:**

Version: 1.3  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/DObjCWrappers.framework  
Private: Yes

**DVD:**

Version: 4.0.1  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/DVD.framework  
Private: Yes

**EAP8021X:**

Version: 9.0.5  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/EAP8021X.framework  
Private: Yes

**FamilyControls:**

Version: 1.0.2  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/FamilyControls.framework  
Private: Yes

**FileSync:**

Version: 4.0.1  
Last Modified: 20/09/08 3:41 PM  
Get Info String: © Copyright 2006 Apple Computer Inc., all rights reserved.  
Location: /System/Library/PrivateFrameworks/FileSync.framework  
Private: Yes

**FWAVCPrivate:**

Version: 1.0  
Last Modified: 16/10/08 1:23 PM  
Location: /System/Library/PrivateFrameworks/FWAVCPrivate.framework  
Private: Yes

**GoogleContactSync:**

Version: 15.1  
Last Modified: 20/09/08 3:41 PM  
Get Info String: GoogleContactSync 15.1 © 2007–2008 Google Inc.  
Location: /System/Library/PrivateFrameworks/GoogleContactSync.framework  
Private: Yes

**GraphicsAppSupport:**

Version: 1.0  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/GraphicsAppSupport.framework  
Private: Yes

**GraphKit:**

Version: 1.0.4  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/GraphKit.framework  
Private: Yes

**HelpData:**

Version: 1.0.1  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/HelpData.framework  
Private: Yes

**HelpUI:**

Version: 150  
Last Modified: 20/09/08 3:41 PM  
Get Info String: Copyright 2001–2005 Apple Computer, Inc.,\nAll Rights Reserved.  
Location: /System/Library/PrivateFrameworks/HelpUI.framework  
Private: Yes

**ICANotifications:**

Version: 4.0  
Last Modified: 20/09/08 3:41 PM  
Get Info String: 4.0, © Copyright 2000–2006 Apple Inc., all rights reserved.  
Location: /System/Library/PrivateFrameworks/ICANotifications.framework  
Private: Yes

**iChatCommonGUI:**

Version: 4.0.5  
Last Modified: 11/09/08 3:14 PM  
Get Info String: 4.0.5, Copyright © 2002–2008 Apple Inc. All rights reserved.  
Location: /System/Library/PrivateFrameworks/iChatCommonGUI.framework  
Private: Yes

**iLifeMediaBrowser:**

Version: 1.0.9  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/iLifeMediaBrowser.framework  
Private: Yes

**Install:**

Version: 3.0.3  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/Install.framework  
Private: Yes

**InstallServer:**

Version: 1.0  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/InstallServer.framework  
Private: Yes

**International:**

Version: 1.5  
Last Modified: 20/09/08 3:41 PM  
Get Info String: Copyright Apple Computer, Inc. 2006  
Location: /System/Library/PrivateFrameworks/International.framework  
Private: Yes

**InternetConnect:**

Version: 1.5  
Last Modified: 20/09/08 3:41 PM  
Get Info String: 1.5  
Location: /System/Library/PrivateFrameworks/InternetConnect.framework  
Private: Yes

**IntlPreferences:**

Version: 1.3.0  
Last Modified: 20/09/08 3:41 PM  
Get Info String: IntlPreferences version 1.3.0, Copyright 2000–2005, Apple Computer, Inc.  
Location: /System/Library/PrivateFrameworks/IntlPreferences.framework  
Private: Yes

**iPhotoAccess:**

Version: 2.0.2  
Last Modified: 20/09/08 3:41 PM  
Get Info String: iPhotoAccess 2.0.2, Copyright © 2002–2008 Apple Inc.  
Location: /System/Library/PrivateFrameworks/iPhotoAccess.framework  
Private: Yes

**iPod:**

Version: 1.5  
Last Modified: 20/09/08 3:43 PM  
Get Info String: iPod version 1.5, Copyright 2002–2005, Apple Computer, Inc.  
Location: /System/Library/PrivateFrameworks/iPod.framework  
Private: Yes

**iPodSync:**

Version: 2.4  
Last Modified: 20/09/08 3:43 PM  
Location: /System/Library/PrivateFrameworks/iPodSync.framework  
Private: Yes

**ISSupport:**

Version: 1.7  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/ISSupport.framework  
Private: Yes

**iTunesAccess:**

Version: 8.0.1  
Last Modified: 16/10/08 1:21 PM  
Location: /System/Library/PrivateFrameworks/iTunesAccess.framework  
Private: Yes

**JavaApplicationLauncher:**

Version: 12.2.0  
Last Modified: 16/10/08 1:22 PM  
Location: /System/Library/PrivateFrameworks/JavaApplicationLauncher.framework  
Private: Yes

**JavaScriptGlue:**

Version: 5525.13  
Last Modified: 20/09/08 3:39 PM  
Get Info String: 5525.13, Copyright 2003–2007 Apple Inc.  
Location: /System/Library/PrivateFrameworks/JavaScriptGlue.framework  
Private: Yes

**KAdminClient:**

Version: 6.0.12  
Last Modified: 20/09/08 3:39 PM  
Get Info String: 6.0 Copyright © 2007 Massachusetts Institute of Technology  
Location: /System/Library/PrivateFrameworks/KAdminClient.framework  
Private: Yes

**KAdminServer:**

Version: 6.0.12

Last Modified: 20/09/08 3:39 PM  
Get Info String: 6.0 Copyright © 2007 Massachusetts Institute of Technology  
Location: /System/Library/PrivateFrameworks/KAdminServer.framework  
Private: Yes

**KerberosHelper:**

Version: 1.1  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/KerberosHelper.framework  
Private: Yes

**MachineSettings:**

Version: 3.6  
Last Modified: 20/09/08 3:41 PM  
Get Info String: MachineSettings Framework  
Location: /System/Library/PrivateFrameworks/MachineSettings.framework  
Private: Yes

**ManagedClient:**

Version: 1.0.2  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/ManagedClient.framework  
Private: Yes

**MDSChannel:**

Version: 1.0  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/MDSChannel.framework  
Private: Yes

**MediaKit:**

Version: 9.1  
Last Modified: 20/09/08 3:39 PM  
Get Info String: Esoteric Media Manipulation  
Location: /System/Library/PrivateFrameworks/MediaKit.framework  
Private: Yes

**MobileDevice:**

Version: 3.2.2  
Last Modified: 16/10/08 1:21 PM  
Location: /System/Library/PrivateFrameworks/MobileDevice.framework  
Private: Yes

**MonitorPanel:**

Version: 1.2.0  
Last Modified: 20/09/08 3:41 PM  
Get Info String: MonitorPanelFramework version 1.2.0, Copyright 2001–2006, Apple Computer, Inc.  
Location: /System/Library/PrivateFrameworks/MonitorPanel.framework  
Private: Yes

**MultitouchSupport:**

Version: 189.28  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/MultitouchSupport.framework  
Private: Yes

**NetInfo:**

Version: 1.0.0  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/NetInfo.framework  
Private: Yes

**NetworkConfig:**

Version: 2.3  
Last Modified: 20/09/08 3:41 PM  
Get Info String: 2.3  
Location: /System/Library/PrivateFrameworks/NetworkConfig.framework  
Private: Yes

**NetworkDiagnosticsUI:**

Version: 1.1.1  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/NetworkDiagnosticsUI.framework  
Private: Yes

**OfficeImport:**

Version: 1.2  
Last Modified: 16/10/08 1:22 PM  
Location: /System/Library/PrivateFrameworks/OfficeImport.framework  
Private: Yes

**OpenDirectory:**

Version: 10.5  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/OpenDirectory.framework  
Private: Yes

**OpenTransport:**

Version: 3.0  
Last Modified: 20/09/08 3:41 PM  
Get Info String: OpenTransport  
Location: /System/Library/PrivateFrameworks/OpenTransport.framework  
Private: Yes

**PasswordServer:**

Version: 3.0.3  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/PasswordServer.framework  
Private: Yes

**PlatformHardwareManagement:**

Version: 1.2.0  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/PlatformHardwareManagement.framework  
Private: Yes

**PodcastProducerCore:**

Version: 1.0  
Last Modified: 20/09/08 3:41 PM  
Get Info String: 1.0, Copyright 2006 Apple Computer, Inc., All Rights Reserved  
Location: /System/Library/PrivateFrameworks/PodcastProducerCore.framework  
Private: Yes

**ProKit:**

Version: 4.5  
Last Modified: 20/09/08 3:41 PM  
Get Info String: ProKit vers on 4.5, Copyright (c) 2003–2007 Apple Inc.  
Location: /System/Library/PrivateFrameworks/ProKit.framework  
Private: Yes

**PSNormalizer:**

Version: 8.6  
Last Modified: 16/10/08 1:22 PM  
Location: /System/Library/PrivateFrameworks/PSNormalizer.framework  
Private: Yes

**QuickLookUI:**

Version: 1.3.1  
Last Modified: 16/10/08 1:22 PM  
Location: /System/Library/PrivateFrameworks/QuickLookUI.framework  
Private: Yes

**Restore:**

Version: 1.1  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/Restore.framework  
Private: Yes

**ScreenReader:**

Version: 2.2  
Last Modified: 20/09/08 3:41 PM  
Get Info String: 2.2, Copyright © 2005–2008 Apple Inc., All Rights Reserved  
Location: /System/Library/PrivateFrameworks/ScreenReader.framework  
Private: Yes

**ScreenSharing:**

Version: 1.0.1  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/ScreenSharing.framework  
Private: Yes

**SecurityTokend:**

Version: 2.0  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/SecurityTokend.framework  
Private: Yes

**ServerFoundation:**

Version: 1.0.2  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/ServerFoundation.framework  
Private: Yes

**ServerKit:**

Version: 1.0.1  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/ServerKit.framework  
Private: Yes

**SetupAssistant:**

Version: 10.5.1  
Last Modified: 20/09/08 3:41 PM  
Get Info String: Copyright Apple Computer, Inc. 2005  
Location: /System/Library/PrivateFrameworks/SetupAssistant.framework  
Private: Yes

**SetupAssistantSupport:**

Version: 10.5.1  
Last Modified: 20/09/08 3:41 PM  
Get Info String: Copyright Apple Computer, Inc. 2006  
Location: /System/Library/PrivateFrameworks/SetupAssistantSupport.framework  
Private: Yes

**Shortcut:**

Version: 1  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/Shortcut.framework  
Private: Yes

**Slideshow:**

Version: 2.0  
Last Modified: 20/09/08 3:41 PM  
Get Info String: 2.0, Copyright © 2004–2006 Apple Computer Inc., All Rights Reserved  
Location: /System/Library/PrivateFrameworks/Slideshow.framework  
Private: Yes

**SoftwareUpdate:**

Version: 3.0.3  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/SoftwareUpdate.framework  
Private: Yes

**SpeechDictionary:**

Version: 3.9.5  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/SpeechDictionary.framework  
Private: Yes

**SpeechObjects:**

Version: 4.5  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/SpeechObjects.framework  
Private: Yes

**SpotlightIndex:**

Version: 10.5.2  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/SpotlightIndex.framework  
Private: Yes

**SPSupport:**

Version: 10.5.0  
Last Modified: 20/09/08 3:39 PM  
Get Info String: 10.5, Copyright 1997–2005 Apple Computer, Inc.  
Location: /System/Library/PrivateFrameworks/SPSupport.framework  
Private: Yes

**Symbolication:**

Version: 1.0  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/Symbolication.framework  
Private: Yes

**SyncLegacy:**

Version: 4.0  
Last Modified: 20/09/08 3:41 PM  
Get Info String: © 2002–2003 Apple  
Location: /System/Library/PrivateFrameworks/SyncLegacy.framework  
Private: Yes

**SyncServicesUI:**

Version: 4.1  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/SyncServicesUI.framework  
Private: Yes

**SyndicationUI:**

Version: 2.0.3  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/SyndicationUI.framework  
Private: Yes

**SystemMigration:**

Version: 2.6  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/SystemMigration.framework  
Private: Yes

**SystemUIPlugin:**

Version: 1.5  
Last Modified: 20/09/08 3:41 PM  
Get Info String: SystemUIPlugin vers on 1.5, Copyright 2000–2006, Apple Computer, Inc.  
Location: /System/Library/PrivateFrameworks/SystemUIPlugin.framework  
Private: Yes

**UIRecording:**

Version: 1.0  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/UIRecording.framework  
Private: Yes

**URLAccess:**

Version: 219  
Last Modified: 20/09/08 3:41 PM  
Get Info String: URLAccess.framework 1.1, Copyright © 2000–2004 Apple Computer Inc.  
Location: /System/Library/PrivateFrameworks/URLAccess.framework  
Private: Yes

**URLMount:**

Version: 3.1.1  
Last Modified: 20/09/08 3:39 PM  
Location: /System/Library/PrivateFrameworks/URLMount.framework  
Private: Yes

**VideoConference:**

Version: 363.14  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/VideoConference.framework  
Private: Yes

**vmutils:**

Version: 4.1  
Last Modified: 20/09/08 3:39 PM  
Get Info String: vmutils 4.1, Copyright 2002–2006 Apple Computer, Inc.  
Location: /System/Library/PrivateFrameworks/vmutils.framework  
Private: Yes

**VSP:**

Version: 2.2.2  
Last Modified: 20/09/08 3:41 PM  
Get Info String: VSP framework 2.2.2, Copyright 2001–2007, Apple Inc.  
Location: /System/Library/PrivateFrameworks/VSP.framework  
Private: Yes

**WhitePages:**

Version: 1.2  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/WhitePages.framework  
Private: Yes

#### XgridInterface:

Version: 1.3  
Last Modified: 20/09/08 3:41 PM  
Get Info String: 1.3, Copyright 2003–2006 Apple Computer, Inc., All Rights Reserved  
Location: /System/Library/PrivateFrameworks/XgridInterface.framework  
Private: Yes

#### XQuery:

Version: 1.3  
Last Modified: 20/09/08 3:41 PM  
Get Info String: XQuery version 1.3, Copyright (c) 2004–2007 Apple Inc.  
Location: /System/Library/PrivateFrameworks/XQuery.framework  
Private: Yes

#### YahooSync:

Version: 1.2  
Last Modified: 20/09/08 3:41 PM  
Location: /System/Library/PrivateFrameworks/YahooSync.framework  
Private: Yes

#### HPDeviceModel:

Version: 2.2.3  
Last Modified: 20/09/08 3:47 PM  
Get Info String: HPDeviceModel version 2.2.3b86, (c) Copyright 2005–2007 Hewlett–Packard Development Company, L.P.  
Location: /Library/Frameworks/HPDeviceModel.framework  
Private: No

#### HPPml:

Version: 2.5.2  
Last Modified: 20/09/08 3:47 PM  
Get Info String: HPPml vers on 2.5.2.675, (c) Copyright 2004–2007 Hewlett–Packard Development Company, L.P.  
Location: /Library/Frameworks/HPPml.framework  
Private: No

#### HPServicesInterface:

Version: 2.5.2  
Last Modified: 20/09/08 3:47 PM  
Get Info String: HPServicesInterface version 2.5.2.675, (c) Copyright 2002–2007 Hewlett–Packard Development Company, L.P.  
Location: /Library/Frameworks/HPServicesInterface.framework  
Private: No

#### HPSmartPrint:

Version: 3.4.1  
Last Modified: 20/09/08 3:47 PM  
Get Info String: HPSmartPrint Framework v3.4.1  
Location: /Library/Frameworks/HPSmartPrint.framework  
Private: No

### Logs:

#### system.log:

Description: System events log  
Size: 18 KB  
Last Modified: 16/10/08 1:54 PM  
Location: [/var/log/system.log](#)  
Recent Contents: Oct 16 00:00:50 dans-macbook newsyslog[499]: logfile turned over  
Oct 16 07:15:29 dans-macbook [0x0-0x15015].com.apple.systempreferences[317]: Couldn't find any matches.  
Oct 16 07:15:29 dans-macbook [0x0-0x15015].com.apple.systempreferences[317]: Couldn't find any matches.  
Oct 16 10:35:48 dans-macbook kernel[0]: Link Down  
Oct 16 10:35:50 dans-macbook kernel[0]: hibernate image path: /var/vm/sleepimage  
Oct 16 10:35:50 dans-macbook kernel[0]: sizeof(IOHibernateImageHeader) == 512  
Oct 16 10:35:50 dans-macbook kernel[0]: Opened file /var/vm/sleepimage, size 2147483648, partition base 0xc805000, maxio 400000  
Oct 16 10:35:50 dans-macbook kernel[0]: hibernate image major 14, minor 2, blocksize 512, pollers 4  
Oct 16 10:35:50 dans-macbook kernel[0]: hibernate\_alloc\_pages flags 00000000, gobbling 0 pages  
Oct 16 10:35:52 dans-macbook kernel[0]: System SafeSleep  
Oct 16 13:21:22 dans-macbook kernel[0]: hibernate\_page\_list\_setall start  
Oct 16 13:21:22 dans-macbook kernel[0]: hibernate\_page\_list\_setall time: 78 ms  
Oct 16 13:21:22 dans-macbook kernel[0]: pages 204022, wire 86866, act 62492, inact 1, zf 0, throt 7681, could discard act 32635 inact 4379 purgeable 9968  
Oct 16 13:21:22 dans-macbook kernel[0]: hibernate\_page\_list\_setall found pageCount 157040  
Oct 16 13:21:22 dans-macbook kernel[0]: IOHibernatePollerOpen, ml\_get\_interrupts\_enabled 0  
Oct 16 13:21:22 dans-macbook kernel[0]: IOHibernatePollerOpen(0)  
Oct 16 13:21:22 dans-macbook kernel[0]: writing 155261 pages

Oct 16 13:21:22 dans-macbook kernel[0]: image1Size 203647488  
Oct 16 13:21:22 dans-macbook kernel[0]: all time: 7430 ms, comp time: 1028 ms, deco time: 0 ms,  
Oct 16 13:21:22 dans-macbook kernel[0]: image 353671680, uncompressed 635949056 (155261), compressed 349761788 (54%), sum1 a14c1a02, sum2 aa33f5d2  
Oct 16 13:21:22 dans-macbook kernel[0]: hibernate\_write\_image done(0)  
Oct 16 13:21:22 dans-macbook kernel[0]: sleep  
Oct 16 13:21:22 dans-macbook kernel[0]: Wake reason = EC  
Oct 16 13:21:22 dans-macbook kernel[0]: System Wake  
Oct 16 13:21:22 dans-macbook kernel[0]: Previous Sleep Cause: 5  
Oct 16 13:21:22 dans-macbook kernel[0]: Link Down  
Oct 16 13:21:25 dans-macbook kernel[0]: MAC AUTH succeeded  
Oct 16 13:21:25 dans-macbook kernel[0]: AirPort: Link Up on en1  
Oct 16 13:21:31 dans-macbook mDNSResponder[48]: NOTE: Wide-Area Service Discovery disabled to avoid crashing defective DNS relay 192.168.1.254:53  
Oct 16 13:21:36 dans-macbook authexec[675]: executing /System/Library/CoreServices/Software Update.app/Contents/Resources/suapphelper  
Oct 16 13:21:40 dans-macbook loginwindow[268]: DEAD\_PROCESS: 0 console  
Oct 16 13:21:40 dans-macbook com.apple.launchd[265] ([0x0-0x19019].com.apple.AppleSpell[366]): Exited: Terminated  
Oct 16 13:21:40 dans-macbook com.apple.launchd[265] (com.apple.pboard[287]): Exited: Terminated  
Oct 16 13:21:40 dans-macbook com.apple.launchd[265] (com.apple.UserEventAgent-Aqua[284]): Exited: Terminated  
Oct 16 13:21:40 dans-macbook /System/Library/CoreServices/loginwindow.app/Contents/MacOS/loginwindow[685]: Login Window Applicat on Started  
Oct 16 13:21:41 dans-macbook loginwindow[685]: USER\_PROCESS: 685 console  
Oct 16 13:21:42 dans-macbook Software Update[693]: arguments={\n RootInstallMode = YES;\n SkipConfirm = YES;\n}  
Oct 16 13:21:42 dans-macbook Software Update[693]: cookie=""  
Oct 16 13:21:42 dans-macbook Software Update[693]: Looking for products to install  
Oct 16 13:21:43 dans-macbook Software Update[693]: Performing preflight  
Oct 16 13:21:43 dans-macbook Software Update[693]: Preparing session  
Oct 16 13:21:44 dans-macbook Software Update[693]: Starting session  
Oct 16 13:21:44 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: Folder Manager is being asked to create a folder (flnt) while running as uid 0  
Oct 16 13:21:47 dans-macbook com.apple.launchd[1] (com.apple.aslmanager): Throttling respawn: Will start in 5 seconds  
Oct 16 13:21:57 dans-macbook sudo[726]: root : TTY=unknown ; PWD=/ ; USER=root ; COMMAND=/bin/launchctl unload //System/Library/LaunchDaemons/com.apple.usbmuxd.plist  
Oct 16 13:21:58 dans-macbook sudo[730]: root : TTY=unknown ; PWD=/ ; USER=root ; COMMAND=/bin/launchctl load //System/Library/LaunchDaemons/com.apple.usbmuxd.plist  
Oct 16 13:22:05 dans-macbook kernel[0]: Resetting IOCatalogue.  
Oct 16 13:22:05 dans-macbook kextd[10]: 0 cached, 414 uncached personalities to catalog  
Oct 16 13:22:18 dans-macbook kernel[0]: Resetting IOCatalogue.  
Oct 16 13:22:18 dans-macbook kextd[10]: 0 cached, 414 uncached personalities to catalog  
Oct 16 13:22:29 dans-macbook kextd[10]: kextcache error updating / (error count: 1)  
Oct 16 13:22:41 dans-macbook kextd[10]: kextcache succeeded with '/' (previously failed)  
Oct 16 13:23:03 dans-macbook com.apple.dyld[799]: update\_dyld\_shared\_cache[799] current cache invalid because /usr/lib/libxslt.1.dylib has changed  
Oct 16 13:23:15 dans-macbook com.apple.dyld[799]: update\_dyld\_shared\_cache[799] regenerated cache for arch=i386  
Oct 16 13:23:30 dans-macbook kernel[0]: Resetting IOCatalogue.  
Oct 16 13:23:30 dans-macbook kextd[10]: 0 cached, 414 uncached personalities to catalog  
Oct 16 13:23:50 dans-macbook kernel[0]: Limiting icmp unreachable response from 588 to 250 packets per second  
Oct 16 13:23:50 dans-macbook sudo[959]: root : TTY=unknown ; PWD=/ ; USER=root ; COMMAND=/Library/Updates/QuickTime/Packages/QuickTime755\_Leopard.pkg/Contents/Resources/ConfigureMimeType -rescan -verbose  
Oct 16 13:23:55 dans-macbook Software Update[693]: kextcache returned 0  
Oct 16 13:23:55 dans-macbook Software Update[693]: Running /sbin/reboot  
Oct 16 13:23:55 dans-macbook reboot[979]: rebooted by securityagent  
Oct 16 13:23:55 dans-macbook reboot[979]: SHUTDOWN\_TIME: 1224123835 791462  
Oct 16 13:23:55 dans-macbook SystemStarter[42]: "/System/Library/StartupItems" failed sanity check: path was created after boot up  
Oct 16 13:23:55 dans-macbook mDNSResponder mDNSResponder-176.2 (Sep 17 2008 14:15:15)[48]: stopping  
Oct 16 13:23:55 dans-macbook Software Update[693]: Terminating  
Oct 16 13:23:55 dans-macbook ManagedClient[691]: CGSShutdownServerConnections: Detaching application from window server  
Oct 16 13:23:55 dans-macbook com.apple.loginwindow[685]: Thu Oct 16 13:23:55 dans-macbook.local ManagedClient[691] <Warning>: CGSShutdownServerConnections: Detaching applicat on from window server  
Oct 16 13:23:55 dans-macbook ManagedClient[691]: CGSDisplayServerShutdown: Detaching display subsystem from window server  
Oct 16 13:23:55 dans-macbook com.apple.loginwindow[685]: Thu Oct 16 13:23:55 dans-macbook.local ManagedClient[691] <Warning>: CGSDisplayServerShutdown: Detaching display subsystem from window server  
Oct 16 13:24:20 localhost kernel[0]: npvhash=4095  
Oct 16 13:24:19 localhost com.apple.launchctl.System[2]: launchctl: Please convert the following to launchd: /etc/mach\_init.d/dashboardadvisoryd.plist  
Oct 16 13:24:19 localhost com.apple.launchd[1] (com.apple.blued): Unknown key for boolean: EnableTransactions  
Oct 16 13:24:19 localhost com.apple.launchd[1] (org.cups.cupsd): Unknown key: SHAuthorizationRight  
Oct 16 13:24:19 localhost com.apple.launchd[1] (org.ntp.ntpd): Unknown key: SHAuthorizationRight  
Oct 16 13:24:20 localhost kextd[10]: 414 cached, 0 uncached personalities to catalog  
Oct 16 13:24:20 localhost kernel[0]: hi mem tramps at 0xffe00000  
Oct 16 13:24:20 localhost kernel[0]: PAE enabled  
Oct 16 13:24:20 localhost kernel[0]: 64 bit mode enabled  
Oct 16 13:24:20 localhost kernel[0]: Darwin Kernel Version 9.5.1: Fri Sep 19 16:19:24 PDT 2008; root:xnu-1228.8.30~1/RELEASE\_I386  
Oct 16 13:24:20 localhost kernel[0]: standard timeslicing quantum is 10000 us  
Oct 16 13:24:20 localhost kernel[0]: vm\_page\_bootstrap: 447667 free pages and 11085 wired pages  
Oct 16 13:24:20 localhost kernel[0]: mig\_table\_max\_displ = 79  
Oct 16 13:24:20 localhost kernel[0]: Extension "com.apple.driver.AppleACPIPlatform" has immediate dependencies on both com.apple.kernel and com.apple.kpi components; use only one style.  
Oct 16 13:24:20 localhost kernel[0]: Extension "com.apple.driver.AppleIntelCPUPowerManagement" has immediate dependencies on both com.apple.kernel and com.apple.kpi components; use only one style.  
Oct 16 13:24:20 localhost kernel[0]: AppleACPICPU: ProcessorApicId=0 LocalApicId=0 Enabled

Oct 16 13:24:20 localhost kernel[0]: AppleACPICPU: ProcessorApicid=1 LocalApicid=1 Enabled  
Oct 16 13:24:20 localhost kernel[0]: Loading security extens on com.apple.security.TMSafetyNet  
Oct 16 13:24:20 localhost kernel[0]: calling mpo\_policy\_init for TMSafetyNet  
Oct 16 13:24:20 localhost kernel[0]: Security policy loaded: Safety net for Time Machine (TMSafetyNet)  
Oct 16 13:24:20 localhost kernel[0]: Loading security extens on com.apple.nke.applicationfirewall  
Oct 16 13:24:20 localhost kernel[0]: Loading security extens on com.apple.security.seatbelt  
Oct 16 13:24:20 localhost kernel[0]: calling mpo\_policy\_init for mb  
Oct 16 13:24:20 localhost kernel[0]: Seatbelt MACF policy in tialized  
Oct 16 13:24:20 localhost kernel[0]: Security policy loaded: Seatbelt Policy (mb)  
Oct 16 13:24:20 localhost kernel[0]: Copyright (c) 1982, 1986, 1989, 1991, 1993  
Oct 16 13:24:20 localhost kernel[0]: The Regents of the University of California. All rights reserved.  
Oct 16 13:24:20 localhost kernel[0]: MAC Framework successfully initialized  
Oct 16 13:24:20 localhost kernel[0]: using 9175 buffer headers and 4096 cluster IO buffer headers  
Oct 16 13:24:20 localhost kernel[0]: IOAPIC: Vers on 0x11 Vectors 64:87  
Oct 16 13:24:20 localhost kernel[0]: Extension "com.apple.driver.AppleACPIPlatform" has immediate dependencies on both com.apple.kernel and com.apple.kpi components; use only one style.  
Oct 16 13:24:21 localhost kernel[0]: ACPI: System State [S0 S3 S4 S5] (S3)  
Oct 16 13:24:21 localhost kernel[0]: Extension "com.apple.driver.AppleACPIPlatform" has immediate dependencies on both com.apple.kernel and com.apple.kpi components; use only one style.  
Oct 16 13:24:21: --- last message repeated 1 time ---  
Oct 16 13:24:21 localhost kernel[0]: mbinit: done  
Oct 16 13:24:21 localhost kernel[0]: Security auditing service present  
Oct 16 13:24:21 localhost kernel[0]: BSM auditing present  
Oct 16 13:24:21 localhost kernel[0]: rooting via boot-uu d from /chosen: D6DE64DF-985C-30C6-A505-E7C46BEF15F8  
Oct 16 13:24:21 localhost kernel[0]: Waiting on <dict ID="0"><key>IOProv derClass</key><string ID="1">IOResources</string><key>IOResourceMatch</key><string ID="2">boot-uu d-media</string></dict>  
Oct 16 13:24:21 localhost kernel[0]: Got boot device = IOService:/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/SATA@B/AppleMCP79AHCI/PRTO@0/IOAHCIDevice@0/AppleAHCIDiskDriver/IOAHCIBlockStorageDevice/IOBlockStorageDriver/TOSHIBA MK2553GSX Media/IOGUIDPartitionScheme/Customer@2  
Oct 16 13:24:21 localhost kernel[0]: BSD root: disk0s2, major 14, minor 2  
Oct 16 13:24:21 localhost kernel[0]: [HCIController][configurePM] power parent ready after 1 tries  
Oct 16 13:24:21 localhost kernel[0]: Jettisoning kernel linker.  
Oct 16 13:24:21 localhost kernel[0]: Resetting IOCatalogue.  
Oct 16 13:24:21 localhost kernel[0]: AppleIntelCPUPowerManagement: initialization complete  
Oct 16 13:24:21 localhost kernel[0]: Matching service count = 2  
Oct 16 13:24:21: --- last message repeated 1 time ---  
Oct 16 13:24:21: --- last message repeated 1 time ---  
Oct 16 13:24:21: --- last message repeated 1 time ---  
Oct 16 13:24:21: --- last message repeated 1 time ---  
Oct 16 13:24:22 localhost kernel[0]: Previous Shutdown Cause: 0  
Oct 16 13:24:23 localhost kernel[0]: NVDANV50HAL loaded and registered.  
Oct 16 13:24:23 localhost kernel[0]: BTCoeistence feature not supported!  
Oct 16 13:24:23 localhost kernel[0]: wl0: Broadcom BCM432b 802.11 Wireless Controller  
Oct 16 13:24:23 localhost kernel[0]: 4.170.83.15  
Oct 16 13:24:24 localhost fsevents[41]: bumping event counter to: 0x6f830847 (current 0x0) from log file '00000006f82af47'  
Oct 16 13:24:25 localhost DirectoryService[46]: Launched version 5.5 (v514.23)  
Oct 16 13:24:28 localhost blued[55]: Apple Bluetooth daemon started.  
Oct 16 13:24:28 localhost DirectoryService[46]: WARNING - dsTouch: file was asked to be opened </var/run/.DSRunningSP1>: (File exists)  
Oct 16 13:24:31 localhost rpc.statd[32]: statd.notify - no notifications needed  
Oct 16 13:24:32 localhost bootlog[50]: BOOT\_TIME: 1224123855 0  
Oct 16 13:24:33 localhost configd[48]: Error: No interface name for AirPort\_Brcm43xx  
Oct 16 13:24:33 localhost configd[48]: Error: oPublishedDriverCallback() failed to initDeviceFromService()  
Oct 16 13:24:34 localhost com.apple.launchd[1] (com.apple.aslmanager): Throttling respawn: Will start in 1 seconds  
Oct 16 13:24:34 dans-macbook configd[48]: setting hostname to "dans-macbook.local"  
Oct 16 13:24:34 dans-macbook mDNSResponder mDNSResponder-176.2 (Sep 17 2008 14:15:15)[36]: starting  
Oct 16 13:24:34 dans-macbook org.ntp.ntpd[29]: Error : nodename nor servname provided, or not known  
Oct 16 13:24:34 dans-macbook ntpdate[65]: can't find host time.asia.apple.com  
Oct 16 13:24:34 dans-macbook ntpdate[65]: no servers can be used, exiting  
Oct 16 13:24:35 dans-macbook /usr/sbin/ocspd[71]: starting  
Oct 16 13:24:43 dans-macbook configd[48]: Error: No interface name for AirPort\_Brcm43xx  
Oct 16 13:24:43 dans-macbook kernel[0]: NVEthernet: Ethernet address 00:23:32:b7:15:34  
Oct 16 13:24:43 dans-macbook /System/Library/CoreServices/loginwindow.app/Contents/MacOS/loginwindow[37]: Login Window Applicat on Started  
Oct 16 13:24:43 dans-macbook kernel[0]: AirPort\_Brcm43xx: Ethernet address 00:23:6c:7d:2d:d6  
Oct 16 13:24:44 dans-macbook kernel[0]: Link Down  
Oct 16 13:24:45 dans-macbook kernel[0]: AirPort: Link Down on en1  
Oct 16 13:24:47 dans-macbook kernel[0]: BootCache: hit rate below threshold (1837 hits on 3675 lookups)  
Oct 16 13:24:47 dans-macbook kernel[0]: MAC AUTH succeeded  
Oct 16 13:24:47 dans-macbook kernel[0]: AirPort: Link Up on en1  
Oct 16 13:24:49 dans-macbook com.apple.dyld[58]: update\_dyld\_shared\_cache[58] current cache inval d because /System/Library/QuickTime/QuickTimeImporters.component/Contents/MacOS/QuickTimeImporters has changed  
Oct 16 13:24:53 dans-macbook kernel[0]: IOPlatformControl::registerDriver Control Driver IOHWCControl did not supply zone property, using default  
Oct 16 13:24:54 dans-macbook loginwindow[37]: Login Window Started Security Agent  
Oct 16 13:24:56 dans-macbook authorizationhost[105]: MechanismInvoke 0x129810 retainCount 2  
Oct 16 13:24:56 dans-macbook SecurityAgent[106]: MechanismInvoke 0x1015f0 retainCount 1  
Oct 16 13:24:56 dans-macbook authorizationhost[105]: MechanismDestroy 0x129810 retainCount 2  
Oct 16 13:24:56 dans-macbook loginwindow[37]: Login Window - Returned from Security Agent  
Oct 16 13:24:56 dans-macbook SecurityAgent[106]: MechanismDestroy 0x1015f0 retainCount 1  
Oct 16 13:24:56 dans-macbook loginwindow[37]: USER\_PROCESS: 37 console  
Oct 16 13:24:56 dans-macbook com.apple.launchd[1] (com.apple.UserEventAgent-LoginWindow[101]): Exited: Terminated  
Oct 16 13:24:57 dans-macbook mDNSResponder[36]: NOTE: Wide-Area Service Discovery disabled to avoid crashing defective DNS relay 192.168.1.254:53  
Oct 16 13:25:01 dans-macbook /System/Library/CoreServices/coreservicesd[60]: SFLSharePointsEntry::CreateDSRecord: dsCreateRecordAndOpen(Dan's Public Folder) returned -14135  
Oct 16 13:25:01 dans-macbook kextd[10]: writing kernel link data to /var/run/mach.sym  
Oct 16 13:25:37 dans-macbook com.apple.dyld[58]: update\_dyld\_shared\_cache[58] regenerated cache for arch=i386

```

Oct 16 13:28:35 dans-macbook com.apple.firmwaresyncd[42]: kextload: /System/Library/Extensions/msdosfs.kext
loaded successfully
Oct 16 13:29:55 dans-macbook ntpd[29]: time reset -0.713613 s
Oct 16 13:44:13 dans-macbook kernel[0]: hibernate image path: /var/vm/sleepimage
Oct 16 13:44:13 dans-macbook kernel[0]: sizeof(IOHibernateImageHeader) == 512
Oct 16 13:44:13 dans-macbook kernel[0]: Opened file /var/vm/sleepimage, size 2147483648, partition base
0xc805000, maxio 400000
Oct 16 13:44:13 dans-macbook kernel[0]: hibernate image major 14, minor 2, blocksize 512, pollers 4
Oct 16 13:44:13 dans-macbook kernel[0]: hibernate_alloc_pages flags 00000000, gobbling 0 pages
Oct 16 13:44:14 dans-macbook kernel[0]: AirPort: Link Down on en1
Oct 16 13:44:15 dans-macbook kernel[0]: System SafeSleep
Oct 16 13:54:46 dans-macbook kernel[0]: hibernate_page_list_setall start
Oct 16 13:54:46 dans-macbook kernel[0]: hibernate_page_list_setall time: 50 ms
Oct 16 13:54:46 dans-macbook kernel[0]: pages 168810, wire 119214, act 14337, inact 1, zf 0, throt 9637, could
discard act 17118 inact 8008 purgeable 495
Oct 16 13:54:46 dans-macbook kernel[0]: hibernate_page_list_setall found pageCount 143189
Oct 16 13:54:46 dans-macbook kernel[0]: IOHibernatePollerOpen, ml_get_interrupts_enabled 0
Oct 16 13:54:46 dans-macbook kernel[0]: IOHibernatePollerOpen(0)
Oct 16 13:54:46 dans-macbook kernel[0]: writing 141444 pages
Oct 16 13:54:46 dans-macbook kernel[0]: image1Size 339032576
Oct 16 13:54:46 dans-macbook kernel[0]: all time: 6757 ms, comp time: 917 ms, deco time: 0 ms,
Oct 16 13:54:46 dans-macbook kernel[0]: image 389159424, uncompressed 579354624 (141444), compressed
385780240 (66%), sum1 e1d3a4e2, sum2 4ad04aab
Oct 16 13:54:46 dans-macbook kernel[0]: hibernate_write_image done(0)
Oct 16 13:54:46 dans-macbook kernel[0]: sleep
Oct 16 13:54:46 dans-macbook kernel[0]: Wake reason = OHC1
Oct 16 13:54:46 dans-macbook kernel[0]: System Wake
Oct 16 13:54:46 dans-macbook kernel[0]: Previous Sleep Cause: 5
Oct 16 13:54:46 dans-macbook kernel[0]: USB (OHCI):Port 6 on bus 0x4 has remote wakeup from some device
Oct 16 13:54:46 dans-macbook kernel[0]: Link Down
Oct 16 13:54:48 dans-macbook kernel[0]: MAC AUTH succeeded
Oct 16 13:54:48 dans-macbook kernel[0]: AirPort: Link Up on en1
Oct 16 13:54:50 dans-macbook mDNSResponder[36]: NOTE: Wide-Area Service Discovery disabled to avoid crashing
defective DNS relay 192.168.1.254:53

```

#### access\_log:

```

Description: Printer access log
Size: 2 KB
Last Modified: 16/10/08 1:55 PM
Location: /var/log/cups/access_log
Recent Contents: localhost -- [14/Oct/2008:23:38:06 -0700] "POST / HTTP/1.1" 200 416 CUPS-Get-Printers client-error-not-found
localhost -- [14/Oct/2008:23:38:06 -0700] "POST / HTTP/1.1" 200 416 CUPS-Get-Classes client-error-not-found
localhost -- [14/Oct/2008:23:38:06 -0700] "POST / HTTP/1.1" 200 75 CUPS-Get-Default client-error-not-found
localhost -- [15/Oct/2008:17:45:42 +1100] "POST / HTTP/1.1" 200 415 CUPS-Get-Printers client-error-not-found
localhost -- [15/Oct/2008:17:45:42 +1100] "POST / HTTP/1.1" 200 415 CUPS-Get-Classes client-error-not-found
localhost -- [15/Oct/2008:17:45:42 +1100] "POST / HTTP/1.1" 200 75 CUPS-Get-Default client-error-not-found
localhost -- [15/Oct/2008:17:45:53 +1100] "POST / HTTP/1.1" 200 415 CUPS-Get-Printers client-error-not-found
localhost -- [15/Oct/2008:17:45:53 +1100] "POST / HTTP/1.1" 200 415 CUPS-Get-Classes client-error-not-found
localhost -- [15/Oct/2008:17:45:53 +1100] "POST / HTTP/1.1" 200 75 CUPS-Get-Default client-error-not-found
localhost -- [15/Oct/2008:17:51:55 +1100] "POST / HTTP/1.1" 200 415 CUPS-Get-Printers client-error-not-found
localhost -- [15/Oct/2008:17:51:55 +1100] "POST / HTTP/1.1" 200 415 CUPS-Get-Classes client-error-not-found
localhost -- [15/Oct/2008:17:51:55 +1100] "POST / HTTP/1.1" 200 75 CUPS-Get-Default client-error-not-found
localhost -- [16/Oct/2008:13:55:02 +1100] "POST / HTTP/1.1" 200 415 CUPS-Get-Printers client-error-not-found
localhost -- [16/Oct/2008:13:55:02 +1100] "POST / HTTP/1.1" 200 415 CUPS-Get-Classes client-error-not-found
localhost -- [16/Oct/2008:13:55:02 +1100] "POST / HTTP/1.1" 200 75 CUPS-Get-Default client-error-not-found

```

#### error\_log:

```

Description: Printer error log
Size: 5 KB
Last Modified: 16/10/08 1:55 PM
Location: /var/log/cups/error_log
Recent Contents: I [14/Oct/2008:23:38:04 -0700] Listening to ::1:631 (IPv6)
I [14/Oct/2008:23:38:04 -0700] Listening to fe80::1%lo0:631 (IPv6)
I [14/Oct/2008:23:38:04 -0700] Listening to 127.0.0.1:631 (IPv4)
I [14/Oct/2008:23:38:04 -0700] Listening to /private/var/run/cupsd (Domain)
I [14/Oct/2008:23:38:04 -0700] Loaded configuration file "/private/etc/cups/cupsd.conf"
I [14/Oct/2008:23:38:04 -0700] Using default TempDir of /private/var/spool/cups/tmp...
I [14/Oct/2008:23:38:04 -0700] Configured for up to 100 clients.
I [14/Oct/2008:23:38:04 -0700] Allowing up to 100 client connections per host.
I [14/Oct/2008:23:38:04 -0700] Using policy "default" as the default!
I [14/Oct/2008:23:38:04 -0700] Full reload is required.
I [14/Oct/2008:23:38:05 -0700] Loaded MIME database from '/private/etc/cups': 52 types, 49 filters...
I [14/Oct/2008:23:38:06 -0700] Full reload complete.
I [14/Oct/2008:23:38:06 -0700] Cleaning out old temporary files in "/private/var/spool/cups/tmp"...
I [14/Oct/2008:23:38:06 -0700] Listening to ::1:631 on fd 4...
I [14/Oct/2008:23:38:06 -0700] Listening to fe80::1%lo0:631 on fd 8...
I [14/Oct/2008:23:38:06 -0700] Listening to 127.0.0.1:631 on fd 6...
I [14/Oct/2008:23:38:06 -0700] Listening to /private/var/run/cupsd on fd 7...
I [14/Oct/2008:23:38:06 -0700] Resuming new connection processing...
I [15/Oct/2008:17:51:04 +1100] Printer sharing is off and there are no jobs pending, will restart on demand.
I [15/Oct/2008:17:51:04 +1100] Scheduler shutting down normally.
I [15/Oct/2008:17:51:04 +1100] Saving job cache file "/private/var/spool/cups/cache/job.cache"...
I [15/Oct/2008:17:51:55 +1100] Listening to ::1:631 (IPv6)
I [15/Oct/2008:17:51:55 +1100] Listening to fe80::1%lo0:631 (IPv6)
I [15/Oct/2008:17:51:55 +1100] Listening to 127.0.0.1:631 (IPv4)
I [15/Oct/2008:17:51:55 +1100] Listening to /private/var/run/cupsd (Domain)

```

```

I [15/Oct/2008:17:51:55 +1100] Loaded configurat on file "/private/etc/cups/cupsd.conf"
I [15/Oct/2008:17:51:55 +1100] Using default TempDir of /private/var/spool/cups/tmp...
I [15/Oct/2008:17:51:55 +1100] Configured for up to 100 cl ents.
I [15/Oct/2008:17:51:55 +1100] Allowing up to 100 client connections per host.
I [15/Oct/2008:17:51:55 +1100] Using policy "default" as the default!
I [15/Oct/2008:17:51:55 +1100] Full reload is required.
I [15/Oct/2008:17:51:55 +1100] Loaded MIME database from '/private/etc/cups': 52 types, 49 filters...
I [15/Oct/2008:17:51:55 +1100] Loading job cache file "/private/var/spool/cups/cache/job.cache"...
I [15/Oct/2008:17:51:55 +1100] Full reload complete.
I [15/Oct/2008:17:51:55 +1100] Cleaning out old temporary files in "/private/var/spool/cups/tmp"...
I [15/Oct/2008:17:51:55 +1100] Listening to ::1:631 on fd 4...
I [15/Oct/2008:17:51:55 +1100] Listening to fe80::1%lo0:631 on fd 8...
I [15/Oct/2008:17:51:55 +1100] Listening to 127.0.0.1:631 on fd 6...
I [15/Oct/2008:17:51:55 +1100] Listening to /private/var/run/cupsd on fd 7...
I [15/Oct/2008:17:51:55 +1100] Resuming new connection processing...
I [15/Oct/2008:17:57:06 +1100] Printer sharing is off and there are no jobs pending, will restart on demand.
I [15/Oct/2008:17:57:06 +1100] Scheduler shutting down normally.
I [15/Oct/2008:17:57:06 +1100] Saving job cache file "/private/var/spool/cups/cache/job.cache"...
I [16/Oct/2008:13:55:02 +1100] Listening to ::1:631 (IPv6)
I [16/Oct/2008:13:55:02 +1100] Listening to fe80::1%lo0:631 (IPv6)
I [16/Oct/2008:13:55:02 +1100] Listening to 127.0.0.1:631 (IPv4)
I [16/Oct/2008:13:55:02 +1100] Listening to /private/var/run/cupsd (Domain)
I [16/Oct/2008:13:55:02 +1100] Loaded configurat on file "/private/etc/cups/cupsd.conf"
I [16/Oct/2008:13:55:02 +1100] Using default TempDir of /private/var/spool/cups/tmp...
I [16/Oct/2008:13:55:02 +1100] Configured for up to 100 cl ents.
I [16/Oct/2008:13:55:02 +1100] Allowing up to 100 client connections per host.
I [16/Oct/2008:13:55:02 +1100] Using policy "default" as the default!
I [16/Oct/2008:13:55:02 +1100] Full reload is required.
I [16/Oct/2008:13:55:02 +1100] Loaded MIME database from '/private/etc/cups': 52 types, 49 filters...
I [16/Oct/2008:13:55:02 +1100] Loading job cache file "/private/var/spool/cups/cache/job.cache"...
I [16/Oct/2008:13:55:02 +1100] Full reload complete.
I [16/Oct/2008:13:55:02 +1100] Cleaning out old temporary files in "/private/var/spool/cups/tmp"...
I [16/Oct/2008:13:55:02 +1100] Listening to ::1:631 on fd 4...
I [16/Oct/2008:13:55:02 +1100] Listening to fe80::1%lo0:631 on fd 8...
I [16/Oct/2008:13:55:02 +1100] Listening to 127.0.0.1:631 on fd 6...
I [16/Oct/2008:13:55:02 +1100] Listening to /private/var/run/cupsd on fd 7...
I [16/Oct/2008:13:55:02 +1100] Resuming new connection processing...

```

#### install.log:

```

Description:  Installer log
Size:        349 KB
Last Modified: 16/10/08 1:23 PM
Location:    /var/log/install.log
Recent Contents:
...

```

```
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:
```

```
Diverting "./Applications/QuickTime Player.app/Contents/PlugIns/SettingsInspector.propPane/Contents/Resources/ko.lproj" to "/Applications/QuickTime Player.app/Contents/PlugIns/SettingsInspector.propPane/Contents/Resources/ko.lproj"
```

```
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:
```

```
Diverting "./Applications/QuickTime Player.app/Contents/PlugIns/SettingsInspector.propPane/Contents/Resources/ko.lproj/MovieSettings.nib" to "/Applications/QuickTime Player.app/Contents/PlugIns/SettingsInspector.propPane/Contents/Resources/ko.lproj/MovieSettings.nib"
```

```
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:
```

```
Diverting "./Applications/QuickTime Player.app/Contents/PlugIns/SettingsInspector.propPane/Contents/Resources/ko.lproj/TrackSettings.nib" to "/Applications/QuickTime Player.app/Contents/PlugIns/SettingsInspector.propPane/Contents/Resources/ko.lproj/TrackSettings.nib"
```

```
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:
```

```
Diverting "./Applications/QuickTime Player.app/Contents/PlugIns/VisualTrackInspector.propPane/Contents/Resources/ko.lproj" to "/Applications/QuickTime Player.app/Contents/PlugIns/VisualTrackInspector.propPane/Contents/Resources/ko.lproj"
```

```
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:
```

```
Diverting "./Applications/QuickTime Player.app/Contents/PlugIns/VisualTrackInspector.propPane/Contents/Resources/ko.lproj/VisualTrack.nib" to "/Applications/QuickTime Player.app/Contents/PlugIns/VisualTrackInspector.propPane/Contents/Resources/ko.lproj/VisualTrack.nib"
```

```
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:
```

```
Diverting "./Applications/QuickTime Player.app/Contents/Resources/ko.lproj/AVControls_HUD.nib" to "/Applications/QuickTime Player.app/Contents/Resources/ko.lproj/AVControls_HUD.nib"
```

```
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:
```

```
Diverting "./Applications/QuickTime Player.app/Contents/Resources/ko.lproj/AVControls_noHUD.nib" to "/Applications/QuickTime Player.app/Contents/Resources/ko.lproj/AVControls_noHUD.nib"
```

```
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:
```

```
Diverting "./Applications/QuickTime Player.app/Contents/Resources/ko.lproj/AVControlsMinimal_HUD.nib" to "/Applications/QuickTime Player.app/Contents/Resources/ko.lproj/AVControlsMinimal_HUD.nib"
```

```
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:
```

```
Diverting "./Applications/QuickTime Player.app/Contents/Resources/ko.lproj/AVControlsMinimal_noHUD.nib" to "/Applications/QuickTime Player.app/Contents/Resources/ko.lproj/AVControlsMinimal_noHUD.nib"
```

```
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:
```

```
Diverting "./Applications/QuickTime Player.app/Contents/Resources/ko.lproj/CaptureWindow.nib" to "/Applications/
```

QuickTime Player.app/Contents/Resources/ko.lproj/CaptureWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/CaptureWindow\_Panther.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/CaptureWindow\_Panther.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/ExportRefMovieForWeb.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/ExportRefMovieForWeb.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/FindText.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/FindText.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/FSPresentationSettings.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/FSPresentationSettings.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/JobProgressWindow.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/JobProgressWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/MainMenu.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/MainMenu.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/mcAction.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/mcAction.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/notification.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/notification.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/NSURLPanel.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/NSURLPanel.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/ProcessingWindow.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/ProcessingWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/PublishWindow.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/PublishWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/QTPFavorites.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/QTPFavorites.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/QTPLanguage.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/QTPLanguage.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/QTPMovieProgress.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/QTPMovieProgress.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/QTPMovieWindow.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/QTPMovieWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/QTPPreferences.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/QTPPreferences.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/QuartzCompWindow.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/QuartzCompWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/SaveAsOptionsAccessory.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/SaveAsOptionsAccessory.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/ShareDotMac.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/ShareDotMac.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/ShareMail.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/ShareMail.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/ko.lproj/SharePodcastProducer.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ko.lproj/SharePodcastProducer.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/  
Dutch.lproj" to "  
Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/  
Resources/Dutch.lproj"



Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/CaptureWindow\_Panther.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/CaptureWindow\_Panther.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/ExportRefMov eForWeb.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/ExportRefMov eForWeb.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/FindText.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/FindText.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/FSPresentat onSettings.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/FSPresentat onSettings.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/JobProgressWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/JobProgressWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/MainMenu.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/MainMenu.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/mcAct on.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/mcAction.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/notificat on.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/notification.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/OpenURLPanel.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/OpenURLPanel.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/ProcessingWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/ProcessingWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/PublishWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/PublishWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/QTPFavorites.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/QTPFavorites.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/QTPLanguage.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/QTPLanguage.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/QTPMovieProgress.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/QTPMovieProgress.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/QTPMovieWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/QTPMovieWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/QTPPreferences.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/QTPPreferences.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/QuartzCompWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/QuartzCompWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/SaveAsOptionsAccessory.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/SaveAsOptionsAccessory.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/ShareDotMac.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/ShareDotMac.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/ShareMail.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/ShareMail.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/SharePodcastProducer.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Dutch.lproj/SharePodcastProducer.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/pl.lproj" to "/Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/pl.lproj"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:



Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/CaptureWindow\_Panther.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/CaptureWindow\_Panther.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/ExportRefMovieForWeb.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/ExportRefMovieForWeb.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/FindText.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/FindText.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/FSPresentationSettings.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/FSPresentationSettings.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/JobProgressWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/JobProgressWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/MainMenu.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/MainMenu.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/mcAction.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/mcAction.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/notification.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/notification.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/OpenURLPanel.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/OpenURLPanel.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/ProcessingWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/ProcessingWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/PublishWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/PublishWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/QTPFavorites.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/QTPFavorites.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/QTPLanguage.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/QTPLanguage.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/QTPMovieProgress.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/QTPMovieProgress.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/QTPMovieWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/QTPMovieWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/QTPPreferences.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/QTPPreferences.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/QuartzCompWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/QuartzCompWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/SaveAsOptionsAccessory.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/SaveAsOptionsAccessory.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/ShareDotMac.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/ShareDotMac.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/ShareMail.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/ShareMail.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/SharePodcastProducer.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pl.lproj/SharePodcastProducer.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/pt\_PT.lproj" to "/Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/pt\_PT.lproj"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:



Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/CaptureWindow\_Panther.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/CaptureWindow\_Panther.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/ExportRefMovieForWeb.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/ExportRefMovieForWeb.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/FindText.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/FindText.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/FSPresentationSettings.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/FSPresentationSettings.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/JobProgressWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/JobProgressWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/MainMenu.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/MainMenu.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/mcAction.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/mcAction.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/notification.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/notification.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/OpenURLPanel.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/OpenURLPanel.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/ProcessingWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/ProcessingWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/PublishWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/PublishWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/QTPFavorites.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/QTPFavorites.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/QTPLanguage.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/QTPLanguage.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/QTPMovieProgress.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/QTPMovieProgress.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/QTPMovieWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/QTPMovieWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/QTPPreferences.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/QTPPreferences.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/QuartzCompWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/QuartzCompWindow.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/SaveAsOptionsAccessory.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/SaveAsOptionsAccessory.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/ShareDotMac.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/ShareDotMac.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/ShareMail.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/ShareMail.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/SharePodcastProducer.nib" to "/Applications/QuickTime Player.app/Contents/Resources/pt\_PT.Iproj/SharePodcastProducer.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/ru.Iproj" to "/Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/ru.Iproj"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/"



Applications/QuickTime Player.app/Contents/Resources/ru.lproj/CaptureWindow\_Panther.nib"  
Oct 16 13:23:47 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/ExportRefMovieForWeb.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/ExportRefMovieForWeb.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/FindText.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/FindText.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/FSPresentationSettings.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/FSPresentationSettings.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/JobProgressWindow.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/JobProgressWindow.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/MainMenu.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/MainMenu.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/mcAction.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/mcAction.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/notification.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/notification.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/OpenURLPanel.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/OpenURLPanel.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/ProcessingWindow.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/ProcessingWindow.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/PublishWindow.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/PublishWindow.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/QTPFavorites.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/QTPFavorites.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/QTPLanguage.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/QTPLanguage.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/QTPMovieProgress.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/QTPMovieProgress.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/QTPMovieWindow.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/QTPMovieWindow.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/QTPPreferences.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/QTPPreferences.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/QuartzCompWindow.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/QuartzCompWindow.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/SaveAsOptionsAccessory.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/SaveAsOptionsAccessory.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/ShareDotMac.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/ShareDotMac.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/ShareMail.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/ShareMail.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/Resources/ru.lproj/SharePodcastProducer.nib" to "  
Applications/QuickTime Player.app/Contents/Resources/ru.lproj/SharePodcastProducer.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/  
sv.lproj" to "  
Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/  
Resources/sv.lproj"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting "./Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/  
sv.lproj/Annotation.nib" to "  
Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/  
Contents/Resources/sv.lproj/Annotation.nib"



Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/ExportRefMovieForWeb.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/ExportRefMovieForWeb.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/FindText.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/FindText.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/FSPresentationSettings.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/FSPresentationSettings.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/JobProgressWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/JobProgressWindow.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/MainMenu.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/MainMenu.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/mcAction.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/mcAction.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/notification.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/notification.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/NSURLPanel.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/NSURLPanel.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/ProcessingWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/ProcessingWindow.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/PublishWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/PublishWindow.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/QTPFavorites.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/QTPFavorites.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/QTPLanguage.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/QTPLanguage.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/QTPMovieProgress.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/QTPMovieProgress.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/QTPMovieWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/QTPMovieWindow.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/QTPPreferences.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/QTPPreferences.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/QuartzCompWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/QuartzCompWindow.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/SaveAsOptionsAccessory.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/SaveAsOptionsAccessory.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/ShareDotMac.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/ShareDotMac.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/ShareMail.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/ShareMail.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/Resources/sv.lproj/SharePodcastProducer.nib" to "/Applications/QuickTime Player.app/Contents/Resources/sv.lproj/SharePodcastProducer.nib"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/Italian.lproj" to "/Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/Italian.lproj"

Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ". /Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/Italian.lproj/Annotation.nib" to "/Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/Italian.lproj/Annotation.nib"



Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/ExportRefMovieForWeb.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/ExportRefMovieForWeb.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/FindText.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/FindText.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/FSPresentationSettings.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/FSPresentationSettings.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/JobProgressWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/JobProgressWindow.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/MainMenu.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/MainMenu.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/mcAction.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/mcAction.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/notification.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/notification.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/OpenURLPanel.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/OpenURLPanel.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/ProcessingWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/ProcessingWindow.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/PublishWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/PublishWindow.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/QTPFavorites.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/QTPFavorites.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/QTPLanguage.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/QTPLanguage.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/QTPMovieProgress.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/QTPMovieProgress.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/QTPMovieWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/QTPMovieWindow.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/QTPPreferences.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/QTPPreferences.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/QuartzCompWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/QuartzCompWindow.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/SaveAsOptionsAccessory.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/SaveAsOptionsAccessory.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/ShareDotMac.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/ShareDotMac.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/ShareMail.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/ShareMail.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/SharePodcastProducer.nib" to "/Applications/QuickTime Player.app/Contents/Resources/Italian.Iproj/SharePodcastProducer.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/zh\_TW.Iproj" to "/Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/zh\_TW.Iproj"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/zh\_TW.Iproj/Annotation.nib" to "/Applications/QuickTime Player.app/Contents/PlugIns/AnnotationInspector.propPane/Contents/Resources/zh\_TW.Iproj/Annotation.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:



Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/ExportRefMovieForWeb.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/ExportRefMovieForWeb.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/FindText.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/FindText.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/FSPresentationSettings.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/FSPresentationSettings.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/JobProgressWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/JobProgressWindow.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/MainMenu.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/MainMenu.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/mcAction.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/mcAction.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/notification.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/notification.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/OpenURLPanel.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/OpenURLPanel.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/ProcessingWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/ProcessingWindow.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/PublishWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/PublishWindow.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/QTPFavorites.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/QTPFavorites.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/QTPLanguage.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/QTPLanguage.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/QTPMovieProgress.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/QTPMovieProgress.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/QTPMovieWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/QTPMovieWindow.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/QTPPreferences.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/QTPPreferences.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/QuartzCompWindow.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/QuartzCompWindow.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/SaveAsOptionsAccessory.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/SaveAsOptionsAccessory.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/ShareDotMac.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/ShareDotMac.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/ShareMail.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/ShareMail.nib"  
Oct 16 13:23:48 dans-macbook pkgExtractor[948]:

Diverting ".:/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/SharePodcastProducer.nib" to "/Applications/QuickTime Player.app/Contents/Resources/zh\_TW.lproj/SharePodcastProducer.nib"  
Oct 16 13:23:50 dans-macbook pkgExtractor[948]:

7330 of 7330 files written in 15.34 seconds.  
Oct 16 13:23:50 dans-macbook pkgExtractor[948]:

168680 kilobytes installed at 10.7 MB/s.  
Oct 16 13:23:50 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]:

Performing post-extraction actions  
Oct 16 13:23:50 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]:

Finishing receipt

Oct 16 13:23:50 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: run postflight script for QuickTime 7  
Oct 16 13:23:51 dans-macbook runner[698]: postflight[950]: Running ConfigureMimeTypes...  
Oct 16 13:23:51 dans-macbook runner[698]: postflight[950]:

Current QuickTime version: 0x7518000

Oct 16 13:23:51 dans-macbook runner[698]: postflight[950]:

Opening PluginHelper component

Oct 16 13:23:51 dans-macbook runner[698]: postflight[950]:

Rescanning for new importers

Oct 16 13:23:51 dans-macbook runner[698]: postflight[950]:

Configuring MIME types

Oct 16 13:23:51 dans-macbook runner[698]: postflight[950]:

(Re-)Creating MIME types preferences file

Oct 16 13:23:51 dans-macbook runner[698]: postflight[950]:  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: Removing temporary directory "/private/tmp/QuickTime755\_Leopard.pkg.693tt95rF"  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: Finalize disk "Macintosh HD"  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: Notifying system of updated components  
Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/PreferencePanes'  
Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Library/PreferencePanes'  
Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/QuickTime'  
Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/Components'  
Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Library/Components'  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: \_installNextPackage of 0  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]:  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: \*\*\*\* Summary Informat on \*\*\*\*  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: Operation Elapsed time  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: -----  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: script 1.77 seconds  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: zero 0.01 seconds  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: install 18.47 seconds  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: validate 0.00 seconds  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: os 0.00 seconds  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: extract 15.40 seconds  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: receipt 1.52 seconds  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: disk 0.01 seconds  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: config 1.54 seconds  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]:  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: Starting installation:  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: Finalizing installation.  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: Registering applicat ons  
Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/AppleScript/Script Ed tor.app'  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: Registered /Applicat ons/AppleScript/Script Editor.app.  
Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/Utilities/Bluetooth File Exchange.app'  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: Registered /Applicat ons/Util ties/Bluetooth File Exchange.app.  
Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/Utilities/Java/Input Method HotKey.app'  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: Registered /Applicat ons/Util ties/Java/Input Method HotKey.app.  
Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/Utilities/Java/Java Preferences.app'  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: Registered /Applicat ons/Util ties/Java/Java Preferences.app.  
Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/Utilities/Java/Java Web Start.app'  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: Registered /Applicat ons/Util ties/Java/Java Web Start.app.  
Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/iTunes.app'  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: Registered /Applicat ons/iTunes app.  
Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/iTunes.app/Contents/Resources/iTunesHelper.app'  
Oct 16 13:23:52 dans-macbook /System/Library/CoreServices/Software Update.app/Contents/MacOS/Software Update[693]: Registered /Applicat ons/iTunes app/Contents/Resources/iTunesHelper.app.



Oct 16 13:23:52 dans-macbook runner[698]: Touched '/usr/share/java/Tools'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/RemoteManagement/ARDAgent.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/RemoteManagement'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/Utilities/Java/Java Preferences.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/Utilities/Java'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/RemoteManagement/ARDAgent.app/Contents/Support/ARDForcedViewer.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/RemoteManagement/ARDAgent.app/Contents/Support'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Developer/Applications/Utilities/Jar Bundler.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Developer/Applications/Utilities'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/Utilities/Bluetooth File Exchange.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/Utilities'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Developer/Applications/Utilities/Applet Launcher.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Developer/Applications/Utilities/Util it es'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/Utilities/Java/Java Web Start.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/Utilities/Java'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/Utilities/Java/Input Method HotKey.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/Utilities/Java'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/usr/share/java/Tools/Applet Launcher.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/usr/share/java/Tools'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/RemoteManagement/AppleVNCServer.bundle/Contents/Support/LockScreen.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/RemoteManagement/AppleVNCServer.bundle/Contents/Support'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/PrivateFrameworks/MobileDevice.framework/Versions/A/AppleMobileDeviceHelper.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/PrivateFrameworks/MobileDevice.framework/Versions/A'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/AVRCPAgent.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/RemoteManagement/AppleVNCServer.bundle/Contents/Support/VNCDragHelper.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/RemoteManagement/AppleVNCServer.bundle/Contents/Support'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/iTunes.app/Contents/Resources/iTunesHelper.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/iTunes.app/Contents/Resources'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/Jar Launcher.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/BluetoothUIServer.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/QuickTime Player.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/OBEXAgent.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/Frameworks/ScreenSaver.framework/Versions/A/Resources/ScreenSaverEngine.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/Frameworks/ScreenSaver.framework/Versions/A/Resources'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/AppleScript/Script Editor.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/AppleScript'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/RemoteManagement/ARDAgent.app/Contents/Support/Remote Desktop Message.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/RemoteManagement/ARDAgent.app/Contents/Support'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/Bluetooth Setup Assistant.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications/iTunes.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/Applications'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/Frameworks/QuickLook.framework/Versions/A/Resources/quicklookd.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/Frameworks/QuickLook.framework/Versions/A/Resources'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices/BluetoothAudioAgent.app'  
 Oct 16 13:23:52 dans-macbook runner[698]: Touched '/System/Library/CoreServices'

#### Software Update.log:

Description: Software update log  
 Size: 501 bytes  
 Last Modified: 16/10/08 1:23 PM  
 Location: [/Library/Logs/Software Update.log](#)  
 Recent Contents: 2008-10-16 13:22:13 +1100: Installed "iTunes" (8.0.1)  
 2008-10-16 13:22:37 +1100: Installed "Java For Mac OS X 10.5 Update 2" (1.0)  
 2008-10-16 13:22:50 +1100: Installed "Security Update 2008-007" (1.0)  
 2008-10-16 13:22:56 +1100: Installed "Digital Camera Raw Compatibility Update" (2.2)  
 2008-10-16 13:23:24 +1100: Installed "MacBook, MacBook Pro Software Update" (1.2)  
 2008-10-16 13:23:31 +1100: Installed "Remote Desktop Client Update" (3.2.2)  
 2008-10-16 13:23:53 +1100: Installed "QuickTime" (7.5.5)

#### ioreg\_sp.txt:

Description: IORegistry state file  
 Size: 295 KB  
 Last Modified: 16/10/08 1:55 PM  
 Location: [/tmp/ioreg\\_sp.txt](#)









```

||| "IOInterruptControllers" = ("IOPlatformInterruptController","IOPlatformInterruptController")
||| "Timer Vector Number" = 0x2
||| "Base Vector Number" = 0x40
||| "IOInterruptSpecifiers" = (<00000000>,<01000000>)
||| }
||| }
11> +--o AppleAPICInterruptController <class AppleAPICInterruptController, registered, matched, active, busy 0, retain
||| {
|||   "IOProviderClass" = "IOPlatformDevice"
|||   "IOProbeScore" = 0x0
|||   "Vector Count" = 0x18
|||   "CFBundleIdentifier" = "com.apple.driver.AppleAPIC"
|||   "IOMatchCategory" = "IODefaultMatchCategory"
|||   "IONameMatched" = "io-apic"
|||   "IOClass" = "AppleAPICInterruptController"
|||   "IONameMatch" = "io-apic"
|||   "Base Vector Number" = 0x40
||| }
||| }
+--o AppleACPIEventController <class AppleACPIEventController, !registered, !matched, active, busy 0, retain 6>
||| {
|||   "InterruptControllerName" = "ACPIEventController"
||| }
||| }
+--o boot-ec <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 6>
||| {
|||   "IOInterruptControllers" = ("ACPIEventController")
|||   "IOInterruptSpecifiers" = (<4400000000000000>)
||| }
||| }
+--o AppleACPIEC <class AppleACPIEC, !registered, !matched, active, busy 0, retain 5>
||| {
|||   "IOProviderClass" = "IOACPIPlatformDevice"
|||   "IOProbeScore" = 0x0
|||   "CFBundleIdentifier" = "com.apple.driver.AppleACPIEC"
|||   "IOMatchCategory" = "IODefaultMatchCategory"
|||   "IONameMatched" = "boot-ec"
|||   "IOClass" = "AppleACPIEC"
|||   "IONameMatch" = ("PNP0C09","boot-ec")
||| }
||| }
+--o bios <class IOPlatformDevice, registered, matched, active, busy 0, retain 5>
||| {
|||   "IOName" = "bios"
||| }
||| }
+--o AppleSMBIOS <class AppleSMBIOS, registered, matched, active, busy 0, retain 4>
||| {
|||   "IOProviderClass" = "IOPlatformDevice"
|||   "IOProbeScore" = 0x0
|||   "SMBIOS" =
<042300000303010276060100ffbbebf01900a016009600941040200ffffff000400496e74656c28522920436f72652
8544d29322044756f204350552020202020503836303020204020322e343047487a00496e74656c28522920436f727
06f726174696f6e005532453100556e6b6e6f776e00000713010001800120002000400040000005030756e6b6e6f77
6e000007130200018001200020004000400000050407556e6b6e6f776e0000042303000303010276060100f5
|||   "SMBIOS-EPs" = <5f534d5fc11f0204bc00000000000005f444d495f3315080060ec7f290024>
|||   "CFBundleIdentifier" = "com.apple.driver.AppleSMBIOS"
|||   "IOMatchCategory" = "AppleSMBIOS"
|||   "IONameMatched" = "bios"
|||   "IOClass" = "AppleSMBIOS"
|||   "IONameMatch" = "bios"
||| }
||| }
+--o ADP1 <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 7>
||| {
|||   "acpi-wake-system-state" = 0x3
|||   "name" = <41435049303030300>
|||   "acpi-wake-gpe" = 0x10
|||   "_STA" = 0xf
||| }
||| }
+--o AppleACPIACAdapter <class AppleACPIACAdapter, !registered, !matched, active, busy 0, retain 4>
||| {
|||   "IOProviderClass" = "IOACPIPlatformDevice"
|||   "IOProbeScore" = 0x0
|||   "CFBundleIdentifier" = "com.apple.driver.AppleACPIButtons"
|||   "IOMatchCategory" = "IODefaultMatchCategory"
|||   "IONameMatched" = "ACPI0003"
|||   "IOClass" = "AppleACPIACAdapter"
|||   "IONameMatch" = "ACPI0003"
||| }
||| }
+--o LIDO <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 10>
||| {
|||   "acpi-wake-system-state" = 0x3
|||   "name" = <504e503043304400>
|||   "acpi-wake-gpe" = 0x12
|||   "_STA" = 0xf
||| }
||| }

```







```

| | | | | "IONameMatched" = "smbus"
| | | | | "IOClass" = "AppleSMBusControllerMCP"
| | | | | "IONameMatch" = "smbus"
| | | | | "IOPowerManagement" = {"ChildrenPowerState"=0x1,"CurrentPowerState"=0x1}
| | | | | }
| | | | | }
| | | | | +-o MKY0 <class AppleSMBusDevice, registered, matched, active, busy 0, retain 5 >
| | | | | | {
| | | | | | | "compatible" = <6d696b657900>
| | | | | | | "device-properties" = {"address"=0x39,"acpi-device"="IOACPIPlatformDevice is not
serializable","device-id"=0xccb,"refnum"=0x0,"acpi-path"="IOACPIPlane:/_SB/PCI0@0/SBUS@30002/BUS1@1/
MKY0@0"}
| | | | | | | "_ADR" = 0x0
| | | | | | | "_STA" = 0xf
| | | | | | | }
| | | | | | }
| | | | | +-o AppleMikeyDriver <class AppleMikeyDriver, registered, matched, active, busy 0, retain 6 >
| | | | | | {
| | | | | | | "IOProviderClass" = "AppleSMBusDevice"
| | | | | | | "IOProbeScore" = 0x3e8
| | | | | | | "CFBundleIdentifier" = "com.apple.driver.AppleMikeyDriver"
| | | | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | | | "IONameMatched" = "MKY0"
| | | | | | | "IOClass" = "AppleMikeyDriver"
| | | | | | | "IONameMatch" = ("mikey","MKY0","MKY1")
| | | | | | | "IOPowerManagement" = {"CurrentPowerState"=0x2,"DriverChangePowerState"=0x2}
| | | | | | | "AppleMikeyHIDMatching" = 0x0
| | | | | | | }
| | | | | +-o AppleMikeyHIDDriver <class AppleMikeyHIDDriver, registered, matched, active, busy 0, retain 6 >
| | | | | | {
| | | | | | | "IOProbeScore" = 0x0
| | | | | | | "PrimaryUsagePage" = 0xc
| | | | | | | "Product" = "Apple Mikey HID Driver"
| | | | | | | "CFBundleIdentifier" = "com.apple.driver.AppleMikeyHIDDriver"
| | | | | | | "HIDRemoteControl" = Yes
| | | | | | | "MaxInputReportSize" = 0x4
| | | | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | | | "DeviceUsagePairs" = ({"DeviceUsage"=0x1,"DeviceUsagePage"=0xc})
| | | | | | | "HIDDefaultBehavior" = ""
| | | | | | | "InputReportElements" =
({ "ReportSize"=0x20,"ElementCookie"=0xb,"Size"=0x20,"ReportID"=0x0,"Type"=0x1,"Usage"=0x0,"UsagePage"=0x0,"R
eportCount"=0x1})
| | | | | | | "Elements" =
({ "ReportID"=0x0,"ElementCookie"=0x1,"CollectionType"=0x1,"Type"=0x201,"Usage"=0x1,"UsagePage"=0xc,"Elements"
=({ "UnitExponent"=0x0,"HasNullState"=No,"ReportSize"=0x8,"ElementCookie"=0x2,"HasPreferredState"=Yes,"Min"=0x1
,"Usage"=0xffffffffff,"IsArray"=Yes,"IsWrapping"=No,"Max"=0x1,"Unit"=0x0,"Flags"=0x0,"ReportID"=0x0,"Size"=0x
8,"IsRelative"=No,"Type"$
| | | | | | | | "IOProviderClass" = "AppleMikeyDriver"
| | | | | | | | "MaxOutputReportSize" = 0x0
| | | | | | | | "ReportInterval" = 0x1f40
| | | | | | | | "IOCFPluginTypes" = {"7DDEECA8-A7B4-11D4-8A0E-0014519758EF"="IOHIDFamily.kext/Contents/
Plugins/IOHIDLib.plugin","FA12FA38-6F1A-11D4-BA0C-0005028F18D5"="IOHIDFamily.kext/Contents/Plugins/
IOHIDLib.plugin"}
| | | | | | | | "MaxFeatureReportSize" = 0x0
| | | | | | | | "IOUserClientClass" = "IOHIDLibUserClient"
| | | | | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | | | | "IOClass" = "AppleMikeyHIDDriver"
| | | | | | | | "PrimaryUsage" = 0x1
| | | | | | | }
| | | | | +-o IOHIDInterface <class IOHIDInterface, registered, matched, active, busy 0, retain 6 >
| | | | | | {
| | | | | | | "DeviceUsagePairs" = ({"DeviceUsage"=0x1,"DeviceUsagePage"=0xc})
| | | | | | | "PrimaryUsagePage" = 0xc
| | | | | | | "ReportInterval" = 0x1f40
| | | | | | | "Product" = "Apple Mikey HID Driver"
| | | | | | | "HIDDefaultBehavior" = ""
| | | | | | | "PrimaryUsage" = 0x1
| | | | | | | }
| | | | | +-o IOHIDEventDriver <class IOHIDEventDriver, registered, matched, active, busy 0, retain 8 >
| | | | | | {
| | | | | | | "IOProbeScore" = 0x47e
| | | | | | | "CountryCode" = 0x0
| | | | | | | "Product" = "Apple Mikey HID Driver"
| | | | | | | "CFBundleIdentifier" = "com.apple.okit.IOHIDFamily"
| | | | | | | "VersionNumber" = 0x0
| | | | | | | "DeviceUsagePairs" = ({"DeviceUsage"=0x1,"DeviceUsagePage"=0xc})
| | | | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | | | "HIDDefaultBehavior" = ""
| | | | | | | "ProductID" = 0x0
| | | | | | | "IOProviderClass" = "IOHIDInterface"
| | | | | | | "VendorIDSource" = 0x0
| | | | | | | "HIDPointerAccelerat onTable" =
<0008000553422a0007000000000010001000000010000000200000100000713b00004ce300044ec5000d3704
000544000014800000072c000023e000000900000034b000000ad8000045f000000d080000579000000f600000690
00000121000007a800000150000008900000017c00000910000001ac0000096b000001d90000099b0000020a00000
9b30000023f000009c30000027b000009c3000000800000120000715
| | | | | | | "LocationID" = 0x0

```







```

| | | | "bNumEndpoints" = 0x1
| | | | "idVendor" = 0x5ac
| | | | "bcdDevice" = 0x279
| | | | }
| | | | +-o IR Receiver@4500000 <class IOUSBDevice, registered, matched, active, busy 0, retain 8>
| | | | {
| | | | | "bNumConfigurations" = 0x1
| | | | | "sessionID" = 0x45545aaf
| | | | | "bcdDevice" = 0x16
| | | | | "USB Address" = 0x2
| | | | | "iProduct" = 0x2
| | | | | "bDeviceClass" = 0x0
| | | | | "bMaxPacketSize0" = 0x8
| | | | | "IOUserClientClass" = "IOUSBDeviceUserClientV2"
| | | | | "idVendor" = 0x5ac
| | | | | "PortNum" = 0x5
| | | | | "Bus Power Available" = 0xfa
| | | | | "Device Speed" = 0x0
| | | | | "USB Product Name" = "IR Receiver"
| | | | | "Requested Power" = 0x32
| | | | | "non-removable" = "yes"
| | | | | "locationID" = 0x4500000
| | | | | "USB Vendor Name" = "Apple Computer, Inc."
| | | | | "idProduct" = 0x8242
| | | | | "bDeviceProtocol" = 0x0
| | | | | "iManufacturer" = 0x1
| | | | | "IOCFPlugInTypes" = {"9dc7b780-9ec0-11d4-a54f-000a27052861"}="IOUSBFamily.kext/Contents/
PlugIns/IOUSBLib.bundle"}
| | | | | "iSerialNumber" = 0x0
| | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | "bDeviceSubClass" = 0x0
| | | | | "Low Power Displayed" = No
| | | | | }
| | | | +-o IOUSBCompos teDriver <class IOUSBCompositeDriver, !registered, !matched, active, busy 0, retain 4>
| | | | {
| | | | | "IOProviderClass" = "IOUSBDevice"
| | | | | "IOProbeScore" = 0xc350
| | | | | "CFBundleIdentifier" = "com.apple.driver.AppleUSBCompos te"
| | | | | "bDeviceClass" = 0x0
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "bDeviceSubClass" = 0x0
| | | | | "IOClass" = "IOUSBCompos teDriver"
| | | | | }
| | | | +-o IOUSBInterface@0 <class IOUSBInterface, registered, matched, active, busy 0, retain 6>
| | | | {
| | | | | "bInterfaceProtocol" = 0x0
| | | | | "locat onID" = 0x4500000
| | | | | "bcdDevice" = 0x16
| | | | | "bConfigurationValue" = 0x1
| | | | | "iInterface" = 0x0
| | | | | "idProduct" = 0x8242
| | | | | "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-000a27052861"}="IOUSBFamily.kext/Contents/
PlugIns/IOUSBLib.bundle"}
| | | | | "bInterfaceSubClass" = 0x0
| | | | | "bAlternateSetting" = 0x0
| | | | | "IOUserClientClass" = "IOUSBInterfaceUserCl entV2"
| | | | | "bInterfaceClass" = 0x3
| | | | | "bInterfaceNumber" = 0x0
| | | | | "bNumEndpoints" = 0x1
| | | | | "idVendor" = 0x5ac
| | | | | }
| | | | +-o AppleIRController <class AppleIRController, registered, matched, active, busy 0, retain 8>
| | | | {
| | | | | "Product" = "Apple IR"
| | | | | "CFBundleIdentifier" = "com.apple.driver.AppleIRController"
| | | | | "HIDRemoteControl" = Yes
| | | | | "MaxInputReportSize" = 0x5
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "bConfigurationValue" = 0x1
| | | | | "InputReportElements" =
({ "ReportSize"=0x28,"ElementCookie"=0x28,"Size"=0x28,"ReportID"=0x0,"Type"=0x1,"Usage"=0x0,"UsagePage"=0x0,"
ReportCount"=0x1})
| | | | | "ProductID" = 0x8242
| | | | | "ReportInterval" = 0x1f40
| | | | | "VendorID" = 0x5ac
| | | | | "Transport" = "USB"
| | | | | "IOUserClientClass" = "IOHIDLibUserClient"
| | | | | "DeviceEnabled" = No
| | | | | "BootProtocol" = 0x0
| | | | | "idVendor" = 0x5ac
| | | | | "IOProbeScore" = 0x15f90
| | | | | "Manufacturer" = "Apple Computer, Inc."
| | | | | "PrimaryUsagePage" = 0xc
| | | | | "CountryCode" = 0x0
| | | | | "VersionNumber" = 0x16
| | | | | "DeviceUsagePairs" = ({ "DeviceUsage"=0x1,"DeviceUsagePage"=0xc})

```

```

| | | | | "IOPowerManagement" = {"CurrentPowerState"=0x3,"DriverChangePowerState"=0x3}
| | | | | "MaxOutputReportSize" = 0x0
| | | | | "IOProviderClass" = "IOUSBInterface"
| | | | | "idProduct" = 0x8242
| | | | | "Elements" =
({ "ReportID"=0x0,"ElementCookie"=0x1,"CollectionType"=0x1,"Type"=0x201,"Usage"=0x1,"UsagePage"=0xc,"Elements"
=({ "UnitExponent"=0x0,"HasNullState"=No,"ReportSize"=0x7,"ElementCookie"=0x2,"HasPreferredState"=Yes,"Min"=0x1
,"Usage"=0xffffffffffff,"IsArray"=Yes,"IsWrapping"=No,"Max"=0x3,"Unit"=0x0,"Flags"=0x0,"ReportID"=0x0,"Size"=0x
7,"IsRelative"=No,"Type"=0x2$
| | | | | "IOCFPlugInTypes" = {"7DDEECA8-A7B4-11DA-8A0E-0014519758EF"="IOHIDFamily.kext/Contents/
PlugIns/IOHIDLib.plugin","FA12FA38-6F1A-11D4-BA0C-0005028F18D5"="IOHIDFamily.kext/Contents/PlugIns/
IOHIDLib.plugin"})
| | | | | "MaxFeatureReportSize" = 0x0
| | | | | "LocationID" = 0x4500000
| | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | "bInterfaceClass" = 0x3
| | | | | "IOClass" = "AppleIRController"
| | | | | "bInterfaceNumber" = 0x0
| | | | | "PrimaryUsage" = 0x1
| | | | | }
| | | | | +-o IOHIDInterface <class IOHIDInterface, registered, matched, active, busy 0, retain 5>
| | | | | {
| | | | | "Manufacturer" = "Apple Computer, Inc."
| | | | | "PrimaryUsagePage" = 0xc
| | | | | "Product" = "Apple IR"
| | | | | "CountryCode" = 0x0
| | | | | "VersionNumber" = 0x16
| | | | | "DeviceUsagePairs" = ({ "DeviceUsage"=0x1,"DeviceUsagePage"=0xc})
| | | | | "ProductID" = 0x8242
| | | | | "ReportInterval" = 0x1f40
| | | | | "VendorID" = 0x5ac
| | | | | "LocationID" = 0x4500000
| | | | | "Transport" = "USB"
| | | | | "BootProtocol" = 0x0
| | | | | "PrimaryUsage" = 0x1
| | | | | }
| | | | | +-o IOHIDLibUserClient <class IOHIDLibUserClient, !registered, !matched, active, busy 0, retain 6>
| | | | | {
| | | | | }
| | | | | +-o Apple Internal Keyboard / Trackpad@4600000 <class IOUSBDevice, registered, matched, active, busy 0,
retain 10>
| | | | | {
| | | | | "bNumConfigurations" = 0x1
| | | | | "sessionID" = 0x4c4d7de0
| | | | | "bcdDevice" = 0x77
| | | | | "USB Address" = 0x3
| | | | | "iProduct" = 0x2
| | | | | "bDeviceClass" = 0x0
| | | | | "bMaxPacketSize0" = 0x8
| | | | | "IOUserClientClass" = "IOUSBDeviceUserClientV2"
| | | | | "idVendor" = 0x5ac
| | | | | "PortNum" = 0x6
| | | | | "Bus Power Available" = 0xfa
| | | | | "Device Speed" = 0x1
| | | | | "USB Product Name" = "Apple Internal Keyboard / Trackpad"
| | | | | "Requested Power" = 0x14
| | | | | "non-removable" = "yes"
| | | | | "locationID" = 0x4600000
| | | | | "USB Vendor Name" = "Apple, Inc."
| | | | | "idProduct" = 0x236
| | | | | "bDeviceProtocol" = 0x0
| | | | | "iManufacturer" = 0x1
| | | | | "IOCFPlugInTypes" = {"9dc7b780-9ec0-11d4-a54f-000a27052861"="IOUSBFamily.kext/Contents/
PlugIns/IOUSBLib.bundle"})
| | | | | "iSerialNumber" = 0x0
| | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | "bDeviceSubClass" = 0x0
| | | | | "Low Power Displayed" = No
| | | | | }
| | | | | +-o IOUSBCompositeDriver <class IOUSBCompositeDriver, !registered, !matched, active, busy 0, retain 4>
| | | | | {
| | | | | "IOProviderClass" = "IOUSBDevice"
| | | | | "IOProbeScore" = 0xc350
| | | | | "CFBundleIdentifier" = "com.apple.driver.AppleUSBComposite"
| | | | | "bDeviceClass" = 0x0
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "bDeviceSubClass" = 0x0
| | | | | "IOClass" = "IOUSBCompositeDriver"
| | | | | }
| | | | | +-o Apple Internal Keyboard@0 <class IOUSBInterface, registered, matched, active, busy 0, retain 6>
| | | | | {
| | | | | "bInterfaceProtocol" = 0x1
| | | | | "bcdDevice" = 0x77
| | | | | "locationID" = 0x4600000
| | | | | "bConfigurationValue" = 0x1

```



```

| | | | | "Product" = "Apple Internal Keyboard / Trackpad"
| | | | | "CFBundleIdentifier" = "com.apple.driver.AppleUSBTCKeyEventDriver"
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "CapsLockDelay" = 0x4b
| | | | | "ProductID" = 0x236
| | | | | "FnFunctionUsageMap" = "0x0007003a,0x00ff0005,0x0007003b,0x00ff0004,0x0007003c,
0xff010010,0x0007003d,0xff010002,0x0007003e,0x00ff0009,0x0007003f,
0x00ff0008,0x00070040,0x000C00B4,0x00070041,0x000C00CD,
0x00070042,0x000C00B3,0x00070043,0x000C00E2,0x00070044,0x000C00EA,0x00070045,0x000C00E9"
| | | | | "NumLockKeyboardUsageMap" = "0x00070029,0x00070029,0x0007002a,0x0007002a,
0x0007002b,0x0007002b,0x0007003a,0x0007003a,0x0007003b,0x0007003b,0x0007003c,0x0007003c,
0x0007003d,0x0007003d,0x0007003e,0x0007003e,0x0007003f,0x0007003f,
0x00070040,0x00070040,0x00070041,0x00070041,0x00070042,0x00070042,0x00070043,0x00070043,0x000700
44,0x00070044,0x00070045,0x00070045,0x0007004a,0$
| | | | | "VendorID" = 0x5ac
| | | | | "Transport" = "USB"
| | | | | "BootProtocol" = 0x1
| | | | | "FnKeyboardUsageMap" = "0x00070050,0x0007004a,0x00070052,0x0007004b,0x0007002a,
0x0007004c,0x0007004f,0x0007004d,0x00070051,0x0007004e,0x00070028,0x00070058"
| | | | | "IOProbeScore" = 0x1c20
| | | | | "Manufacturer" = "Apple, Inc."
| | | | | "CountryCode" = 0x21
| | | | | "FnModifierUsage" = 0x3
| | | | | "VersionNumber" = 0x77
| | | | | "DeviceUsagePairs" = ("DeviceUsage"=0x6,"DeviceUsagePage"=0x1),
{"DeviceUsage"=0x1,"DeviceUsagePage"=0xc}
| | | | | "HIDKeyMode" = 0x0
| | | | | "HIDDefaultBehavior" = ""
| | | | | "IOProviderClass" = "IOHIDInterface"
| | | | | "alt_handler_id" = 0x2b
| | | | | "VendorIDSource" = 0x0
| | | | | "LocationID" = 0x4600000
| | | | | "IOClass" = "AppleEmbeddedKeyboard"
| | | | | }
| | | | | +-o IOHIDKeyboard <class IOHIDKeyboard, registered, matched, active, busy 0, retain 7>
| | | | | {
| | | | | | "HIDKeyboardKeysDefined" = Yes
| | | | | | "Manufacturer" = "Apple, Inc."
| | | | | | "HIDKeyMapping" =
<00000b01013802013b03013a04013705145241535455455857565b5c434b517b7d7e7c4e5906017207013f09013c
0a013e0b013d0c0136a20d006100410001000100ca00c7000100010d007300530013001300fb00a7001300130d0064
004400040004014401b6000400040d006600460006000600a601ac000600060d006800480008000800e300e00001
8000d006700470007000700f100e1000700070d007a005a001a001a00cf0157001a001a$
| | | | | | "CountryCode" = 0x21
| | | | | | "Product" = "Apple Internal Keyboard / Trackpad"
| | | | | | "VersionNumber" = 0x77
| | | | | | "HIDKeyMode" = 0x0
| | | | | | "ProductID" = 0x236
| | | | | | "HIDKeyboardCapsLockDoesLock" = No
| | | | | | "HIDInterfaceID" = 0x2
| | | | | | "VendorIDSource" = 0x0
| | | | | | "VendorID" = 0x5ac
| | | | | | "LocationID" = 0x4600000
| | | | | | "Transport" = "USB"
| | | | | | "HIDKind" = 0x1
| | | | | | "HIDKeyboardRightModifierSupport" = Yes
| | | | | | "HIDVirtualDevice" = No
| | | | | | "HIDKeyboardSupportedModifiers" = 0xfe207f
| | | | | | "HIDSubinterfaceID" = 0x2b
| | | | | | }
| | | | | +-o IOHIDSystem <class IOHIDSystem, registered, matched, active, busy 0, retain 21>
| | | | | {
| | | | | | "IOProviderClass" = "IOResources"
| | | | | | "IOProbeScore" = 0x0
| | | | | | "HIDParameters" = {"Trackpad Jitter
Milliseconds"=0xc0,"Clicking"=0x0,"HIDKeyRepeat"=0x4f790d5,"HIDClickTime"=0x1dcd6500,"HIDTrackpadScrollAccele
ration"=0x5000,"HIDMouseScrollAcceleration"=0x5000,"OutsidezoneNoAction When
Typing"=0x1,"HIDPointerButtonMode"=0x2,"HIDWaitCursorFrameInterval"=0x1fca057,"TwofingerNoAction"=0x1,"HIDD
efaultParameters"=Yes,"HIDStickyKeysDi$
| | | | | | "HIDIdleTime" = 0x37ad3ea0b
| | | | | | "CFBundleIdentifier" = "com.apple.iokit.IOHIDFamily"
| | | | | | "NXSystemInfo" = ("built-
in"=Yes,"HIDInterfaceID"=0x2,"serviceID"=0x3f6b000,"HIDSubinterfaceID"=0x2b,"HIDKind"=0x1),{"built-
in"=Yes,"HIDInterfaceID"=0x0,"serviceID"=0x3f85400,"HIDSubinterfaceID"=0x0,"HIDKind"=0x1},
{"HIDInterfaceID"=0x0,"serviceID"=0x4054a00,"HIDSubinterfaceID"=0x0,"HIDKind"=0x2},
{"HIDInterfaceID"=0x0,"serviceID"=0x405cc00,"HIDSubinterfaceID"=0x0,$
| | | | | | "IOMatchCategory" = "IOHID"
| | | | | | "IOClass" = "IOHIDSystem"
| | | | | | "IOResourceMatch" = "IOKit"
| | | | | | }
| | | | | +-o IOHIDUserClient <class IOHIDUserClient, !registered, !matched, active, busy 0, retain 5>
| | | | | {
| | | | | | "IOUserClientCrossEndianCompatible" = Yes
| | | | | | }
| | | | | +-o IOHIDParamUserClient <class IOHIDParamUserClient, !registered, !matched, active, busy 0,
retain 5>

```



```

| | | | | "CFBundleIdentifier" = "com.apple.okit.IOHIDFamily"
| | | | | "NXSystemInfo" = {{"built-
in"=Yes,"HIDInterfaceID"=0x2,"serviceID"=0x3f6b000,"HIDSubinterfaceID"=0x2b,"HIDKind"=0x1},{{"built-
in"=Yes,"HIDInterfaceID"=0x0,"serviceID"=0x3f85400,"HIDSubinterfaceID"=0x0,"HIDKind"=0x1},
{"HIDInterfaceID"=0x0,"serviceID"=0x4054a00,"HIDSubinterfaceID"=0x0,"HIDKind"=0x2},
{"HIDInterfaceID"=0x0,"serviceID"=0x405cc00,"HIDSubinterfaceID"=0x0,"HID
| | | | | "IOMatchCategory" = "IOHID"
| | | | | "IOClass" = "IOHIDSystem"
| | | | | "IOResourceMatch" = "IOKit"
| | | | | }
| | | | | }
| | | | | +-o IOHIDUserClient <class IOHIDUserClient, !registered, !matched, active, busy 0, retain 5>
| | | | | {
| | | | | | "IOUserClientCrossEndianCompatible" = Yes
| | | | | }
| | | | | +-o IOHIDParamUserClient <class IOHIDParamUserClient, !registered, !matched, active, busy 0, retain
5>
| | | | | {
| | | | | | "IOUserClientCrossEndianCompatible" = Yes
| | | | | }
| | | | | +-o IOHIDEventSystemUserClient <class IOHIDEventSystemUserClient, !registered, !matched, active,
busy 0, retain 5>
| | | | | {
| | | | | | "IOUserClientCrossEndianCompatible" = Yes
| | | | | }
| | | | | +-o IOHIDEventSystemUserClient <class IOHIDEventSystemUserClient, !registered, !matched, active,
busy 0, retain 5>
| | | | | {
| | | | | | "IOUserClientCrossEndianCompatible" = Yes
| | | | | }
| | | | | +-o Touchpad@1 <class IOUSBInterface, registered, matched, active, busy 0, retain 6>
| | | | | {
| | | | | | "bInterfaceProtocol" = 0x0
| | | | | | "bcdDevice" = 0x77
| | | | | | "locat onID" = 0x4600000
| | | | | | "bConfigurationValue" = 0x1
| | | | | | "iInterface" = 0x4
| | | | | | "idProduct" = 0x236
| | | | | | "IOCFPlugInTypes" = {"2d9786c6-9ef3-11d4-ad51-000a27052861"="IOUSBFamily.kext/Contents/
Plugins/IOUSLib.bundle"}
| | | | | | "bInterfaceSubClass" = 0x0
| | | | | | "bAlternateSetting" = 0x0
| | | | | | "IOUserClientClass" = "IOUSBInterfaceUserClientV2"
| | | | | | "USB Interface Name" = "Touchpad"
| | | | | | "bInterfaceClass" = 0x3
| | | | | | "bInterfaceNumber" = 0x1
| | | | | | "bNumEndpoints" = 0x1
| | | | | | "idVendor" = 0x5ac
| | | | | }
| | | | | +-o AppleUSBMultitouchDriver <class AppleUSBMultitouchDriver, registered, matched, active, busy 0,
retain 13>
| | | | | {
| | | | | | "Sensor Region Descriptor" = <0101000c01001400>
| | | | | | "DisablingMouseAttached" = No
| | | | | | "bConfigurationValue" = 0x1
| | | | | | "InputReportElements" =
({{"ReportSize"=0x1000,"ElementCookie"=0x203,"Size"=0x1000,"ReportID"=0x44,"Type"=0x1,"Usage"=0x0,"UsagePage
"=0x0,"ReportCount"=0x1})
| | | | | | "Multitouch Serial Number" = "None"
| | | | | | "ReportInterval" = 0x1f40
| | | | | | "Multitouch ID" = 0x4600000
| | | | | | "IOUserClientClass" = "AppleUSBMultitouchUserClient"
| | | | | | "idVendor" = 0x5ac
| | | | | | "parser-options" = 0x3
| | | | | | "VersionNumber" = 0x77
| | | | | | "TrackingRowsLowerBound" = 0x0
| | | | | | "HIDDefaultBehavior" = "Mouse"
| | | | | | "MaxOutputReportSize" = 0x1
| | | | | | "Elements" =
({{"ReportID"=0x0,"ElementCookie"=0x1,"CollectionType"=0x3,"Type"=0x201,"Usage"=0x1,"UsagePage"=0xff00,"Elemen
ts"=({{"UnitExponent"=0x0,"HasNullState"=No,"ReportSize"=0x8,"ElementCookie"=0x2,"HasPreferredState"=Yes,"Min"=
0x0,"Usage"=0xffffffffff,"IsArray"=Yes,"IsWrapping"=No,"Max"=0xff,"Unit"=0x0,"Flags"=0x0,"ReportID"=0x44,"Size"
=0xff8,"IsRelative"=No,"Type$
| | | | | | "Endianness" = 0x1
| | | | | | "bcdVersion" = 0x99
| | | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | | "IOClass" = "AppleUSBMultitouchDriver"
| | | | | | "bInterfaceNumber" = 0x1
| | | | | | "PrimaryUsage" = 0x1
| | | | | | "Product" = "Apple Internal Keyboard / Trackpad"
| | | | | | "Max Packet Size" = 0x200
| | | | | | "CFBundleIdentifier" = "com.apple.driver.AppleUSBMultitouch"
| | | | | | "MaxInputReportSize" = 0x200
| | | | | | "TrackpadFourFingerGestures" = Yes
| | | | | | "IOMatchCategory" = "IODefaultMatchCategory"

```

```
|| | | | | "ProductID" = 0x236
|| | | | | "HIDServiceSupport" = Yes
|| | | | | "Sensor Region Param" = <00000200f401>
|| | | | | "VendorID" = 0x5ac
|| | | | | "Family ID" = 0x62
|| | | | | "Transport" = "USB"
|| | | | | "parser-type" = 0x3e8
|| | | | | "SessionID" = 0x4c4d7de0
|| | | | | "BootProtocol" = 0x0
|| | | | | "IOProbeScore" = 0x15f90
|| | | | | "Manufacturer" = "Apple, Inc."
|| | | | | "PrimaryUsagePage" = 0xff00
|| | | | | "Sensor Columns" = 0x14
|| | | | | "CountryCode" = 0x0
|| | | | | "TrackingRowsUpperBound" = 0x64
|| | | | | "DeviceUsagePairs" = ({"DeviceUsage"=0x1,"DeviceUsagePage"=0xff00})
|| | | | | "TrackpadUserPreferences" =
{"Clicking"=No,"TrackpadRightClick"=Yes,"Dragging"=No,"DragLock"=No,"JitterNoClick"=Yes,"TrackpadHorizScroll"=Yes
,"USBMouseStopsTrackpad"=No,"JitterNoMove"=Yes}
|| | | | | "Sensor Rows" = 0xc
|| | | | | "Sensor Surface Width" = 0x2904
|| | | | | "Sensor Surface Height" = 0x1db0
|| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x3,"CurrentPowerState"=0x3,"DeviceChangePowerState"=0x3,"DriverChangePowerState"=0x3}
|| | | | | "IOProviderClass" = "IOUSBInterface"
|| | | | | "idProduct" = 0x236
|| | | | | "IOCFPluginTypes" = {"0516B563-B15B-11DA-96EB-0014519758EF"="AppleUSBMultitouch.kext/
Contents/PlugIns/MultitouchHID.plugin", "7DDEECA8-A7B4-11DA-8A0E-0014519758EF"="IOHIDFamily.kext/Contents/
PlugIns/IOHIDLib.plugin", "FA12FA38-6F1A-11D4-BA0C-0005028F18D5"="IOHIDFamily.kext/Contents/PlugIns/
IOHIDLib.plugin"}
|| | | | | "LocationID" = 0x4600000
|| | | | | "MaxFeatureReportSize" = 0x1
|| | | | | "TrackpadSecondaryClickCorners" = Yes
|| | | | | }
|| | | | | }
|| | | | | +-o IOHIDInterface <class IOHIDInterface, registered, matched, active, busy 0, retain 6>
|| | | | | {
|| | | | | | | "Manufacturer" = "Apple, Inc."
|| | | | | | | "PrimaryUsagePage" = 0xff00
|| | | | | | | "Product" = "Apple Internal Keyboard / Trackpad"
|| | | | | | | "CountryCode" = 0x0
|| | | | | | | "VersionNumber" = 0x77
|| | | | | | | "DeviceUsagePairs" = ({"DeviceUsage"=0x1,"DeviceUsagePage"=0xff00})
|| | | | | | | "HIDDefaultBehavior" = "Mouse"
|| | | | | | | "ProductID" = 0x236
|| | | | | | | "ReportInterval" = 0x1f40
|| | | | | | | "VendorID" = 0x5ac
|| | | | | | | "LocationID" = 0x4600000
|| | | | | | | "Transport" = "USB"
|| | | | | | | "BootProtocol" = 0x0
|| | | | | | | "PrimaryUsage" = 0x1
|| | | | | | | }
|| | | | | }
|| | | | | +-o AppleUSBMultitouchHIDEventDriver <class AppleUSBMultitouchHIDEventDriver, registered, matched,
active, busy 0, retain 8>
|| | | | | {
|| | | | | | | "IOProbeScore" = 0x1c20
|| | | | | | | "Manufacturer" = "Apple, Inc."
|| | | | | | | "CountryCode" = 0x0
|| | | | | | | "Product" = "Apple Internal Keyboard / Trackpad"
|| | | | | | | "CFBundleIdentifier" = "com.apple.driver.AppleUSBMultitouch"
|| | | | | | | "VersionNumber" = 0x77
|| | | | | | | "DeviceUsagePairs" = ({"DeviceUsage"=0x1,"DeviceUsagePage"=0xff00})
|| | | | | | | "HIDScrollResolution" = 0x1900000
|| | | | | | | "IOMatchCategory" = "IODefaultMatchCategory"
|| | | | | | | "HIDScrollAccelerationTable" =
<000080005553422a00070000000000100010000000200000100000713b00004ce3000300000007600
00004c000000e80000006f14a0017e95e000957820023105a000b67a1002c117b000d8dd40034dd3a000f7e9a003bd
0b8001258a000465d3500150000004ed9d80017c0000055caed001ab3e5005b6150001d9000005ed2aa0020bef9006
120cb00242d7b006275ef0027b00000063465f0000800000130000713b0005
|| | | | | | | "HIDDefaultBehavior" = ""
|| | | | | | | "ProductID" = 0x236
|| | | | | | | "IOProviderClass" = "IOHIDInterface"
|| | | | | | | "VendorIDSource" = 0x0
|| | | | | | | "HIDPointerAccelerationTable" =
<000080005553422a000700000000002000400000040000001000000010000000200000d00008000000800
00001400000018000000200000002e000000300000004e000000400000007400000050000000a0000000600000000
400000080000000160000000ac0000023000000d0000002f0000000ec0000038c00000104000004100000011c00000
48c00000005000000f000080000008000000100000001400000018000005
|| | | | | | | "VendorID" = 0x5ac
|| | | | | | | "Transport" = "USB"
|| | | | | | | "LocationID" = 0x0
|| | | | | | | "HIDPointerAccelerationType" = "HIDTrackpadAcceleration"
|| | | | | | | "HIDScrollAccelerationType" = "HIDTrackpadScrollAcceleration"
|| | | | | | | "IOClass" = "AppleUSBMultitouchHIDEventDriver"
|| | | | | | | }
|| | | | | }
|| | | | | +-o IOHIDSystem <class IOHIDSystem, registered, matched, active, busy 0, retain 20>
|| | | | | {
|| | | | | | | "IOProviderClass" = "IOResources"
```

```

|| | | | | "IOProbeScore" = 0x0
|| | | | | "HIDParameters" = {"Trackpad Jitter
Milliseconds"=0xc0,"Clicking"=0x0,"HIDKeyRepeat"=0x4f790d5,"HIDClickTime"=0x1dcd6500,"HIDTrackpadScrollAccele
ration"=0x5000,"HIDMouseScrollAcceleration"=0x5000,"OutsidezoneNoAction When
Typing"=0x1,"HIDPointerButtonMode"=0x2,"HIDWaitCursorFrameInterval"=0x1fca057,"TwofingerNoAction"=0x1,"HIDD
efaultParameters"=Yes,"HIDStickyKeysDisa$
|| | | | | "HIDIdleTime" = 0x37c302ee9
|| | | | | "CFBundleIdentifier" = "com.apple.iokit.IOHIDFamily"
|| | | | | "NXSystemInfo" = {"built-
in"=Yes,"HIDInterfaceID"=0x2,"serviceID"=0x3f6b000,"HIDSubinterfaceID"=0x2b,"HIDKind"=0x1},{{"built-
in"=Yes,"HIDInterfaceID"=0x0,"serviceID"=0x3f85400,"HIDSubinterfaceID"=0x0,"HIDKind"=0x1},
{"HIDInterfaceID"=0x0,"serviceID"=0x4054a00,"HIDSubinterfaceID"=0x0,"HIDKind"=0x2},
{"HIDInterfaceID"=0x0,"serviceID"=0x405cc00,"HIDSubinterfaceID"=0x0,"HI$
|| | | | | "IOMatchCategory" = "IOHID"
|| | | | | "IOClass" = "IOHIDSystem"
|| | | | | "IOResourceMatch" = "IOKit"
|| | | | | }
|| | | | | }
|| | | | | +-o IOHIDUserClient <class IOHIDUserCl ent, !registered, !matched, active, busy 0, retain 5>
|| | | | | {
|| | | | | "IOUserCl entCrossEndianCompatible" = Yes
|| | | | | }
|| | | | | }
|| | | | | +-o IOHIDParamUserClient <class IOHIDParamUserClient, !registered, !matched, active, busy 0, retain
5>
|| | | | | {
|| | | | | "IOUserCl entCrossEndianCompatible" = Yes
|| | | | | }
|| | | | | }
|| | | | | +-o IOHIDEventSystemUserClient <class IOHIDEventSystemUserCl ent, !registered, !matched, active,
busy 0, retain 5>
|| | | | | {
|| | | | | "IOUserCl entCrossEndianCompatible" = Yes
|| | | | | }
|| | | | | }
|| | | | | +-o IOHIDEventSystemUserClient <class IOHIDEventSystemUserCl ent, !registered, !matched, active,
busy 0, retain 5>
|| | | | | {
|| | | | | "IOUserClientCrossEndianCompatible" = Yes
|| | | | | }
|| | | | | }
|| | | | | +-o IOHIDPointing <class IOHIDPointing, registered, matched, active, busy 0, retain 9>
|| | | | | {
|| | | | | "HIDPointerConvertAbsolute" = <00>
|| | | | | "Product" = "Apple Internal Keyboard / Trackpad"
|| | | | | "TrackpadFourFingerGestures" = Yes
|| | | | | "HIDScrollAccelerationTable" =
<000080005553422a0007000000000010001000000010000000200000100000713b00004ce3000300000007600
00004c000000e80000006f14a0017e95e000957820023105a000b67a1002c117b000d8dd40034dd3a000f7e9a003bd
0b8001258a000465d3500150000004ed9d80017c0000055caed001ab3e5005b6150001d90000005ed2aa0020bef9006
120cb00242d7b006275ef0027b00000063465f0000800000130000713b0$
|| | | | | "HIDPointerAccelerationSettings" =
(<00000000>,<00002000>,<00005000>,<00008000>,<0000b000>,<0000e000>,<00010000>)
|| | | | | "ProductID" = 0x236
|| | | | | "VendorID" = 0x5ac
|| | | | | "HIDPointerAccelerationTable" =
<000080005553422a00070000000000200040000000400000010000000100000002000000d000080000000800
00001400000018000000200000002e000000300000004e000000400000007400000050000000a000000060000000d
40000008000000160000000ac00000230000000d0000002f0000000ec0000038c00000104000004100000011c00000
48c00000005000000f000080000000800000010000000140000001400000018000$
|| | | | | "Transport" = "USB"
|| | | | | "HIDScrollAccelerationType" = "HIDTrackpadScrollAccelerat on"
|| | | | | "HIDPointerAccelerationType" = "HIDTrackpadAcceleration"
|| | | | | "HIDVirtualDevice" = No
|| | | | | "HIDSubinterfaceID" = 0x0
|| | | | | "HIDPointerContactToMove" = <00>
|| | | | | "Manufacturer" = "Apple, Inc."
|| | | | | "CountryCode" = 0x0
|| | | | | "VersionNumber" = 0x77
|| | | | | "HIDScrollResolution" = 0x1900000
|| | | | | "TrackpadScroll" = Yes
|| | | | | "HIDInterfaceID" = 0x0
|| | | | | "TrackpadRightClick" = Yes
|| | | | | "VendorIDSource" = 0x0
|| | | | | "TrackpadEmbedded" = Yes
|| | | | | "LocationID" = 0x0
|| | | | | "HIDKind" = 0x2
|| | | | | "TrackpadHorizScroll" = Yes
|| | | | | "HIDPointerResolut on" = <00009001>
|| | | | | "TrackpadSecondaryClickCorners" = Yes
|| | | | | }
|| | | | | }
|| | | | | +-o IOHIDPointingDevice <class IOHIDPointingDevice, registered, matched, active, busy 0, retain 6>
|| | | | | {
|| | | | | "Manufacturer" = "Apple, Inc."
|| | | | | "PrimaryUsagePage" = 0x1
|| | | | | "Product" = "Apple Internal Keyboard / Trackpad"
|| | | | | "MaxInputReportSize" = 0x5
|| | | | | "DeviceUsagePairs" = {"DeviceUsage"=0x2,"DeviceUsagePage"=0x1},
{"DeviceUsage"=0x1,"DeviceUsagePage"=0x1}

```

```

    | | | | | | | | | | "InputReportElements" =
({("ReportSize"=0x28,"ElementCookie"=0x6,"Size"=0x28,"ReportID"=0x0,"Type"=0x1,"Usage"=0x0,"UsagePage"=0x0,"R
eportCount"=0x1})
    | | | | | | | | | | "Elements" =
({("ReportID"=0x0,"ElementCookie"=0x1,"CollectionType"=0x1,"Type"=0x201,"Usage"=0x2,"UsagePage"=0x1,"Elements
"=({("ReportID"=0x0,"ElementCookie"=0x2,"Collect onType"=0x0,"Type"=0x201,"Usage"=0x1,"UsagePage"=0x1,"Elemen
ts"=({("UnitExponent"=0x0,"HasNullState"=No,"ReportSize"=0x10,"ElementCookie"=0x4,"HasPreferredState"=Yes,"Min"=
0xffffffff8001,"Usage"=$
    | | | | | | | | | | "ProductID" = 0x236
    | | | | | | | | | | "MaxOutputReportSize" = 0x0
    | | | | | | | | | | "ReportInterval" = 0x1f40
    | | | | | | | | | | "IOCFPlugInTypes" = {"7DDEECA8-A7B4-11DA-8A0E-0014519758EF"="IOHIDFamily.kext/
Contents/PlugIns/IOHIDLib.plugin", "FA12FA38-6F1A-11D4-BA0C-0005028F18D5"="IOHIDFamily.kext/Contents/
PlugIns/IOHIDLib.plugin"})
    | | | | | | | | | | "VendorID" = 0x5ac
    | | | | | | | | | | "MaxFeatureReportSize" = 0x0
    | | | | | | | | | | "Transport" = "USB"
    | | | | | | | | | | "LocationID" = 0x4600000
    | | | | | | | | | | "IOUserClientClass" = "IOHIDLibUserClient"
    | | | | | | | | | | "PrimaryUsage" = 0x2
    | | | | | | | | | | }
    | | | | | | | | | | +-o IOHIDInterface <class IOHIDInterface, registered, matched, active, busy 0, retain 5>
    | | | | | | | | | | {
    | | | | | | | | | | "PrimaryUsage" = 0x2
    | | | | | | | | | | "Manufacturer" = "Apple, Inc."
    | | | | | | | | | | "PrimaryUsagePage" = 0x1
    | | | | | | | | | | "Product" = "Apple Internal Keyboard / Trackpad"
    | | | | | | | | | | "VendorID" = 0x5ac
    | | | | | | | | | | "LocationID" = 0x4600000
    | | | | | | | | | | "Transport" = "USB"
    | | | | | | | | | | "ReportInterval" = 0x1f40
    | | | | | | | | | | "DeviceUsagePairs" = {"DeviceUsage"=0x2,"DeviceUsagePage"=0x1},
    | | | | | | | | | | {"DeviceUsage"=0x1,"DeviceUsagePage"=0x1})
    | | | | | | | | | | "ProductID" = 0x236
    | | | | | | | | | | }
    | | | | | | | | | | +-o IOHIDSystem <class IOHIDSystem, registered, matched, active, busy 0, retain 21>
    | | | | | | | | | | {
    | | | | | | | | | | "IOProviderClass" = "IOResources"
    | | | | | | | | | | "IOProbeScore" = 0x0
    | | | | | | | | | | "HIDParameters" = {"Trackpad Jitter
    | | | | | | | | | | Milliseconds"=0xc0,"Clicking"=0x0,"HIDKeyRepeat"=0x4f790d5,"HIDClickTime"=0x1dcd6500,"HIDTrackpadScrollAccele
    | | | | | | | | | | ration"=0x5000,"HIDMouseScrollAcceleration"=0x5000,"OutsidexzoneNoAction When
    | | | | | | | | | | Typing"=0x1,"HIDPointerButtonMode"=0x2,"HIDWaitCursorFrameInterval"=0x1fca057,"TwofingerNoAction"=0x1,"HIDD
    | | | | | | | | | | efaultParameters"=Yes,"HIDStickyKeysDi$
    | | | | | | | | | | "HIDIdleTime" = 0x37c775407
    | | | | | | | | | | "CFBundleIdentifier" = "com.apple.iokit.IOHIDFamily"
    | | | | | | | | | | "NXSystemInfo" = {"built-
    | | | | | | | | | | in"=Yes,"HIDInterfaceID"=0x2,"serviceID"=0x3f6b000,"HIDSubinterfaceID"=0x2b,"HIDKind"=0x1},{"built-
    | | | | | | | | | | in"=Yes,"HIDInterfaceID"=0x0,"serviceID"=0x3f85400,"HIDSubinterfaceID"=0x0,"HIDKind"=0x1},
    | | | | | | | | | | {"HIDInterfaceID"=0x0,"serviceID"=0x4054a00,"HIDSubinterfaceID"=0x0,"HIDKind"=0x2},
    | | | | | | | | | | {"HIDInterfaceID"=0x0,"serviceID"=0x405cc00,"HIDSubinterfaceID"=0x0,"$
    | | | | | | | | | | "IOMatchCategory" = "IOHID"
    | | | | | | | | | | "IOClass" = "IOHIDSystem"
    | | | | | | | | | | "IOResourceMatch" = "IOKit"
    | | | | | | | | | | }
    | | | | | | | | | | +-o IOHIDUserClient <class IOHIDUserClient, !registered, !matched, active, busy 0, retain 5>
    | | | | | | | | | | {
    | | | | | | | | | | "IOUserClientCrossEndianCompatible" = Yes
    | | | | | | | | | | }
    | | | | | | | | | | +-o IOHIDParamUserClient <class IOHIDParamUserClient, !registered, !matched, active, busy 0,
    | | | | | | | | | | retain 5>
    | | | | | | | | | | {
    | | | | | | | | | | "IOUserClientCrossEndianCompatible" = Yes
    | | | | | | | | | | }
    | | | | | | | | | | +-o IOHIDEventSystemUserClient <class IOHIDEventSystemUserClient, !registered, !matched, active,
    | | | | | | | | | | busy 0, retain 5>
    | | | | | | | | | | {
    | | | | | | | | | | "IOUserClientCrossEndianCompatible" = Yes
    | | | | | | | | | | }
    | | | | | | | | | | +-o IOHIDEventSystemUserClient <class IOHIDEventSystemUserClient, !registered, !matched, active,
    | | | | | | | | | | busy 0, retain 5>
    | | | | | | | | | | {
    | | | | | | | | | | "IOUserClientCrossEndianCompatible" = Yes
    | | | | | | | | | | }
    | | | | | | | | | | +-o AppleUSBMulti touchUserClient <class AppleUSBMulti touchUserClient, !registered, !matched, active,
    | | | | | | | | | | busy 0, retain 6>
    | | | | | | | | | | {
    | | | | | | | | | | }
    | | | | | | | | | | +-o Touchpad@2 <class IOUSBInterface, registered, matched, active, busy 0, retain 6>
    | | | | | | | | | | {
    | | | | | | | | | | "bInterfaceProtocol" = 0x2
    | | | | | | | | | | "bcdDevice" = 0x77

```

```

| | | | "locationID" = 0x4600000
| | | | "bConfiguratonValue" = 0x1
| | | | "iinterface" = 0x4
| | | | "idProduct" = 0x236
| | | | "IOCFPluginTypes" = {"2d9786c6-9ef3-11d4-ad51-000a27052861"}="IOUSBFamily.kext/Contents/
PlugIns/IOUSBLib.bundle"}
| | | | "bInterfaceSubClass" = 0x1
| | | | "bAlternateSetting" = 0x0
| | | | "IOUserClientClass" = "IOUSBInterfaceUserClientV2"
| | | | "USB Interface Name" = "Touchpad"
| | | | "bInterfaceClass" = 0x3
| | | | "bInterfaceNumber" = 0x2
| | | | "bNumEndpoints" = 0x1
| | | | "idVendor" = 0x5ac
| | | | }
| | | | }
| | | | }
| | | | }
+--o AppleUSBTCButtons <class AppleUSBTCButtons, registered, matched, active, busy 0, retain 8>
| | | | {
| | | | | "Product" = "Apple Internal Keyboard / Trackpad"
| | | | | "CFBundleIdentifier" = "com.apple.driver.AppleUSBTCButtons"
| | | | | "MaxInputReportSize" = 0x4
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "bConfiguratonValue" = 0x1
| | | | | "InputReportElements" =
({ "ReportSize"=0x20,"ElementCookie"=0x8,"Size"=0x20,"ReportID"=0x2,"Type"=0x1,"Usage"=0x0,"UsagePage"=0x0,"R
eportCount"=0x1})
| | | | | "ProductID" = 0x236
| | | | | "ReportInterval" = 0x1f40
| | | | | "VendorID" = 0x5ac
| | | | | "Transport" = "USB"
| | | | | "HIDPointerAccelerationType" = "HIDTrackpadAcceleration"
| | | | | "IOUserClientClass" = "IOHIDLibUserClient"
| | | | | "BootProtocol" = 0x2
| | | | | "idVendor" = 0x5ac
| | | | | "IOProbeScore" = 0x15f90
| | | | | "Manufacturer" = "Apple, Inc."
| | | | | "PrimaryUsagePage" = 0x1
| | | | | "CountryCode" = 0x0
| | | | | "VersionNumber" = 0x77
| | | | | "DeviceUsagePairs" = ({ "DeviceUsage"=0x2,"DeviceUsagePage"=0x1},
{ "DeviceUsage"=0x1,"DeviceUsagePage"=0x1})
| | | | | "IOPowerManagement" =
{ "CurrentPowerState"=0x3,"DeviceChangePowerState"=0x2,"DriverChangePowerState"=0x3}
| | | | | "HIDDefaultBehavior" = ""
| | | | | "MaxOutputReportSize" = 0x1
| | | | | "IOProviderClass" = "IOUSBInterface"
| | | | | "idProduct" = 0x236
| | | | | "Elements" =
({ "ReportID"=0x0,"ElementCookie"=0x1,"CollectionType"=0x1,"Type"=0x201,"Usage"=0x2,"UsagePage"=0x1,"Elements
"=({ "ReportID"=0x0,"ElementCookie"=0x2,"CollectionType"=0x0,"Type"=0x201,"Usage"=0x1,"UsagePage"=0x1,"Elements
"=({ "UnitExponent"=0x0,"HasNullState"=No,"ReportSize"=0x1,"ElementCookie"=0x3,"HasPreferredState"=Yes,"Min"=0
x0,"Usage"=0x1,"IsArray"=No,"IsWrap"=
| | | | | "IOKitDebug" = 0x0
| | | | | "IOCFPluginTypes" = {"7DDEECA8-A7B4-11DA-8A0E-0014519758EF"}="IOHIDFamily.kext/Contents/
PlugIns/IOHIDLib.plugin", "FA12FA38-6F1A-11D4-BA0C-0005028F18D5"}="IOHIDFamily.kext/Contents/PlugIns/
IOHIDLib.plugin"}
| | | | | "MaxFeatureReportSize" = 0x1
| | | | | "LocationID" = 0x4600000
| | | | | "IOClass" = "AppleUSBTCButtons"
| | | | | "bInterfaceNumber" = 0x2
| | | | | "PrimaryUsage" = 0x2
| | | | | }
| | | | | }
+--o IOHIDInterface <class IOHIDInterface, registered, matched, active, busy 0, retain 6>
| | | | {
| | | | | "Manufacturer" = "Apple, Inc."
| | | | | "PrimaryUsagePage" = 0x1
| | | | | "Product" = "Apple Internal Keyboard / Trackpad"
| | | | | "CountryCode" = 0x0
| | | | | "VersionNumber" = 0x77
| | | | | "DeviceUsagePairs" = ({ "DeviceUsage"=0x2,"DeviceUsagePage"=0x1},
{ "DeviceUsage"=0x1,"DeviceUsagePage"=0x1})
| | | | | "HIDDefaultBehavior" = ""
| | | | | "ProductID" = 0x236
| | | | | "ReportInterval" = 0x1f40
| | | | | "VendorID" = 0x5ac
| | | | | "LocationID" = 0x4600000
| | | | | "Transport" = "USB"
| | | | | "BootProtocol" = 0x2
| | | | | "PrimaryUsage" = 0x2
| | | | | }
| | | | | }
+--o IOHIDEventDriver <class IOHIDEventDriver, registered, matched, active, busy 0, retain 8>
| | | | {
| | | | | "IOProbeScore" = 0x1c20
| | | | | "Manufacturer" = "Apple, Inc."
| | | | | "CountryCode" = 0x0
| | | | | "Product" = "Apple Internal Keyboard / Trackpad"
| | | | | "CFBundleIdentifier" = "com.apple.iokit.IOHIDFamily"
| | | | | "VersionNumber" = 0x77

```

```
|| | | | "DeviceUsagePairs" = ({"DeviceUsage"=0x2,"DeviceUsagePage"=0x1},
{"DeviceUsage"=0x1,"DeviceUsagePage"=0x1})
|| | | | "IOMatchCategory" = "IODefaultMatchCategory"
|| | | | "HIDDefaultBehavior" = ""
|| | | | "ProductID" = 0x236
|| | | | "IOProviderClass" = "IOHIDInterface"
|| | | | "VendorIDSource" = 0x0
|| | | | "HIDPointerAccelerationTable" =
<000080005553422a0007000000000020004000000040000001000000100000000200000d000080000000800
00001400000018000000200000002e000000300000004e000000400000007400000050000000a000000060000000d
40000008000000160000000ac00000230000000d0000002f0000000ec0000038c00000104000004100000011c00000
48c00000005000000f00008000000800000010000000140000001800000$
|| | | | "VendorID" = 0x5ac
|| | | | "Transport" = "USB"
|| | | | "LocationID" = 0x4600000
|| | | | "HIDPointerAccelerationType" = "HIDTrackpadAcceleration"
|| | | | "IOClass" = "IOHIDEventDriver"
|| | | | "BootProtocol" = 0x2
|| | | | }
|| | | | }
|| | | | +-o IOHIDPointing <class IOHIDPointing, registered, matched, active, busy 0, retain 7>
|| | | | {
|| | | | | "HIDPointerConvertAbsolute" = <00>
|| | | | | "HIDPointerContactToMove" = <00>
|| | | | | "Manufacturer" = "Apple, Inc."
|| | | | | "CountryCode" = 0x0
|| | | | | "Product" = "Apple Internal Keyboard / Trackpad"
|| | | | | "VersionNumber" = 0x77
|| | | | | "HIDPointerAccelerat onSettings" =
(<00000000>,<00002000>,<00005000>,<00008000>,<0000b000>,<0000e000>,<00010000>)
|| | | | | "ProductID" = 0x236
|| | | | | "HIDInterfaceID" = 0x0
|| | | | | "VendorIDSource" = 0x0
|| | | | | "VendorID" = 0x5ac
|| | | | | "LocationID" = 0x4600000
|| | | | | "Transport" = "USB"
|| | | | | "HIDPointerAccelerat onTable" =
<000080005553422a0007000000000020004000000040000001000000100000000200000d000080000000800
00001400000018000000200000002e000000300000004e000000400000007400000050000000a000000060000000d
40000008000000160000000ac00000230000000d0000002f0000000ec0000038c00000104000004100000011c00000
48c00000005000000f00008000000800000010000000140000001800000$
|| | | | | "HIDPointerAccelerat onType" = "HIDTrackpadAccelerat on"
|| | | | | "HIDVirtualDevice" = No
|| | | | | "HIDPointerResolution" = <00009001>
|| | | | | "HIDKind" = 0x2
|| | | | | "HIDScrollAccelerationType" = "HIDMouseScrollAcceleration"
|| | | | | "HIDSubinterfaceID" = 0x0
|| | | | | "HIDPointerButtonCount" = 0x3
|| | | | | }
|| | | | | +-o IOHIDSystem <class IOHIDSystem, registered, matched, active, busy 0, retain 21>
|| | | | | {
|| | | | | | "IOProviderClass" = "IOResources"
|| | | | | | "IOProbeScore" = 0x0
|| | | | | | "HIDParameters" = {"Trackpad J tter
Milliseconds"=0xc0,"Clicking"=0x0,"HIDKeyRepeat"=0x4f790d5,"HIDClickTime"=0x1dcd6500,"HIDTrackpadScrollAccele
ration"=0x5000,"HIDMouseScrollAcceleration"=0x5000,"OutsidzoneNoAction When
Typing"=0x1,"HIDPointerButtonMode"=0x2,"HIDWaitCursorFrameInterval"=0x1fca057,"TwofingerNoAction"=0x1,"HIDD
efaultParameters"=Yes,"HIDStickyKeysDi$
|| | | | | | "HIDIdleTime" = 0x37cd0161e
|| | | | | | "CFBundleIdentifier" = "com.apple.okit.IOHIDFamily"
|| | | | | | "NXSystemInfo" = ({"built-
in"=Yes,"HIDInterfaceID"=0x2,"serviceID"=0x3f6b000,"HIDSubinterfaceID"=0x2b,"HIDKind"=0x1},{"built-
in"=Yes,"HIDInterfaceID"=0x0,"serviceID"=0x3f85400,"HIDSubinterfaceID"=0x0,"HIDKind"=0x1},
{"HIDInterfaceID"=0x0,"serviceID"=0x4054a00,"HIDSubinterfaceID"=0x0,"HIDKind"=0x2},
{"HIDInterfaceID"=0x0,"serviceID"=0x405cc00,"HIDSubinterfaceID"=0x0,"S
|| | | | | | "IOMatchCategory" = "IOHID"
|| | | | | | "IOClass" = "IOHIDSystem"
|| | | | | | "IOResourceMatch" = "IOKit"
|| | | | | | }
|| | | | | | }
|| | | | | | +-o IOHIDUserCl ent <class IOHIDUserClient, !registered, !matched, active, busy 0, retain 5>
|| | | | | | {
|| | | | | | | "IOUserClientCrossEndianCompatible" = Yes
|| | | | | | | }
|| | | | | | | +-o IOHIDParamUserClient <class IOHIDParamUserClient, !registered, !matched, active, busy 0,
retain 5>
|| | | | | | | {
|| | | | | | | | "IOUserClientCrossEndianCompatible" = Yes
|| | | | | | | | }
|| | | | | | | }
|| | | | | | | +-o IOHIDEventSystemUserClient <class IOHIDEventSystemUserClient, !registered, !matched, active,
busy 0, retain 5>
|| | | | | | | {
|| | | | | | | | "IOUserClientCrossEndianCompatible" = Yes
|| | | | | | | | }
|| | | | | | | }
|| | | | | | | +-o IOHIDEventSystemUserClient <class IOHIDEventSystemUserClient, !registered, !matched, active,
busy 0, retain 5>
```



```

| | | | "IOProviderClass" = "IOPCIDevice"
| | | | "IOProbeScore" = 0x0
| | | | "64bit" = Yes
| | | | "Errata" = 0xd0000
| | | | "IOPCIClassMatch" = "0x0c032000"
| | | | "CFBundleIdentifier" = "com.apple.driver.AppleUSBHCI"
| | | | "Card Type" = "Built-in"
| | | | "IOUserClientClass" = "IOUSBControllerUserClient"
| | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x3,"CurrentPowerState"=0x3,"DeviceChangePowerState"=0x3,"DriverChangePowerState"=0x3}
| | | | "IOClass" = "AppleUSBHCI"
| | | | }
| | | | }
| | | | }
| | | | +--o EHCI Root Hub Simulation@4,1 <class IOUSBRootHubDevice, registered, matched, active, busy 0, retain
10>
| | | | {
| | | | | "bNumConfigurations" = 0x1
| | | | | "sessionID" = 0x24842fb3
| | | | | "AAPL,current-in-sleep" = 0xdac
| | | | | "bcdDevice" = 0x279
| | | | | "USB Address" = 0x1
| | | | | "iProduct" = 0x1
| | | | | "kIgnoreDisconnectOnWakeup" = Yes
| | | | | "bDeviceClass" = 0x9
| | | | | "bMaxPacketSize0" = 0x40
| | | | | "IOUserClientClass" = "IOUSBDeviceUserClientV2"
| | | | | "AAPL,current-available" = 0x4b0
| | | | | "idVendor" = 0x5ac
| | | | | "Bus Power Available" = 0xfa
| | | | | "Device Speed" = 0x2
| | | | | "USB Product Name" = "EHCI Root Hub Simulation"
| | | | | "Requested Power" = 0x0
| | | | | "locationID" = 0x24000000
| | | | | "USB Vendor Name" = "Apple Inc."
| | | | | "idProduct" = 0x8006
| | | | | "bDeviceProtocol" = 0x1
| | | | | "iManufacturer" = 0x2
| | | | | "IOCFPlugInTypes" = {"9dc7b780-9ec0-11d4-a54f-000a27052861"="IOUSBFamily.kext/Contents/
Plugins/IOUSBLib.bundle"}
| | | | | "iSerialNumber" = 0x0
| | | | | "bDeviceSubClass" = 0x0
| | | | | "AAPL,current-extra" = 0x2bc
| | | | | "Low Power Displayed" = No
| | | | | }
| | | | | }
| | | | | +--o AppleUSBHub <class AppleUSBHub, registered, matched, active, busy 0, retain 7>
| | | | | {
| | | | | | "IOProviderClass" = "IOUSBDevice"
| | | | | | "IOProbeScore" = 0xc350
| | | | | | "Errata" = 0x0
| | | | | | "High Speed" = 0x1
| | | | | | "CFBundleIdentifier" = "com.apple.driver.AppleUSBHub"
| | | | | | "bDeviceClass" = 0x9
| | | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | | "IOUserClientClass" = "AppleUSBHSHubUserClient"
| | | | | | "bDeviceSubClass" = 0x0
| | | | | | "IOClass" = "AppleUSBHub"
| | | | | | "IOPowerManagement" =
{"CurrentPowerState"=0x3,"DeviceChangePowerState"=0x3,"DriverChangePowerState"=0x3}
| | | | | | }
| | | | | | }
| | | | | | +--o IOUSBInterface@0 <class IOUSBInterface, !registered, !matched, active, busy 0, retain 6>
| | | | | | {
| | | | | | | "Interface" = 0x0
| | | | | | | "idProduct" = 0x8006
| | | | | | | "bConfigurationValue" = 0x1
| | | | | | | "locationID" = 0x24000000
| | | | | | | "bInterfaceSubClass" = 0x0
| | | | | | | "bInterfaceProtocol" = 0x1
| | | | | | | "bAlternateSetting" = 0x0
| | | | | | | "bInterfaceClass" = 0x9
| | | | | | | "bInterfaceNumber" = 0x0
| | | | | | | "bNumEndpoints" = 0x1
| | | | | | | "idVendor" = 0x5ac
| | | | | | | "bcdDevice" = 0x279
| | | | | | | }
| | | | | | }
| | | | | | +--o Built-in iSight@24400000 <class IOUSBDevice, registered, matched, active, busy 0, retain 10>
| | | | | | {
| | | | | | | "bNumConfigurations" = 0x1
| | | | | | | "sessionID" = 0x38e9d5bc
| | | | | | | "bcdDevice" = 0x418
| | | | | | | "USB Address" = 0x2
| | | | | | | "iProduct" = 0x2
| | | | | | | "bDeviceClass" = 0xef
| | | | | | | "bMaxPacketSize0" = 0x40
| | | | | | | "IOUserClientClass" = "IOUSBDeviceUserClientV2"
| | | | | | | "idVendor" = 0x5ac
| | | | | | | "PortNum" = 0x4

```

```

| | | | "Bus Power Available" = 0xfa
| | | | "Device Speed" = 0x2
| | | | "USB Product Name" = "Built-in iSight"
| | | | "kSuspendPort" = Yes
| | | | "Requested Power" = 0xfa
| | | | "non-removable" = "yes"
| | | | "locationID" = 0x24400000
| | | | "USB Vendor Name" = "Apple Inc."
| | | | "idProduct" = 0x8507
| | | | "bDeviceProtocol" = 0x1
| | | | "iManufacturer" = 0x1
| | | | "IOCFPluginTypes" = {"9dc7b780-9ec0-11d4-a54f-000a27052861"}="IOUSBFamily.kext/Contents/
Plugins/IOUSBLib.bundle"}
| | | | "iSerialNumber" = 0x3
| | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | "bDeviceSubClass" = 0x2
| | | | "Low Power Displayed" =
| | | | "USB Serial Number" = ██████████
| | | | }
| | | |
| | | | +-o IOUSBCompositeDriver <class IOUSBCompositeDriver, !registered, !matched, active, busy 0, retain 4>
| | | | {
| | | | | "IOProviderClass" = "IOUSBDevice"
| | | | | "IOProbeScore" = 0xea60
| | | | | "bDeviceProtocol" = 0x1
| | | | | "CFBundleIdentifier" = "com.apple.driver.AppleUSBComposite"
| | | | | "bDeviceClass" = 0xef
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "bDeviceSubClass" = 0x2
| | | | | "IOClass" = "IOUSBCompositeDriver"
| | | | }
| | | |
| | | | +-o Built-in iSight@0 <class IOUSBInterface, registered, matched, active, busy 0, retain 5>
| | | | {
| | | | | "bInterfaceProtocol" = 0x0
| | | | | "bcdDevice" = 0x418
| | | | | "locationID" = 0x24400000
| | | | | "bConfigurationValue" = 0x1
| | | | | "iInterface" = 0x2
| | | | | "idProduct" = 0x8507
| | | | | "IOCFPluginTypes" = {"2d9786c6-9ef3-11d4-ad51-000a27052861"}="IOUSBFamily.kext/Contents/
Plugins/IOUSBLib.bundle"}
| | | | | "bInterfaceSubClass" = 0x1
| | | | | "bAlternateSetting" = 0x0
| | | | | "IOUserClientClass" = "IOUSBInterfaceUserClientV2"
| | | | | "USB Interface Name" = "Built-in iSight"
| | | | | "bInterfaceClass" = 0xe
| | | | | "bInterfaceNumber" = 0x0
| | | | | "bNumEndpoints" = 0x1
| | | | | "idVendor" = 0x5ac
| | | | }
| | | |
| | | | +-o IOUSBInterface@1 <class IOUSBInterface, registered, matched, active, busy 0, retain 5>
| | | | {
| | | | | "bInterfaceProtocol" = 0x0
| | | | | "locationID" = 0x24400000
| | | | | "bcdDevice" = 0x418
| | | | | "bConfigurationValue" = 0x1
| | | | | "iInterface" = 0x0
| | | | | "idProduct" = 0x8507
| | | | | "IOCFPluginTypes" = {"2d9786c6-9ef3-11d4-ad51-000a27052861"}="IOUSBFamily.kext/Contents/
Plugins/IOUSBLib.bundle"}
| | | | | "bInterfaceSubClass" = 0x2
| | | | | "bAlternateSetting" = 0x0
| | | | | "IOUserClientClass" = "IOUSBInterfaceUserClientV2"
| | | | | "bInterfaceClass" = 0xe
| | | | | "bInterfaceNumber" = 0x1
| | | | | "bNumEndpoints" = 0x0
| | | | | "idVendor" = 0x5ac
| | | | }
| | | |
| | | | +-o IOUSBInterface@2 <class IOUSBInterface, registered, matched, active, busy 0, retain 5>
| | | | {
| | | | | "bInterfaceProtocol" = 0x0
| | | | | "locationID" = 0x24400000
| | | | | "bcdDevice" = 0x418
| | | | | "bConfigurationValue" = 0x1
| | | | | "iInterface" = 0x0
| | | | | "idProduct" = 0x8507
| | | | | "IOCFPluginTypes" = {"2d9786c6-9ef3-11d4-ad51-000a27052861"}="IOUSBFamily.kext/Contents/
Plugins/IOUSBLib.bundle"}
| | | | | "bInterfaceSubClass" = 0x0
| | | | | "bAlternateSetting" = 0x0
| | | | | "IOUserClientClass" = "IOUSBInterfaceUserClientV2"
| | | | | "bInterfaceClass" = 0xff
| | | | | "bInterfaceNumber" = 0x2
| | | | | "bNumEndpoints" = 0x0
| | | | | "idVendor" = 0x5ac
| | | | }
| | | | }

```



```

| | | | | "interface" = 0x0
| | | | | "idProduct" = 0x8005
| | | | | "bConfigurationValue" = 0x1
| | | | | "locationID" = 0x6000000
| | | | | "bInterfaceSubClass" = 0x0
| | | | | "bInterfaceProtocol" = 0x0
| | | | | "bAlternateSetting" = 0x0
| | | | | "bInterfaceClass" = 0x9
| | | | | "bInterfaceNumber" = 0x0
| | | | | "bNumEndpoints" = 0x1
| | | | | "idVendor" = 0x5ac
| | | | | "bcdDevice" = 0x279
| | | | | }
| | | | | }
| | | | | +-o BCM2045B2@610000 <class IOUSBHubDevice, registered, matched, active, busy 0, retain 10>
| | | | | {
| | | | | | "bNumConfigurations" = 0x1
| | | | | | "sessionID" = 0x39c4a7c9
| | | | | | "AAPL_current-in-sleep" = 0x5dc
| | | | | | "bcdDevice" = 0x100
| | | | | | "USB Address" = 0x2
| | | | | | "iProduct" = 0x2
| | | | | | "bDeviceClass" = 0x9
| | | | | | "bMaxPacketSize0" = 0x8
| | | | | | "IOUserClientClass" = "IOUSBDeviceUserClientV2"
| | | | | | "idVendor" = 0xa5c
| | | | | | "PortNum" = 0x1
| | | | | | "Bus Power Available" = 0xfa
| | | | | | "Device Speed" = 0x1
| | | | | | "USB Product Name" = "BCM2045B2"
| | | | | | "Requested Power" = 0x0
| | | | | | "non-removable" = "yes"
| | | | | | "locationID" = 0x6100000
| | | | | | "USB Vendor Name" = "Broadcom"
| | | | | | "idProduct" = 0x4500
| | | | | | "bDeviceProtocol" = 0x0
| | | | | | "iManufacturer" = 0x1
| | | | | | "IOCFPlugInTypes" = {"9dc7b780-9ec0-11d4-a54f-000a27052861"}="IOUSBFamily.kext/Contents/
| | | | | | Plugins/IOUSLib.bundle"}
| | | | | | "iSerialNumber" = 0x0
| | | | | | "bDeviceSubClass" = 0x0
| | | | | | "Low Power Displayed" = No
| | | | | | }
| | | | | +-o AppleUSBHub <class AppleUSBHub, !registered, !matched, active, busy 0, retain 8>
| | | | | {
| | | | | | "IOProviderClass" = "IOUSBDevice"
| | | | | | "IOProbeScore" = 0xc350
| | | | | | "Errata" = 0x0
| | | | | | "CFBundleIdentifier" = "com.apple.driver.AppleUSBHub"
| | | | | | "bDeviceClass" = 0x9
| | | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | | "IOUserClientClass" = "AppleUSBHSHubUserClient"
| | | | | | "bDeviceSubClass" = 0x0
| | | | | | "IOClass" = "AppleUSBHub"
| | | | | | "IOPowerManagement" =
| | | | | | {"ChildrenPowerState"=0x3,"CurrentPowerState"=0x3,"DeviceChangePowerState"=0x3,"DriverChangePowerState"=0x3}
| | | | | | }
| | | | | +-o IOUSBInterface@0 <class IOUSBInterface, !registered, !matched, active, busy 0, retain 6>
| | | | | {
| | | | | | "interface" = 0x0
| | | | | | "idProduct" = 0x4500
| | | | | | "bConfigurationValue" = 0x1
| | | | | | "locationID" = 0x6100000
| | | | | | "bInterfaceSubClass" = 0x0
| | | | | | "bInterfaceProtocol" = 0x0
| | | | | | "bAlternateSetting" = 0x0
| | | | | | "bInterfaceClass" = 0x9
| | | | | | "bInterfaceNumber" = 0x0
| | | | | | "bNumEndpoints" = 0x1
| | | | | | "idVendor" = 0xa5c
| | | | | | "bcdDevice" = 0x100
| | | | | | }
| | | | | }
| | | | | +-o Bluetooth USB Host Controller@6110000 <class IOUSBDevice, registered, matched, active, busy 0, retain
11>
| | | | | {
| | | | | | "bNumConfigurations" = 0x1
| | | | | | "sessionID" = 0x581b7bd4
| | | | | | "bcdDevice" = 0x7
| | | | | | "USB Address" = 0x5
| | | | | | "iProduct" = 0x2
| | | | | | "bDeviceClass" = 0xe0
| | | | | | "bMaxPacketSize0" = 0x40
| | | | | | "IOUserClientClass" = "IOUSBDeviceUserClientV2"
| | | | | | "idVendor" = 0x5ac
| | | | | | "PortNum" = 0x1
| | | | | | "Bus Power Available" = 0xfa
| | | | | | "Device Speed" = 0x1

```

```

| | | | "USB Product Name" = "Bluetooth USB Host Controller"
| | | | "Requested Power" = 0x0
| | | | "non-removable" = "yes"
| | | | "locationID" = 0x6110000
| | | | "USB Vendor Name" = "Apple, Inc."
| | | | "idProduct" = 0x8213
| | | | "bDeviceProtocol" = 0x1
| | | | "iManufacturer" = 0x1
| | | | "IOCFPluginTypes" = {"9dc7b780-9ec0-11d4-a54f-000a27052861"}="IOUSBFamily.kext/Contents/
PlugIns/IOUSBLib.bundle"}
| | | | "iSerialNumber" = 0x3
| | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | "bDeviceSubClass" = 0x1
| | | | "Low Power Displayed" =
| | | | "USB Serial Number" = ██████████
| | | | }
| | | | }
| | | | +--o Broadcom2045FamilyUSBBluetoothHCIController <class
Broadcom2045FamilyUSBBluetoothHCIController, registered, matched, active, busy 0, retain 11>
| | | | {
| | | | | "IOProbeScore" = 0x15f90
| | | | | "AFHMappedChannel" = "(1)"
| | | | | "AllowedIncomingRFCOMMChannels" = {"ChannelsSecure"=0x0,"ChannelNumber"=0x3})
| | | | | "CFBundleIdentifier" = "com.apple.driver.BroadcomUSBBluetoothHCIController"
| | | | | "FirmwareVersionString" = "v162 c251"
| | | | | "PowerOptions" = 0xf
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "IOPowerManagement" = {"CurrentPowerState"=0x1,"DriverChangePowerState"=0x1}
| | | | | "HCIControllerPowerIsOn" = 0x1
| | | | | "IOProviderClass" = "IOUSBDevice"
| | | | | "idProduct" = 0x8213
| | | | | "FeatureFlags" = 0x3
| | | | | "WakeOnBTEnabled" = No
| | | | | "HCISupportedFeatures" = <8379ff9bfe8ffff>
| | | | | "RFCOMMDefaultChannelSettings" =
{"DefaultCreditBasedFlowcontrol"=Yes,"DefaultFlowcontrolWithFCOFF"=No}
| | | | | "AllowedIncomingL2CAPChannels" = {"PSM"=0x3;{"PSM"=0x1;{"PSM"=0x17}}
| | | | | "FirmwareVersion" = 0xa2
| | | | | "RunInactivityTimer" = 0x1
| | | | | "IOProviderMergeProperties" = {"ClassicMustNotSeize"=Yes}
| | | | | "IOClass" = "Broadcom2045FamilyUSBBluetoothHCIController"
| | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | "idVendor" = 0x5ac
| | | | | "ConfigState" = 0x0
| | | | | }
| | | | | }
| | | | | +--o IOBluetoothHCIUserClient <class IOBluetoothHCIUserClient, !registered, !matched, active, busy 0,
retain 5>
| | | | | {
| | | | | }
| | | | | }
| | | | | +--o IOBluetoothHCIUserClient <class IOBluetoothHCIUserClient, !registered, !matched, active, busy 0,
retain 5>
| | | | | {
| | | | | }
| | | | | }
| | | | | +--o IOBluetoothHCIUserClient <class IOBluetoothHCIUserClient, !registered, !matched, active, busy 0,
retain 5>
| | | | | {
| | | | | }
| | | | | }
| | | | | +--o IOUSBInterface@0 <class IOUSBInterface, !registered, !matched, active, busy 0, retain 5>
| | | | | {
| | | | | | "Interface" = 0x0
| | | | | | "idProduct" = 0x8213
| | | | | | "bConfigurationValue" = 0x1
| | | | | | "locationID" = 0x6110000
| | | | | | "bInterfaceSubClass" = 0x1
| | | | | | "bInterfaceProtocol" = 0x1
| | | | | | "bAlternateSetting" = 0x0
| | | | | | "bInterfaceClass" = 0xe0
| | | | | | "bInterfaceNumber" = 0x0
| | | | | | "bNumEndpoints" = 0x3
| | | | | | "idVendor" = 0x5ac
| | | | | | "bcdDevice" = 0x7
| | | | | | }
| | | | | | }
| | | | | | +--o IOUSBInterface@1 <class IOUSBInterface, !registered, !matched, active, busy 0, retain 5>
| | | | | | {
| | | | | | | "Interface" = 0x0
| | | | | | | "idProduct" = 0x8213
| | | | | | | "bConfigurationValue" = 0x1
| | | | | | | "locationID" = 0x6110000
| | | | | | | "bInterfaceSubClass" = 0x1
| | | | | | | "bInterfaceProtocol" = 0x1
| | | | | | | "bAlternateSetting" = 0x0
| | | | | | | "bInterfaceClass" = 0xe0
| | | | | | | "bInterfaceNumber" = 0x1
| | | | | | | "bNumEndpoints" = 0x2
| | | | | | | "idVendor" = 0x5ac
| | | | | | | }
| | | | | | }

```





```

| | | "layout-id" = <3f000000>
| | | "platformFamily" = <00>
| | | "IOPowerManagement" = {"ChildrenPowerState"=0x2,"CurrentPowerState"=0x2}
| | | "IOInterruptSpecifiers" = (<1400000007000000>)
| | | "MaximumBootBeepVolume" = <32>
| | | "device-d" = <c00a0000>
| | | "vendor-id" = <de100000>
| | | }
| | | }
| | | +-o AppleHDAController <class AppleHDAController, registered, matched, active, busy 0, retain 8>
| | | {
| | | | "IOProviderClass" = "IOPCIDevice"
| | | | "IOProbeScore" = 0x1
| | | | "IOPCIClassMatch" = "0x04020000&0xFFFE0000"
| | | | "CFBundleIdentifier" = "com.apple.driver.AppleHDAController"
| | | | "CodecAddressFilterArray" = ({"LayoutID"=0x4008,"CodecAddressMask"=<01000000>})
| | | | "HDAConfigDefault" =
| | | | ({"CodecID"=0x10ec0885,"ConfigData"=<01871c4001871d7001871e2101871f0101a71c3001a71d0101a71e1301a71f
9001971c1001971d3101971e8101971f0101571c5001571d4101571e0101571f0101f71c2001f71de101f71ec501f71f
0101e71c6001e71de101e71e4501e71f0101471cf001471d0001471e0001471f4001671cf001671d0001671e0001671f
4001771cf001771d0001771e0001771f4001b71cf001b71d0001b71e0001b71f4001c5
| | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | "IOPowerManagement" =
| | | | {"ChildrenPowerState"=0x2,"CurrentPowerState"=0x2,"DeviceChangePowerState"=0x2}
| | | | "IOClass" = "AppleHDAController"
| | | | "PostConstructionInitialization" = ({"widgets"={"MicAttributes"=0x1c,"NodeID"=0x27,"MicInfo"="Sampled
on rising edge","PinConfigDefault"=0x90a00110},"Layouts"=(0x24,0x26,0x34,0x35)})
| | | | }
| | | | }
| | | | +-o IOHDACodecDevice@0 <class IOHDACodecDevice, registered, matched, active, busy 0, retain 6>
| | | | {
| | | | | "IOHDACodecAddress" = 0x0
| | | | | "IOHDACodecVendorID" = 0x10ec0885
| | | | | "IOHDACodecRevisionID" = 0x100103
| | | | | }
| | | | | }
| | | | +-o IOHDACodecDriver <class IOHDACodecDriver, !registered, !matched, active, busy 0, retain 5>
| | | | {
| | | | | "IOProviderClass" = "IOHDACodecDevice"
| | | | | "IOProbeScore" = 0x0
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "IOClass" = "IOHDACodecDriver"
| | | | | "CFBundleIdentifier" = "com.apple.okit.IOHDAFamily"
| | | | | }
| | | | | }
| | | | +-o IOHDACodecFunction@1 <class IOHDACodecFunction, registered, matched, active, busy 0, retain 6>
| | | | {
| | | | | "IOHDACodecFunctionSubsystemID" = 0x106b3f00
| | | | | "IOHDACodecFunctionGroupType" = 0x1
| | | | | }
| | | | | }
| | | | +-o AppleHDACodecGeneric <class AppleHDACodecGeneric, registered, matched, active, busy 0, retain
5>
| | | | {
| | | | | "IOProviderClass" = "IOHDACodecFunction"
| | | | | "IOProbeScore" = 0x0
| | | | | "IOHDACodecFunctionGroupType" = 0x1
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "IOClass" = "AppleHDACodecGeneric"
| | | | | "CFBundleIdentifier" = "com.apple.driver.AppleHDA"
| | | | | }
| | | | | }
| | | | +-o AppleHDAEngineOutput <class AppleHDAEngineOutput, registered, matched, active, busy 0, retain
24>
| | | | {
| | | | | "IOAudioEngineOutputSampleLatency" = 0x10
| | | | | "IOAudioEngineDescription" = "DevShortNameOut"
| | | | | "IOAudioEngineNumSampleFramesPerBuffer" = 0x2000
| | | | | }

```

```

|| |      || "IOAudioEngineSampleOffset" = 0x58
|| |      || "IOAudioEngineClockDomain" = 0x461f200
|| |      || "IOAudioEngineState" = 0x0
|| |      || "IOAudioEngineFlavor" = 0x1
|| |      || "IOAudioEngineCoreAudioPlugIn" = "AppleHDA.kext/Contents/PlugIns/AppleHDAHALPlugIn.bundle"
|| |      || "IOAudioSampleRate" =
{"IOAudioSampleRateFraction"=0x0,"IOAudioSampleRateWholeNumber"=0xac44}
|| |      || "IOAudioEngineInputSampleLatency" = 0x10
|| |      || "IOAudioEngineGlobalQueueID" = "AppleHDAEngineOutput:0"
|| |      || "IOGeneralInterest" = "IOCommand is not serializable"
|| |      || }
|| |      || +-o IOAudioStream <class IOAudioStream, registered, matched, active, busy 0, retain 7>
|| |      || {
|| |      ||     "IOAudioStreamDirection" = 0x0
|| |      ||     "IOAudioStreamNumClients" = 0x0
|| |      ||     "IOAudioStreamAvailable" = 0x1
|| |      ||     "IOAudioStreamID" = 0x0
|| |      ||     "IOAudioStreamFormat" =
{"IOAudioStreamAlignment"=0x0,"IOAudioStreamIsMixable"=0x1,"IOAudioStreamDriverTag"=0x0,"IOAudioStreamBitDepth"=0x18,"IOAudioStreamNumChannels"=0x2,"IOAudioStreamNumericRepresentation"=0x73696e74,"IOAudioStreamFramesPerPacket"=0x1,"IOAudioStreamByteOrder"=0x1,"IOAudioStreamFormatFlags"=0x0,"IOAudioStreamSampleFormat"=0x6c70636d,"IOAudioStreamStartingChannelNumber" = 0x1
|| |      ||     "IOAudioStreamStartingChannelNumber" = 0x1
|| |      ||     "IOAudioStreamAvailableFormats" =
{"IOAudioStreamAlignment"=0x0,"IOAudioStreamMaximumSampleRate"={"IOAudioStreamSampleRateFraction"=0x0,"IOAudioStreamSampleRateWholeNumber"=0xac44},"IOAudioStreamBitDepth"=0x10,"IOAudioStreamNumChannels"=0x2,"IOAudioStreamNumericRepresentation"=0x73696e74,"IOAudioStreamIsMixable"=0x1,"IOAudioStreamDriverTag"=0x0,"IOAudioStreamFramesPerPacket"=0x1
|| |      ||     "IOAudioStreamStartingChannelID" = 0x1
|| |      ||     }
|| |      ||     }
|| |      || +-o IOAudioSelectorControl <class IOAudioSelectorControl, !registered, !matched, active, busy 0, retain 12>
|| |      || {
|| |      ||     "IOAudioControlUsage" = 0x6f757470
|| |      ||     "IOAudioControlChannelID" = 0x0
|| |      ||     "IOAudioControlValue" = 0x6973706b
|| |      ||     "IOAudioControlSubType" = 0x6f757470
|| |      ||     "IOAudioControlID" = 0x0
|| |      ||     "IOAudioControlChannelNumber" = 0x0
|| |      ||     "IOAudioSelectorControlAvailableSelections" =
{"IOAudioSelectorControlSelectionValue"=0x6973706b,"IOAudioSelectorControlSelectionDescriptionKey"="IntSpeakers"}
|| |      ||     }
|| |      ||     "IOAudioControlType" = 0x736c6374
|| |      ||     }
|| |      || +-o IOAudioControlUserClient <class IOAudioControlUserClient, !registered, !matched, active, busy 0, retain 6>
|| |      || {
|| |      || }
|| |      || +-o IOAudioControlUserClient <class IOAudioControlUserClient, !registered, !matched, active, busy 0, retain 6>
|| |      || {
|| |      || }
|| |      || +-o IOAudioControlUserClient <class IOAudioControlUserClient, !registered, !matched, active, busy 0, retain 6>
|| |      || {
|| |      || }
|| |      || +-o IOAudioLevelControl <class IOAudioLevelControl, !registered, !matched, active, busy 0, retain 12>
|| |      || {
|| |      ||     "IOAudioControlUsage" = 0x6f757470
|| |      ||     "IOAudioLevelControlMinValue" = 0x0
|| |      ||     "IOAudioControlChannelID" = 0x2
|| |      ||     "IOAudioControlValue" = 0x24
|| |      ||     "IOAudioControlSubType" = 0x766c6d65
|| |      ||     "IOAudioLevelControlMaxValue" = 0x40
|| |      ||     "IOAudioControlID" = 0x1
|| |      ||     "IOAudioLevelControlMinDB" = 0xffffffffc00000
|| |      ||     "IOAudioControlChannelName" = "Right"
|| |      ||     "IOAudioLevelControlMaxDB" = 0x0
|| |      ||     "IOAudioControlChannelNumber" = 0x2
|| |      ||     "IOAudioControlType" = 0x6c65766c
|| |      ||     }
|| |      || +-o IOAudioControlUserClient <class IOAudioControlUserClient, !registered, !matched, active, busy 0, retain 6>
|| |      || {
|| |      || }
|| |      || +-o IOAudioControlUserClient <class IOAudioControlUserClient, !registered, !matched, active, busy 0, retain 6>
|| |      || {
|| |      || }
|| |      || +-o IOAudioControlUserClient <class IOAudioControlUserClient, !registered, !matched, active, busy

```











```

|| | | | "IOAudioLevelControlMaxDB" = 0x1e0000
|| | | | "IOAudioControlType" = 0x6c65766c
|| | | | }
|| | | | }
| +-o IOAudioControlUserClient <class IOAudioControlUserClient, !registered, !matched, active, busy
0, retain 6>
|| | | | {
|| | | | }
|| | | | }
| +-o IOAudioControlUserClient <class IOAudioControlUserClient, !registered, !matched, active, busy
0, retain 6>
|| | | | {
|| | | | }
|| | | | }
+--o IOAudioLevelControl <class IOAudioLevelControl, !registered, !matched, active, busy 0, retain
10>
|| | | | {
|| | | | | "IOAudioLevelControlMinValue" = 0x0
|| | | | | "IOAudioControlChannelID" = 0x1
|| | | | | "IOAudioLevelControlMaxValue" = 0x2e
|| | | | | "IOAudioLevelControlMinDB" = 0xffffffff0000
|| | | | | "IOAudioControlChannelNumber" = 0x1
|| | | | | "IOAudioControlChannelName" = "Left"
|| | | | | "IOAudioControlUsage" = 0x696e7074
|| | | | | "IOAudioControlValue" = 0x10
|| | | | | "IOAudioControlSubType" = 0x766c6d65
|| | | | | "IOAudioLevelControlUseLinearScale" = 0x0
|| | | | | "IOAudioControlID" = 0x8
|| | | | | "IOAudioLevelControlMaxDB" = 0x1e0000
|| | | | | "IOAudioControlType" = 0x6c65766c
|| | | | | }
|| | | | }
| +-o IOAudioControlUserClient <class IOAudioControlUserClient, !registered, !matched, active, busy
0, retain 6>
|| | | | {
|| | | | }
|| | | | }
| +-o IOAudioControlUserClient <class IOAudioControlUserClient, !registered, !matched, active, busy
0, retain 6>
|| | | | {
|| | | | }
|| | | | }
+--o IOAudioToggleControl <class IOAudioToggleControl, !registered, !matched, active, busy 0, retain
10>
|| | | | {
|| | | | | "IOAudioControlUsage" = 0x696e7074
|| | | | | "IOAudioControlChannelID" = 0x2
|| | | | | "IOAudioControlValue" = 0x0
|| | | | | "IOAudioControlSubType" = 0x6d757465
|| | | | | "IOAudioControlID" = 0xb
|| | | | | "IOAudioControlChannelNumber" = 0x2
|| | | | | "IOAudioControlChannelName" = "Right"
|| | | | | "IOAudioControlType" = 0x746f676c
|| | | | | }
|| | | | }
| +-o IOAudioControlUserClient <class IOAudioControlUserClient, !registered, !matched, active, busy
0, retain 6>
|| | | | {
|| | | | }
|| | | | }
| +-o IOAudioControlUserClient <class IOAudioControlUserClient, !registered, !matched, active, busy
0, retain 6>
|| | | | {
|| | | | }
|| | | | }
+--o IOAudioToggleControl <class IOAudioToggleControl, !registered, !matched, active, busy 0, retain
10>
|| | | | {
|| | | | | "IOAudioControlUsage" = 0x696e7074
|| | | | | "IOAudioControlChannelID" = 0x1
|| | | | | "IOAudioControlValue" = 0x0
|| | | | | "IOAudioControlSubType" = 0x6d757465
|| | | | | "IOAudioControlID" = 0x9
|| | | | | "IOAudioControlChannelNumber" = 0x1
|| | | | | "IOAudioControlChannelName" = "Left"
|| | | | | "IOAudioControlType" = 0x746f676c
|| | | | | }
|| | | | }
| +-o IOAudioControlUserClient <class IOAudioControlUserClient, !registered, !matched, active, busy
0, retain 6>
|| | | | {
|| | | | }
|| | | | }
| +-o IOAudioControlUserClient <class IOAudioControlUserClient, !registered, !matched, active, busy
0, retain 6>
|| | | | {
|| | | | }
|| | | | }
+--o IOAudioToggleControl <class IOAudioToggleControl, !registered, !matched, active, busy 0, retain
10>

```







```

| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "Queue Depth" = 0x20
| | | | | "IOMaximumBlockCountRead" = 0x10000
| | | | | "IOProviderClass" = "IOAHCIDevice"
| | | | | "Physical Block Size" = 0x200
| | | | | "IOMaximumBlockCountWrite" = 0x10000
| | | | | "IOPolledInterface" = "not serializable"
| | | | | "IOClass" = "AppleAHCIDiskDriver"
| | | | | "SATA Features" = 0xf
| | | | | "NCQ" = Yes
| | | | | "Serial Number" = " ██████████"
| | | | | }
| | | | | }
| | | | | +-o IOAHCIBlockStorageDevice <class IOAHCIBlockStorageDevice, registered, matched, active, busy 0,
retain 5>
| | | | | {
| | | | | | "device-type" = "Generic"
| | | | | | "IOMinimumSegmentAlignmentByteCount" = 0x4
| | | | | | "IOCFPluginTypes" = {"24514B7A-2804-11D6-8A02-003065704866"="SMARTLib.plugin"}
| | | | | | "SMART Capable" = Yes
| | | | | | "Device Characteristics" = {"Product Revision Level"="LW005B ", "Serial Number"="
██████████ SATA Features"=0xf, "Product Name"="TOSHIBA MK2553GSX ", "Physical Block
Size"=0x200, "Logical Block Size"=0x200}
| | | | | | "Protocol Characteristics" = {"Physical Interconnect"="SATA", "Physical Interconnect
Location"="Internal"}
| | | | | | }
| | | | | | }
| | | | | +-o IOBlockStorageDriver <class IOBlockStorageDriver, registered, matched, active, busy 0, retain 7>
| | | | | {
| | | | | | "IOProviderClass" = "IOBlockStorageDevice"
| | | | | | "IOProbeScore" = 0x0
| | | | | | "Statistics" = {"Total Time (Read)"=0x37cb1ced19, "Bytes (Write)"=0xf8c9c00, "Operations
(Read)"=0x53a1, "Latency Time (Read)"=0x0, "Retries (Read)"=0x0, "Errors (Read)"=0x0, "Operations
(Write)"=0x144b, "Retries (Write)"=0x0, "Errors (Write)"=0x0, "Latency Time (Write)"=0x0, "Bytes
(Read)"=0x2e11bc00, "Total Time (Write)"=0x1045a42d0d}
| | | | | | "CFBundleIdentifier" = "com.apple.iokit.IOStorageFamily"
| | | | | | "IOPropertyMatch" = {"device-type"="Generic"}
| | | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | | "IOClass" = "IOBlockStorageDriver"
| | | | | | }
| | | | | | }
| | | | | +-o TOSHIBA MK2553GSX Media <class IOMedia, registered, matched, active, busy 0, retain 10>
| | | | | {
| | | | | | "Removable" = No
| | | | | | "BSD Unit" = 0x0
| | | | | | "IOBusyInterest" = "IOCommand is not serializable"
| | | | | | "BSD Minor" = 0x0
| | | | | | "Ejectable" = No
| | | | | | "BSD Major" = 0xe
| | | | | | "BSD Name" = "disk0"
| | | | | | "Leaf" = No
| | | | | | "IOMediaIcon" =
{"CFBundleIdentifier"="com.apple.iokit.IOStorageFamily", "IOBundleResourceFile"="Internal.icns"}
| | | | | | "Preferred Block Size" = 0x200
| | | | | | "Whole" = Yes
| | | | | | "Open" = Yes
| | | | | | "Size" = 0x3a38b2e000
| | | | | | "Writable" = Yes
| | | | | | "Content" = "GUID_partition_scheme"
| | | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | | "Content Hint" = ""
| | | | | | }
| | | | | | }
| | | | | +-o IOMediaBSDClient <class IOMediaBSDClient, registered, matched, active, busy 0, retain 5>
| | | | | {
| | | | | | "IOProbeScore" = 0x7530
| | | | | | "IOMatchCategory" = "IOMediaBSDClient"
| | | | | | "IOProviderClass" = "IOMedia"
| | | | | | "IOClass" = "IOMediaBSDClient"
| | | | | | "CFBundleIdentifier" = "com.apple.iokit.IOStorageFamily"
| | | | | | "IOResourceMatch" = "IOBSD"
| | | | | | }
| | | | | | }
| | | | | +-o IOGUIDPartitionScheme <class IOGUIDPartitionScheme, !registered, !matched, active, busy 0,
retain 7>
| | | | | {
| | | | | | "IOProbeScore" = 0xfa0
| | | | | | "IOProviderClass" = "IOMedia"
| | | | | | "Content Mask" = "GUID_partition_scheme"
| | | | | | "CFBundleIdentifier" = "com.apple.iokit.IOStorageFamily"
| | | | | | "IOMatchCategory" = "IOStorage"
| | | | | | "IOPropertyMatch" = {"Whole"=Yes}
| | | | | | "IOClass" = "IOGUIDPartitionScheme"
| | | | | | }
| | | | | | }
| | | | | +-o EFI system partition@1 <class IOMedia, registered, matched, active, busy 0, retain 8>
| | | | | {
| | | | | | "Removable" = No
| | | | | | "BSD Unit" = 0x0

```



```

| | | | | {
| | | | | "IOUnit" = 0x0
| | | | | "Protocol Characteristics" = {"Physical Interconnect"="SATA", "AHCI Port
Number"=0x0, "ATAPI"=Yes, "Physical Interconnect Location"="Internal", "Port Speed"="1.5 Gigabit"}
| | | | | }
| | | | | }
| | | | | +-o IOAHCI SerialATAPI <class IOAHCI SerialATAPI, registered, matched, active, busy 0, retain 7>
| | | | | {
| | | | | "IOProbeScore" = 0x0
| | | | | "Write Time Out Duration" = 0x3a98
| | | | | "Model" = "HL-DT-ST DVDRW GS21N"
| | | | | "Revision" = "SA14"
| | | | | "CFBundleIdentifier" = "com.apple.okit.IOAHCI SerialATAPI"
| | | | | "Physical Interconnect" = "SATA"
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "IOPowerManagement" =
{"ChildrenPowerState"=0x1, "CurrentPowerState"=0x1, "DriverChangePowerState"=0x1}
| | | | | "ATAPI" = Yes
| | | | | "Physical Interconnect Location" = "Internal"
| | | | | "IOProviderClass" = "IOAHCI Device"
| | | | | "Read Time Out Duration" = 0x3a98
| | | | | "Retry Count" = 0x1
| | | | | "Protocol Characteristics" = {"Physical Interconnect"="SATA", "AHCI Port
Number"=0x0, "ATAPI"=Yes, "Physical Interconnect Location"="Internal", "Port Speed"="1.5 Gigabit"}
| | | | | "IOClass" = "IOAHC
| | | | | "Serial Number" = ██████████
| | | | | }
| | | | | }
| | | | | +-o IOSCSI PeripheralDeviceNub <class IOSCSI PeripheralDeviceNub, registered, matched, active, busy 0,
retain 6>
| | | | | {
| | | | | "IOProviderClass" = "IOSCSI ProtocolServices"
| | | | | "IOProbeScore" = 0x0
| | | | | "CFBundleIdentifier" = "com.apple.iokit.IOSCSIArchitectureModelFamily"
| | | | | "Protocol Characteristics" = {"Write Time Out Duration"=0x3a98, "Read Time Out
Duration"=0x3a98, "Port Speed"="1.5 Gigabit", "Retry Count"=0x1, "Physical Interconnect"="SATA", "AHCI Port
Number"=0x0, "ATAPI"=Yes, "Physical Interconnect Location"="Internal"}
| | | | | "Product Revision Level" = "SA14"
| | | | | "IOMatchCategory" = "SCSITaskUserClientNiter"
| | | | | "IOClass" = "IOSCSI PeripheralDeviceNub"
| | | | | "Product Identification" = "DVDRW GS21N"
| | | | | "Peripheral Device Type" = 0x5
| | | | | "Vendor Identification" = "HL-DT-ST"
| | | | | }
| | | | | }
| | | | | +-o IOSCSI PeripheralDeviceType05 <class IOSCSI PeripheralDeviceType05, !registered, !matched, active,
busy 0, retain 7>
| | | | | {
| | | | | "IOProviderClass" = "IOSCSI PeripheralDeviceNub"
| | | | | "IOProbeScore" = 0x1388
| | | | | "DVD Features" = 0x1f7
| | | | | "IOMaximumBlockCountRead" = 0xffff
| | | | | "CFBundleIdentifier" = "com.apple.iokit.IOSCSIMultimediaCommandsDevice"
| | | | | "CD Features" = 0x7ff
| | | | | "IOMaximumBlockCountWrite" = 0xffff
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "IOPowerManagement" =
{"CurrentPowerState"=0x1, "DeviceChangePowerState"=0x1, "DriverChangePowerState"=0x1}
| | | | | "IOClass" = "IOSCSI PeripheralDeviceType05"
| | | | | "Peripheral Device Type" = 0x5
| | | | | "BD Features" = 0x0
| | | | | }
| | | | | }
| | | | | +-o IODVDServices <class IODVDServices, registered, matched, active, busy 0, retain 7>
| | | | | {
| | | | | "SCSITaskUserClient GUID" = <007df1030000000f0c27937>
| | | | | "IOCFPlugInTypes" = {"97ABCf2C-23CC-11D5-
A0E8-003065704866"="IOSCSIArchitectureModelFamily.kext/Contents/PlugIns/SCSITaskUserClient.kext/Contents/
PlugIns/SCSITaskLib.plugin"}
| | | | | "Device Characteristics" = {"Low Power Polling"=No, "DVD Features"=0x1f7, "Product Name"="DVDRW
GS21N", "Power Off"=Yes, "CD Features"=0x7ff, "Vendor Name"="HL-DT-ST", "Product Revision Level"="SA14", "Fast
Spindown"=Yes, "BD Features"=0x0, "Async Notification"=No}
| | | | | "device-type" = "DVD"
| | | | | "Protocol Characteristics" = {"Write Time Out Duration"=0x3a98, "Read Time Out
Duration"=0x3a98, "Port Speed"="1.5 Gigabit", "Retry Count"=0x1, "Physical Interconnect"="SATA", "AHCI Port
Number"=0x0, "ATAPI"=Yes, "Physical Interconnect Location"="Internal"}
| | | | | "IOMatchCategory" = "SCSITaskUserClientNiter"
| | | | | "IOUserClientClass" = "SCSITaskUserClient"
| | | | | "SCSITaskDeviceCategory" = "SCSITaskAuthoringDevice"
| | | | | "IOMinimumSegmentAlignmentByteCount" = 0x4
| | | | | "IOGeneralInterest" = "IOCommand is not serializable"
| | | | | }
| | | | | }
| | | | | +-o SCSITaskUserClientNiter <class SCSITaskUserClientNiter, !registered, !matched, active, busy 0,
retain 4>
| | | | | {
| | | | | "IOProviderClass" = "IODVDServices"
| | | | | "IOMatchCategory" = "SCSITaskUserClientNiter"
| | | | | "IOProbeScore" = 0x0
| | | | | "IOProviderMergeProperties" = {"IOCFPlugInTypes"={"97ABCf2C-23CC-11D5-

```

```
A0E8-003065704866"="IOSCSIArchitectureModelFamily.kext/Contents/PlugIns/SCSITaskUserCl ent.kext/Contents/
PlugIns/
SCSITaskLib.plugin"), "IOUserCl entClass"="SCSITaskUserClient", "SCSITaskDeviceCategory"="SCSITaskAuthoringDevice"}
| | | | | "IOClass" = "SCSITaskUserClientInitr"
| | | | | "CFBundleIdentifier" = "com.apple.iokit.SCSITaskUserClient"
| | | | | }
| | | | | +--o IODVDBlockStorageDriver <class IODVDBlockStorageDriver, registered, matched, active, busy 0,
retain 5>
| | | | | {
| | | | | "IOProviderClass" = "IODVDBlockStorageDevice"
| | | | | "IOProbeScore" = 0x0
| | | | | "Statistics" = {"Total Time (Read)"=0x0,"Bytes (Write)"=0x0,"Operat ons (Read)"=0x0,"Latency Time
(Read)"=0x0,"Retries (Read)"=0x0,"Errors (Read)"=0x0,"Operat ons (Write)"=0x0,"Retries (Write)"=0x0,"Errors
(Write)"=0x0,"Latency Time (Write)"=0x0,"Bytes (Read)"=0x0,"Total Time (Write)"=0x0}
| | | | | "CFBundleIdentifier" = "com.apple.iokit.IODVDStorageFamily"
| | | | | "IOPropertyMatch" = {"device-type"="DVD"}
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "IOClass" = "IODVDBlockStorageDriver"
| | | | | }
| | | | | +--o SCSITaskUserCl ent <class SCSITaskUserClient, !registered, !matched, active, busy 0, retain 6>
| | | | | {
| | | | | }
| | | | |
| | | | | +--o IXVE@10 <class IOPCIDevice, registered, matched, active, busy 0, retain 10>
| | | | | {
| | | | | "IOPCIResourced" = Yes
| | | | | "#address-cells" = <03000000>
| | | | | "IOName" = "pci-bridge"
| | | | | "IOInterruptControllers" = ("IOPCIMessagedInterruptController", "IOPCIMessagedInterruptController")
| | | | | "class-code" = <00040600>
| | | | | "IOPowerManagement" = {"ChildrenPowerState"=0x2,"CurrentPowerState"=0x2}
| | | | | "revision-id" = <b1000000>
| | | | | "IOInterruptSpecifiers" = (<000000000000100>,<010000000000100>)
| | | | | "built-in" = <00>
| | | | | "acpi-device" = "IOACPIPlatformDevice is not serializable"
| | | | | "device-d" = <a00a0000>
| | | | | "vendor-id" = <de100000>
| | | | | "acpi-path" = "IOACPIPlane:/_SB/PCI0@0/IXVE@100000"
| | | | | "ranges" =
<000000820000000000000092000000820000000000009200000000001001000000c200000000000080000
000c2000000000000800000000000012000008100000000010000000000810000000001000000000000
000100000>
| | | | | "name" = "pci-bridge"
| | | | | "reg" = <0080000000000000000000000000000000>
| | | | | "compatible" = <706369313064652c61613000706369636c6173732c3036303430303000>
| | | | | "IODTPersist" = <003bba29483bba29>
| | | | | "#size-cells" = <02000000>
| | | | | "IOPCIConfigured" = Yes
| | | | | }
| | | | |
| | | | | +--o IOPCI2PCIBridge <class IOPCI2PCIBr dge, registered, matched, active, busy 0, retain 7>
| | | | | {
| | | | | "IOProv derClass" = "IOPCIDevice"
| | | | | "IOProbeScore" = 0xffffffff9c
| | | | | "CFBundleIdentifier" = "com.apple.iokit.IOPCIFamily"
| | | | | "Bridge Memory Ranges" = (0xffffffff93020000,0xffffffff930fffff)
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "Bridge IO Ranges" = (0x1080,0x1fff)
| | | | | "IONameMatched" = "pci-br dge"
| | | | | "IOClass" = "IOPCI2PCIBr dge"
| | | | | "IONameMatch" = "pci-bridge"
| | | | | "IOPowerManagement" = {"ChildrenPowerState"=0x2,"CurrentPowerState"=0x2}
| | | | | }
| | | | |
| | | | | +--o IGPU@0 <class IOPCIDevice, registered, matched, active, busy 0, retain 16>
| | | | | {
| | | | | "AAPL00,PixelFormat" = <00000000>
| | | | | "IOName" = "display"
| | | | | "IODeviceMemory" = (({"address"=0xffffffff92000000,"length"=0x1000000}),
({"address"=0xffffffff80000000,"length"=0x10000000}),({"address"=0xffffffff90000000,"length"=0x2000000}),
{"parent"=({"address"=0x0,"length"=0x1000000},"offset"=0x1000,"length"=0x80),
({"address"=0xffffffff93000000,"length"=0x200000)})
| | | | | "AAPL00,InverterFrequency" = <1e020000>
| | | | | "AAPL00,T2" = <01000000>
| | | | | "model" = <4e5649444941204765466f72636520393430304d>
| | | | | "AAPL00,DualLink" = <00000000>
| | | | | "built-in" = <00>
| | | | | "AAPL01,blackscreen-preferences" = <00000008>
| | | | | "acpi-device" = "IOACPIPlatformDevice is not serializable"
| | | | | "AAPL00,blackscreen-preferences" = <00000008>
| | | | | "AAPL,backlight-control" = <01000000>
| | | | | "acpi-path" = "IOACPIPlane:/_SB/PCI0@0/IXVE@100000/IGPU@0"
| | | | | "subsystem-vendor-id" = <6b100000>
| | | | | "name" = "display"
| | | | | "VRAM,totalsize" = <00000010>
| | | | | "compatible" =
<706369313036622c616100706369313064652c38363300706369636c6173732c30333030303000>
| | | | | "AAPL,iokit-ndrv" = <00d5b529>
```















```

| | | | "CFBundleIdentifier" = "com.apple.iokit.IONetworkingFamily"
| | | | "IOResourceMatch" = "IOBSD"
| | | | }
| | | | }
| | | | +-o IONetworkStackUserClient <class IONetworkStackUserClient, !registered, !matched, active, busy 0,
retain 5>
| | | | {
| | | | }
| | | | +-o pci-bridge@9 <class IOPCIDevice, registered, matched, active, busy 0, retain 9>
| | | | {
| | | | | "IOPCIResourced" = Yes
| | | | | "#address-cells" = <03000000>
| | | | | "IOName" = "pci-bridge"
| | | | | "class-code" = <01040600>
| | | | | "IOPowerManagement" = {"ChildrenPowerState"=0x2,"CurrentPowerState"=0x2}
| | | | | "revision-id" = <b1000000>
| | | | | "device-id" = <ab0a0000>
| | | | | "vendor-id" = <de100000>
| | | | | "ranges" = <0000008200000000000020930000082000000000002093000000000000001000>
| | | | | "name" = "pci-bridge"
| | | | | "reg" = <004800000000000000000000000000000000000000000000>
| | | | | "compatible" = <706369313064652c61616200706369636c6173732c30363034303100>
| | | | | "IODTPersist" = <003bba29483bba29>
| | | | | "#size-cells" = <02000000>
| | | | | "IOPCIConfigured" = Yes
| | | | }
| | | | +-o IOPCI2PCIBridge <class IOPCI2PCIBridge, registered, matched, active, busy 0, retain 5>
| | | | {
| | | | | "IOProviderClass" = "IOPCIDevice"
| | | | | "IOProbeScore" = 0xffffffff9c
| | | | | "CFBundleIdentifier" = "com.apple.iokit.IOPCIFamily"
| | | | | "Bridge Memory Ranges" = (0xffffffff93200000,0xffffffff932fffff,0xfffffffff00000,0xfffff)
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "Bridge IO Ranges" = (0xf000,0xfff)
| | | | | "IONameMatched" = "pci-bridge"
| | | | | "IOClass" = "IOPCI2PCIBridge"
| | | | | "IONameMatch" = "pci-bridge"
| | | | | "IOPowerManagement" = {"CurrentPowerState"=0x2,"DeviceChangePowerState"=0x2}
| | | | }
| | | | +-o PDRC <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 6>
| | | | {
| | | | | "_UID" = "1"
| | | | | "name" = <504e503043303200>
| | | | | "IODeviceMemory" = (({"address"=0xffffffff00000000,"length"=0x4000000}))
| | | | | "_STA" = 0xf
| | | | }
| | | | +-o SMC <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 11>
| | | | {
| | | | | "compatible" = <736d632d6d637000>
| | | | | "IOInterruptControllers" = ("io-apic-0")
| | | | | "name" = <4150503030303100>
| | | | | "IODeviceMemory" = (({"address"=0x300,"length"=0x20}))
| | | | | "IOInterruptSpecifiers" = (<0600000000000000>)
| | | | | "_STA" = 0xb
| | | | }
| | | | +-o AppleSMC <class AppleSMC, registered, matched, active, busy 0, retain 6>
| | | | {
| | | | | "IOProviderClass" = "IOACPIPlatformDevice"
| | | | | "IOProbeScore" = 0x4e20
| | | | | "smc-version" = "1.32f6"
| | | | | "ShutdownCause" = "0"
| | | | | "SleepCause" = "5"
| | | | | "CFBundleIdentifier" = "com.apple.driver.AppleSMC"
| | | | | "IOUserClientClass" = "AppleSMCClient"
| | | | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | | | "IONameMatched" = "APP001"
| | | | | "IOClass" = "AppleSMC"
| | | | | "IONameMatch" = "APP001"
| | | | | "IOPowerManagement" = {"CurrentPowerState"=0x1}
| | | | }
| | | | +-o SMCWatchDogTimer <class SMCWatchDogTimer, registered, matched, active, busy 0, retain 5>
| | | | {
| | | | | "IOWatchDogEnabled" = No
| | | | }
| | | | +-o ALS0 <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 7>
| | | | {
| | | | | "name" = <414350493030303800>
| | | | | "compatible" = <736d632d616c7300>
| | | | | "_STA" = 0xf
| | | | }
| | | | +-o AppleLMUController <class AppleLMUController, registered, matched, active, busy 0, retain 8>
| | | | {

```

```

| | "IOProbeScore" = 0xfa0
| | "IOProviderClass" = "IOService"
| | "IOKitDebug" = 0x0
| | "CFBundleIdentifier" = "com.apple.kext.AppleSMCLMU"
| | "IOMatchCategory" = "IODefaultMatchCategory"
| | "IOGeneralInterest" = "IOCommand is not serializable"
| | "IONameMatched" = "ALSO"
| | "IOClass" = "AppleLMUController"
| | "IONameMatch" = ("ALSO", "ACPI0008", "smc-als")
| | "IOPowerManagement" = {"CurrentPowerState"=0x1}
| | }
| | }
+-o SMS0 <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 7>
| | {
| | "compatible" = <736d632d736d7300>
| | "device-properties" = {"disk-sense-level"=0x0}
| | "disk-sense-level" = 0x0
| | "name" = <4150503030303300>
| | "_STA" = 0xf
| | }
| | }
+-o SMCMotionSensor <class SMCMot onSensor, registered, matched, active, busy 0, retain 5>
| | {
| | "IOProviderClass" = "IOService"
| | "IOProbeScore" = 0x4e20
| | "CFBundleIdentifier" = "com.apple.driver.SMCMotionSensor"
| | "IOUserClientClass" = "SMCMotionSensorClient"
| | "IOMatchCategory" = "IODefaultMatchCategory"
| | "IONameMatched" = "APP0003"
| | "IOClass" = "SMCMotionSensor"
| | "IONameMatch" = "APP0003"
| | "ams-active" = 0x1
| | "IOPowerManagement" = {"CurrentPowerState"=0x1}
| | }
| | }
+-o EC <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 11>
| | {
| | "_UID" = "0"
| | "acpi-wake-system-state" = 0x3
| | "name" = <504e503043303900>
| | "acpi-wake-gpe" = 0x3e
| | "_STA" = 0xf
| | "IODeviceMemory" = (({"address"=0x62,"length"=0x1}),({"address"=0x66,"length"=0x1}))
| | }
| | }
+-o AppleACPIEC <class AppleACPIEC, !registered, !matched, active, busy 0, retain 5>
| | {
| | "IOProviderClass" = "IOACPIPlatformDevice"
| | "IOProbeScore" = 0x0
| | "CFBundleIdentifier" = "com.apple.driver.AppleACPIEC"
| | "IOMatchCategory" = "IODefaultMatchCategory"
| | "IONameMatched" = "boot-ec"
| | "IOClass" = "AppleACPIEC"
| | "IONameMatch" = ("PNP0C09", "boot-ec")
| | }
| | }
+-o SMB0 <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 9>
| | {
| | "name" = <4143504930303100>
| | "_STA" = 0xf
| | }
| | }
+-o AppleEC SMBusController <class AppleEC SMBusController, registered, matched, active, busy 0, retain 5>
| | {
| | "IOSMBusSmartBatteryManager" = Yes
| | "_SBS" = 0x1
| | }
| | }
6> +-o AppleSmartBatteryManager <class AppleSmartBatteryManager, registered, matched, active, busy 0, retain
| | {
| | "IOProviderClass" = "IOSMBusController"
| | "IOProbeScore" = 0x0
| | "CFBundleIdentifier" = "com.apple.driver.AppleSmartBatteryManager"
| | "IOPropertyMatch" = {"IOSMBusSmartBatteryManager"=Yes}
| | "IOMatchCategory" = "IODefaultMatchCategory"
| | "IOUserClientClass" = "AppleSmartBatteryManagerUserClient"
| | "IOClass" = "AppleSmartBatteryManager"
| | "IOPowerManagement" = {"CurrentPowerState"=0x1}
| | }
| | }
+-o AppleSmartBattery <class AppleSmartBattery, registered, matched, active, busy 0, retain 5>
| | {
| | "ManufacturerData" = <00000000002a0005010000150000>
| | "ExternalConnected" = No
| | "CurrentCapacity" = 0xeb4
| | "FullyCharged" = No
| | "ManufactureDate" = 0x3938
| | "Amperage" = 0xfffffffffb25
| | "PermanentFailureStatus" = 0x0

```

```

| | "LegacyBatteryInfo" =
{"Capacity"=0x1067,"Voltage"=0x2f38,"Flags"=0x4,"Current"=0xeb4,"Amperage"=0xfffffffffb25,"Cycle Count"=0x0}
| | "BatteryInstalled" = Yes
| | "DeviceName" = "bq20z951"
| | "BatteryInvalidWakeSeconds" = 0x1e
| | "AvgTimeToFull" = 0xffff
| | "ExternalChargeCapable" = No
| | "AvgTimeToEmpty" = 0xb6
| | "DesignCapacity" = 0x1004
| | "PostDischargeWaitSeconds" = 0x78
| | "Temperature" = 0xbb6
| | "CellVoltage" = (0xfbc,0xfc6,0xfb5,0x0)
| | "Manufacturer" = "DP"
| | "SerialNumber" = 0x137c
| | "Serial" = "4988"
| | "InstantAmperage" = 0xfffffffffa43
| | "BatterySerialNumber" = "DP-bq20z951-3938-137c"
| | "CycleCount" = 0x0
| | "Voltage" = 0x2f38
| | "IsCharging" = No
| | "InstantTimeToEmpty" = 0x9a
| | "Quick Poll" = No
| | "TimeRemaining" = 0xb6
| | "PostChargeWaitSeconds" = 0x78
| | "MaxErr" = 0x1
| | "MaxCapacity" = 0x1067
| | "AdapterInfo" = 0x0
| | "Location" = 0x0
| | "IOGeneralInterest" = "IOCommand is not serializable"
| | }
+-o SBS0 <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 6>
| | {
| | "name" = <4143504930303200>
| | "_STA" = 0xf
| | }
+-o DMAC <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 6>
| | {
| | "name" = <504e503032303000>
| | "IODeviceMemory" = (({"address"=0x0,"length"=0x9}),({"address"=0xa,"length"=0x6}),
({{"address"=0x81,"length"=0x3}),({"address"=0x87,"length"=0x1}),({"address"=0x89,"length"=0x3}),
({{"address"=0x8f,"length"=0x1}),({"address"=0xc0,"length"=0x12}),({"address"=0xd4,"length"=0xc}))
| | "_STA" = 0xf
| | }
+-o HPET <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 7>
| | {
| | "compatible" = <504e503043303100>
| | "IOInterruptControllers" = ("io-apic-0","io-apic-0","io-apic-0","o-apic-0")
| | "name" = <504e503031303300>
| | "IODeviceMemory" = (({"address"=0xfffffffffed00000,"length"=0x400}))
| | "IOInterruptSpecifiers" =
(<0200000000000000>,<0800000000000000>,<0100000000000000>,<0300000000000000>)
| | "_STA" = 0xf
| | }
+-o AppleHPET <class AppleHPET, !registered, !matched, active, busy 0, retain 4>
| | {
| | "IOProviderClass" = "IOACPIPlatformDevice"
| | "IOProbeScore" = 0x0
| | "CFBundleIdentifier" = "com.apple.driver.AppleHPET"
| | "IOMatchCategory" = "IODefaultMatchCategory"
| | "IONameMatched" = "PNP0103"
| | "IOClass" = "AppleHPET"
| | "IONameMatch" = "PNP0103"
| | }
+-o IPIC <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 6>
| | {
| | "name" = <504e503030303000>
| | "IODeviceMemory" = (({"address"=0x20,"length"=0x2}),({"address"=0xa0,"length"=0x1}))
| | "_STA" = 0xf
| | }
+-o MATH <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 6>
| | {
| | "IOInterruptControllers" = ("o-apic-0")
| | "name" = <504e503043303400>
| | "IODeviceMemory" = (({"address"=0xf0,"length"=0x2}))
| | "IOInterruptSpecifiers" = (<0d00000000000000>)
| | "_STA" = 0xf
| | }
+-o LDRC <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 6>
| | {
| | "_UID" = "2"
| | "name" = <504e503043303200>
| | "IODeviceMemory" = (({"address"=0x400,"length"=0x80}),({"address"=0x480,"length"=0x80}),
({{"address"=0x500,"length"=0x80}),({"address"=0x580,"length"=0x80}),({"address"=0x800,"length"=0x80}),

```



```

| | "IOProbeScore" = 0x3e8
| | "IOProviderClass" = "IOACPIPlatformDevice"
| | "IOPlatformWakeAction" = 0x0
| | "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| | "Possible Interrupts" = (0x10,0x11,0x12,0x13,0x14,0x15,0x16,0x17)
| | "IOMatchCategory" = "IODeviceMatchCategory"
| | "IONameMatched" = "PNPOCOF"
| | "IOClass" = "AppleACPIInterruptLink"
| | "IONameMatch" = "PNPOCOF"
| | "Current Interrupt" = 0x11
| | }
| | }
+--o LUS2 <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 7>
| | {
| |   "_UID" = "39"
| |   "IOInterruptControllers" = ("io-apic-0")
| |   "name" = <504e503043304600>
| |   "_STA" = 0xb
| |   "IOInterruptSpecifiers" = (<1600000007000000>)
| | }
+--o AppleACPIInterruptLink <class AppleACPIInterruptLink, !registered, !matched, active, busy 0, retain 4>
| | {
| |   "IOProbeScore" = 0x3e8
| |   "IOProviderClass" = "IOACPIPlatformDevice"
| |   "IOPlatformWakeAction" = 0x0
| |   "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| |   "Possible Interrupts" = (0x10,0x11,0x12,0x13,0x14,0x15,0x16,0x17)
| |   "IOMatchCategory" = "IODeviceMatchCategory"
| |   "IONameMatched" = "PNPOCOF"
| |   "IOClass" = "AppleACPIInterruptLink"
| |   "IONameMatch" = "PNPOCOF"
| |   "Current Interrupt" = 0x16
| | }
+--o Z001 <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 7>
| | {
| |   "_UID" = "47"
| |   "IOInterruptControllers" = ("io-apic-0")
| |   "name" = <504e503043304600>
| |   "_STA" = 0xb
| |   "IOInterruptSpecifiers" = (<1700000007000000>)
| | }
+--o AppleACPIInterruptLink <class AppleACPIInterruptLink, !registered, !matched, active, busy 0, retain 4>
| | {
| |   "IOProbeScore" = 0x3e8
| |   "IOProviderClass" = "IOACPIPlatformDevice"
| |   "IOPlatformWakeAction" = 0x0
| |   "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| |   "Possible Interrupts" = (0x10,0x11,0x12,0x13,0x14,0x15,0x16,0x17)
| |   "IOMatchCategory" = "IODeviceMatchCategory"
| |   "IONameMatched" = "PNPOCOF"
| |   "IOClass" = "AppleACPIInterruptLink"
| |   "IONameMatch" = "PNPOCOF"
| |   "Current Interrupt" = 0x17
| | }
+--o LAZA <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 7>
| | {
| |   "_UID" = "41"
| |   "IOInterruptControllers" = ("io-apic-0")
| |   "name" = <504e503043304600>
| |   "_STA" = 0xb
| |   "IOInterruptSpecifiers" = (<1400000007000000>)
| | }
+--o AppleACPIInterruptLink <class AppleACPIInterruptLink, !registered, !matched, active, busy 0, retain 4>
| | {
| |   "IOProbeScore" = 0x3e8
| |   "IOProviderClass" = "IOACPIPlatformDevice"
| |   "IOPlatformWakeAction" = 0x0
| |   "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| |   "Possible Interrupts" = (0x10,0x11,0x12,0x13,0x14,0x15,0x16,0x17)
| |   "IOMatchCategory" = "IODeviceMatchCategory"
| |   "IONameMatched" = "PNPOCOF"
| |   "IOClass" = "AppleACPIInterruptLink"
| |   "IONameMatch" = "PNPOCOF"
| |   "Current Interrupt" = 0x14
| | }
+--o LMAC <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 7>
| | {
| |   "_UID" = "40"
| |   "IOInterruptControllers" = ("io-apic-0")
| |   "name" = <504e503043304600>
| |   "_STA" = 0xb
| |   "IOInterruptSpecifiers" = (<1100000007000000>)
| | }
| | }

```

```

| | +-o AppleACPIInterruptLink <class AppleACPIInterruptLink, !registered, !matched, active, busy 0, retain 4>
| | {
| |   "IOProbeScore" = 0x3e8
| |   "IOProviderClass" = "IOACPIPlatformDevice"
| |   "IOPlatformWakeAction" = 0x0
| |   "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| |   "Possible Interrupts" = (0x10,0x11,0x12,0x13,0x14,0x15,0x16,0x17)
| |   "IOMatchCategory" = "IODefaultMatchCategory"
| |   "IONameMatched" = "PNP0C0F"
| |   "IOClass" = "AppleACPIInterruptLink"
| |   "IONameMatch" = "PNP0C0F"
| |   "Current Interrupt" = 0x11
| | }
| |
| | +-o LSI0 <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 7>
| | {
| |   "_UID" = "44"
| |   "IOInterruptControllers" = ("io-apic-0")
| |   "name" = <504e503043304600>
| |   "_STA" = 0xb
| |   "IOInterruptSpecifiers" = (<1200000007000000>)
| | }
| |
| | +-o AppleACPIInterruptLink <class AppleACPIInterruptLink, !registered, !matched, active, busy 0, retain 4>
| | {
| |   "IOProbeScore" = 0x3e8
| |   "IOProviderClass" = "IOACPIPlatformDevice"
| |   "IOPlatformWakeAction" = 0x0
| |   "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| |   "Possible Interrupts" = (0x10,0x11,0x12,0x13,0x14,0x15,0x16,0x17)
| |   "IOMatchCategory" = "IODefaultMatchCategory"
| |   "IONameMatched" = "PNP0C0F"
| |   "IOClass" = "AppleACPIInterruptLink"
| |   "IONameMatch" = "PNP0C0F"
| |   "Current Interrupt" = 0x12
| | }
| |
| | +-o IOPCIMessagedInterruptController <class IOPCIMessagedInterruptController, registered, matched, active, busy
0, retain 6>
| | {
| |   "Vector Count" = 0x40
| |   "InterruptControllerName" = "IOPCIMessagedInterruptController"
| |   "Base Vector Number" = 0x90
| | }
| |
| | +-o Z00F <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 7>
| | {
| |   "_UID" = "17"
| |   "IOInterruptControllers" = ("io-apic-0")
| |   "name" = <504e503043304600>
| |   "_STA" = 0xb
| |   "IOInterruptSpecifiers" = (<1500000007000000>)
| | }
| |
| | +-o AppleACPIInterruptLink <class AppleACPIInterruptLink, !registered, !matched, active, busy 0, retain 4>
| | {
| |   "IOProbeScore" = 0x3e8
| |   "IOProviderClass" = "IOACPIPlatformDevice"
| |   "IOPlatformWakeAction" = 0x0
| |   "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| |   "Possible Interrupts" = (0x10,0x11,0x12,0x13,0x14,0x15,0x16,0x17)
| |   "IOMatchCategory" = "IODefaultMatchCategory"
| |   "IONameMatched" = "PNP0C0F"
| |   "IOClass" = "AppleACPIInterruptLink"
| |   "IONameMatch" = "PNP0C0F"
| |   "Current Interrupt" = 0x15
| | }
| |
| | +-o LGPU <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 7>
| | {
| |   "_UID" = "42"
| |   "IOInterruptControllers" = ("io-apic-0")
| |   "name" = <504e503043304600>
| |   "_STA" = 0xb
| |   "IOInterruptSpecifiers" = (<1000000007000000>)
| | }
| |
| | +-o AppleACPIInterruptLink <class AppleACPIInterruptLink, !registered, !matched, active, busy 0, retain 4>
| | {
| |   "IOProbeScore" = 0x3e8
| |   "IOProviderClass" = "IOACPIPlatformDevice"
| |   "IOPlatformWakeAction" = 0x0
| |   "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| |   "Possible Interrupts" = (0x10,0x11,0x12,0x13,0x14,0x15,0x16,0x17)
| |   "IOMatchCategory" = "IODefaultMatchCategory"
| |   "IONameMatched" = "PNP0C0F"
| |   "IOClass" = "AppleACPIInterruptLink"
| |   "IONameMatch" = "PNP0C0F"
| |   "Current Interrupt" = 0x10
| | }

```

```

| |
+-o 2000 <class IOACPIPlatformDevice, registered, matched, active, busy 0, retain 7>
| | {
| | | "_UID" = "46"
| | | "IOInterruptControllers" = ("io-apic-0")
| | | "name" = <504e503043304600>
| | | "_STA" = 0xb
| | | "IOInterruptSpecifiers" = (<1200000007000000>)
| | | }
| | }
+-o AppleACPIInterruptLink <class AppleACPIInterruptLink, !registered, !matched, active, busy 0, retain 4>
| | {
| | | "IOProbeScore" = 0x3e8
| | | "IOProviderClass" = "IOACPIPlatformDevice"
| | | "IOPlatformWakeAction" = 0x0
| | | "CFBundleIdentifier" = "com.apple.driver.AppleACPIPlatform"
| | | "Possible Interrupts" = (0x10,0x11,0x12,0x13,0x14,0x15,0x16,0x17)
| | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | "IONameMatched" = "PNPOCOF"
| | | "IOClass" = "AppleACPIInterruptLink"
| | | "IONameMatch" = "PNPOCOF"
| | | "Current Interrupt" = 0x12
| | | }
| | }
+-o AppleEFIRuntime <class AppleEFIRuntime, registered, matched, active, busy 0, retain 7>
| | {
| | | "IOProviderClass" = "AppleACPIPlatformExpert"
| | | "IOMatchCategory" = "AppleEFIRuntime"
| | | "IOProbeScore" = 0x0
| | | "IOClass" = "AppleEFIRuntime"
| | | "CFBundleIdentifier" = "com.apple.driver.AppleEFIRuntime"
| | | "IOResourceMatch" = "ACPI"
| | | }
| | }
+-o AppleEFINVRAM <class AppleEFINVRAM, registered, matched, active, busy 0, retain 7>
| | {
| | | "boot-image" =
| | | <02010c00d041030a000000001010600000b03120a000000000000004012a00020000002840060000000000201
| | | 9121d00000000591c000cf4b0000e95900007310000020204041800330064003000370061003700300030003000
| | | 00007fff0400>
| | | "SystemAudioVolume" = <a4>
| | | }
| | }
+-o IOResources <class IOResources, registered, matched, active, busy 0, retain 18>
| | {
| | | "IOBSD" = "IOService"
| | | "AAPL,current-in-sleep" = 0xdac
| | | "IOPlatformPlugin" = "ACPI_SMC_PlatformPlugin is not serializable"
| | | "WindowServer" = "IOService"
| | | "IORTC" = "AppleRTC is not serializable"
| | | "IOSMClass" = "SMCMot onSensor"
| | | "als-igp-version" = 0x4
| | | "IOPlatformUUID" = "59DE2744-CDC9-5775-B5C1-CD864C6643ED"
| | | "ACPI" = "AppleACPIPlatformExpert is not serializable"
| | | "IONVRAM" = "IOService"
| | | "SMBIOS" = "IOService"
| | | "efi-runtime" = "AppleEFIRuntime is not serializable"
| | | "IOPlatformDeviceASPMEnable" = "ACPI_SMC_PlatformPlugin is not serializable"
| | | "boot-uuid-media" = "IOMedia is not serializable"
| | | "IOPlatformMonitor" = "ACPI_SMC_PlatformPlugin is not serializable"
| | | "LMU-KeyBoard-Backlight" = "AppleLMUController is not serializable"
| | | "IOSerialManagerMustLoad" = 0x1
| | | "IOConsoleUsersSeed" = <03000000>
| | | "LMU-Light-Sensor" = "AppleLMUController is not serializable"
| | | "com.apple.iok.t.SCSISubsystemGlobals" = Yes
| | | "IOKit" = "IOService"
| | | "AAPL,current-available" = 0x4b0
| | | "AAPL,current-extra" = 0x2bc
| | | }
| | }
+-o com_apple_BootCache <class com_apple_BootCache, !registered, !matched, active, busy 0, retain 4>
| | {
| | | "IOProviderClass" = "IOResources"
| | | "IOMatchCategory" = "BootCache"
| | | "IOProbeScore" = 0x0
| | | "IOClass" = "com_apple_BootCache"
| | | "CFBundleIdentifier" = "com.apple.BootCache"
| | | "IOResourceMatch" = "IOKit"
| | | }
| | }
+-o IOHIDSystem <class IOHIDSystem, registered, matched, active, busy 0, retain 20>
| | {
| | | "IOProviderClass" = "IOResources"
| | | "IOProbeScore" = 0x0
| | | "HIDParameters" = {"Trackpad Jitter
| | | Milliseconds"=0xc0,"Clicking"=0x0,"HIDKeyRepeat"=0x4f790d5,"HIDClickTime"=0x1dcd6500,"HIDTrackpadScrollAccele
| | | ration"=0x5000,"HIDMouseScrollAcceleration"=0x5000,"OutsidezoneNoAction When
| | | Typing"=0x1,"HIDPointerButtonMode"=0x2,"HIDWaitCursorFrameInterval"=0x1fca057,"TwofingerNoAction"=0x1,"HIDD
| | | efaultParameters"=Yes,"HIDStickyKeysDisabled"=0x0,"HIDMous$
| | | "HIDIdleTime" = 0x3812d3d66

```



```

| | {
| | }
| | }
| | }
+--o IOAudioEngineUserClient <class IOAudioEngineUserClient, !registered, !matched, active, busy 0, retain 6>
| | {
| | }
+--o IOAudioEngineUserClient <class IOAudioEngineUserClient, !registered, !matched, active, busy 0, retain 6>
| | {
| | }
+--o IOAudioEngineUserClient <class IOAudioEngineUserClient, !registered, !matched, active, busy 0, retain 6>
| | {
| | }
+--o Dont_Steal_Mac_OS_X <class Dont_Steal_Mac_OS_X, !registered, !matched, active, busy 0, retain 5>
| | {
| | "IOProviderClass" = "IOResources"
| | "IOMatchCategory" = "Dont_Steal_Mac_OS_X"
| | "IOProbeScore" = 0x0
| | "IOClass" = "Dont_Steal_Mac_OS_X"
| | "CFBundleIdentifier" = "com.apple.Dont_Steal_Mac_OS_X"
| | "IOResourceMatch" = "IOKit"
| | }
+--o IODisplayWrangler <class IODisplayWrangler, registered, matched, active, busy 0, retain 6>
| | {
| | "IOProviderClass" = "IOResources"
| | "IOProbeScore" = 0x0
| | "CFBundleIdentifier" = "com.apple.iokit.IOGraphicsFamily"
| | "IOGraphicsPrefsParameters" = {"tbrl"=Yes,"oscn"=Yes,"vbst"=Yes,"thue"=Yes,"tsat"=Yes}
| | "IOMatchCategory" = "IOGraphics"
| | "IOUserClientClass" = "IOAcceleratorUserClient"
| | "IOPowerManagement" = {"CurrentPowerState"=0x4,"DeviceChangePowerState"=0x4}
| | "IOClass" = "IODisplayWrangler"
| | "IOGeneralInterest" = "IOCommand is not serializable"
| | "IOResourceMatch" = "IOKit"
| | }
+--o IOAccelerationUserClient <class IOAcceleratorUserClient, !registered, !matched, active, busy 0, retain 5>
| | {
| | }
+--o IOHDIXController <class IOHDIXController, registered, matched, active, busy 0, retain 4>
| | {
| | "IOProbeScore" = 0x0
| | "revision" = "10.5v195.1"
| | "CFBundleIdentifier" = "com.apple.driver.DiskImages"
| | "IOMatchCategory" = "IOHDIXController"
| | "model" = "Disk Image Driver for MacOS X"
| | "IOProviderClass" = "IOResources"
| | "IOResourceMatch" = "IOKit"
| | "Product Name" = "Disk Image Driver for MacOS X"
| | "Vendor Name" = "Apple"
| | "vendor" = "Apple"
| | "Product Revision Level" = "10.5v195.1"
| | "IOUserClientClass" = "IOHDIXControllerUserClient"
| | "IOClass" = "IOHDIXController"
| | }
+--o IONetworkStack <class IONetworkStack, registered, matched, active, busy 0, retain 9>
| | {
| | "IOProviderClass" = "IOResources"
| | "IOMatchCategory" = "IONetworkStack"
| | "IOProbeScore" = 0x0
| | "IOClass" = "IONetworkStack"
| | "CFBundleIdentifier" = "com.apple.iokit.IONetworkingFamily"
| | "IOResourceMatch" = "IOBSD"
| | }
+--o IONetworkStackUserClient <class IONetworkStackUserClient, !registered, !matched, active, busy 0, retain 5>
| | {
| | }
+--o IOBluetoothSerialManager <class IOBluetoothSerialManager, registered, matched, active, busy 0, retain 7>
| | {
| | "IOProviderClass" = "IOResources"
| | "IOProbeScore" = 0x0
| | "CFBundleIdentifier" = "com.apple.iokit.IOBluetoothSerialManager"
| | "IOMatchCategory" = "IOBluetoothSerialManager"
| | "IOPropertyMatch" = {"IOSerialManagerMustLoad"=0x1}
| | "IOClass" = "IOBluetoothSerialManager"
| | "IOResourceMatch" = "IOKit"
| | }
+--o IOBluetoothSerialClient <class IOBluetoothSerialClient, !registered, !matched, active, busy 0, retain 5>
| | {
| | "BTTTYName" = "Bluetooth-Modem"
| | "BTAddress" = <>
| | "P49SerialPort" = 0x1

```

```

| | "BTName" = "Bluetooth-Modem"
| | "BTRFCOMMChannel" = 0x0
| | "BTPSM" = 0x0
| | "BTAuthenticationRequired" = 0x0
| | "IOTTYBaseName" = "Bluetooth-Modem"
| | }
| | }
+--o IOBluetoothSerialClientModemStreamSync <class IOBluetoothSerialClientModemStreamSync, registered,
matched, active, busy 0, retain 5>
| | {
| | | "IOTTYBaseName" = "Bluetooth-Modem"
| | | "IOTTYSuffix" = ""
| | | }
| | | }
+--o IOSerialBSDClient <class IOSerialBSDClient, registered, matched, active, busy 0, retain 4>
| | {
| | | "IOProbeScore" = 0x3e8
| | | "IOProviderClass" = "IOStreamSync"
| | | "IOSerialBSDClientType" = "IOModemSerialStream"
| | | "IOTTYBaseName" = "Bluetooth-Modem"
| | | "CFBundleIdentifier" = "com.apple.iokit.IOSerialFamily"
| | | "IOTTYDevice" = "Bluetooth-Modem"
| | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | "IOCalloutDevice" = "/dev/cu.Bluetooth-Modem"
| | | "IOClass" = "IOSerialBSDClient"
| | | "IODialinDevice" = "/dev/tty.Bluetooth-Modem"
| | | "IOTTYSuffix" = ""
| | | "IOResourceMatch" = "IOBSD"
| | | }
| | | }
+--o IOBluetoothSerialClient <class IOBluetoothSerialClient, !registered, !matched, active, busy 0, retain 5>
| | {
| | | "HddenPort" = 0x1
| | | "BTTTYName" = "Bluetooth-PDA-Sync"
| | | "P49SerialPort" = 0x1
| | | "BTSerialConnectonType" = 0x0
| | | "BTEncryptionType" = No
| | | "BTPSM" = 0x3
| | | "BTRFCOMMChannel" = 0x3
| | | "BTName" = "incoming port - Bluetooth-PDA-Sync"
| | | "BTAuthenticationRequired" = No
| | | "IOTTYBaseName" = "Bluetooth-PDA-Sync"
| | | }
| | | }
+--o IOBluetoothSerialClientSerialStreamSync <class IOBluetoothSerialClientSerialStreamSync, registered,
matched, active, busy 0, retain 5>
| | {
| | | "IOTTYBaseName" = "Bluetooth-PDA-Sync"
| | | "IOTTYSuffix" = ""
| | | }
| | | }
+--o IOSerialBSDClient <class IOSerialBSDClient, registered, matched, active, busy 0, retain 4>
| | {
| | | "IOProbeScore" = 0x3e8
| | | "IOProviderClass" = "IOStreamSync"
| | | "IOSerialBSDClientType" = "IORS232SerialStream"
| | | "IOTTYBaseName" = "Bluetooth-PDA-Sync"
| | | "CFBundleIdentifier" = "com.apple.iokit.IOSerialFamily"
| | | "IOTTYDevice" = "Bluetooth-PDA-Sync"
| | | "IOMatchCategory" = "IODefaultMatchCategory"
| | | "IOCalloutDevice" = "/dev/cu.Bluetooth-PDA-Sync"
| | | "IOClass" = "IOSerialBSDClient"
| | | "IODialinDevice" = "/dev/tty.Bluetooth-PDA-Sync"
| | | "IOTTYSuffix" = ""
| | | "IOResourceMatch" = "IOBSD"
| | | }
| | | }

```

## Preference Panes:

### Accounts:

Version: 2.1  
 Supported by: Apple  
 Visible: Yes  
 Identifier: com.apple.preferences.users  
 Location: /System/Library/PreferencePanes/Accounts.prefPane

### Appearance:

Version: 2.0  
 Supported by: Apple  
 Visible: Yes  
 Identifier: com.apple.preference.general  
 Location: /System/Library/PreferencePanes/Appearance.prefPane

### Bluetooth:

Version: 2.1.2  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preferences.Bluetooth  
Location: /System/Library/PreferencePanes/Bluetooth.prefPane

#### CDs & DVDs:

Version: 1.5  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.digihub.discs  
Location: /System/Library/PreferencePanes/DigiHubDiscs.prefPane

#### Date & Time:

Version: 3.0  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.datetime  
Location: /System/Library/PreferencePanes/DateAndTime.prefPane

#### Desktop & Screen Saver:

Version: 2.0.2  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.desktopscreeneffect  
Location: /System/Library/PreferencePanes/DesktopScreenEffectsPref.prefPane

#### Displays:

Version: 2.2.1  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.displays  
Location: /System/Library/PreferencePanes/Displays.prefPane

#### Dock:

Version: 1.5  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.dock  
Location: /System/Library/PreferencePanes/Dock.prefPane

#### Energy Saver:

Version: 4.1  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.energysaver  
Location: /System/Library/PreferencePanes/EnergySaver.prefPane

#### Exposé & Spaces:

Version: 1.6.1  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.expose  
Location: /System/Library/PreferencePanes/Expose.prefPane

#### Fibre Channel:

Version: 1.0  
Supported by: Apple  
Visible: No  
Identifier: com.apple.prefpanel.fibrechannel  
Location: /System/Library/PreferencePanes/FibreChannel.prefPane

#### Ink:

Version: 1.3  
Supported by: Apple  
Visible: No  
Identifier: com.apple.preference.ink  
Location: /System/Library/PreferencePanes/Ink.prefPane

#### International:

Version: 1.3  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.Localization  
Location: /System/Library/PreferencePanes/Localization.prefPane

#### Keyboard & Mouse:

Version: 4.5  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.keyboard  
Location: /System/Library/PreferencePanes/Keyboard.prefPane

**MobileMe:**

Version: 5.1  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.internet  
Location: /System/Library/PreferencePanes/Mac.prefPane

**Network:**

Version: 2.3  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.network  
Location: /System/Library/PreferencePanes/Network.prefPane

**Parental Controls:**

Version: 1.0.1  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preferences.parentalcontrols  
Location: /System/Library/PreferencePanes/ParentalControls.prefPane

**Print & Fax:**

Version: 3.0  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.printfax  
Location: /System/Library/PreferencePanes/PrintAndFax.prefPane

**QuickTime:**

Version: 7.4  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.quicktime  
Location: /System/Library/PreferencePanes/QuickTime.prefPane

**Security:**

Version: 1.7  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.security  
Location: /System/Library/PreferencePanes/Security.prefPane

**Sharing:**

Version: 3.5  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preferences.sharing  
Location: /System/Library/PreferencePanes/SharingPref.prefPane

**Software Update:**

Version: 3.0.3  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preferences.softwareupdate  
Location: /System/Library/PreferencePanes/SoftwareUpdate.prefPane

**Sound:**

Version: 3.0  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.sound  
Location: /System/Library/PreferencePanes/Sound.prefPane

**Speech:**

Version: 3.5  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.speech  
Location: /System/Library/PreferencePanes/Speech.prefPane

**Spotlight:**

Version: 2.0  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.spotlight  
Location: /System/Library/PreferencePanes/Spotlight.prefPane

**Startup Disk:**

Version: 11.1  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.startupdisk  
Location: /System/Library/PreferencePanes/StartupDisk.prefPane

**Time Machine:**

Version: 10.5.5  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.prefs.backup  
Location: /System/Library/PreferencePanes/TimeMachine.prefPane

**Trackpad:**

Version: 1.0  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.trackpad  
Location: /System/Library/PreferencePanes/Trackpad.prefPane

**Universal Access:**

Version: 3.1  
Supported by: Apple  
Visible: Yes  
Identifier: com.apple.preference.universalaccess  
Location: /System/Library/PreferencePanes/UniversalAccessPref.prefPane

**Universal Access:**

**Universal Access Information:**

Cursor Magnificat on: Off  
Display: Black on White  
Flash Screen: Off  
Mouse Keys: Off  
Slow Keys: Off  
Sticky Keys: Off  
VoiceOver: Off  
Zoom: Off